### N.D.O.H. 18/09/2017

# BEFORE THE NATIONAL GREEN TRIBUNAL AT NEW DELHI

Original Application No. 247 OF 2017

Selaqui International School

Applicant

		the factories
	Vs	
Un	ion of India & Ors	Respondents
<u>Sr.</u>	No Particular	Page
1.	ANNEXURE -B-10 A copy of the Provsional Consent order (cca)	1400 1421
2.	ANNEXURE -B-11 A copy of the Letter dated 21.08.2017	1422 - 1442
3.	ANNEXURE -B-12 A copy of the Provsional Consent order (cca)	1443 - 1461
4.	ANNEXURE -B-13 A copy of the Provsional Consent order (cca)	1462 - 1480
5.	ANNEXURE -B-14 & B 15 A copy of the Letter dated 24.08.2017	1481 - 1522
6.	ANNEXURE -B-16 A copy of the Letter dated 23.08.2017	1523 – 1547
7.	ANNEXURE –C-1 A copy of the Analysis Report dated 11.07.2017	- 1548 -
8.	ANNEXURE –C-2 A copy of the Analysis Report	- 1549 -
9.	ANNEXURE -D A copy of the Report	- 1550 -
10.	Proof of Service	-1551-

### **VOLUME** - II

NEW DELHI

DATED: 16.09.2017

FILED BY

MUKESH VERMA)
ADVOCATE FOR RESPONDENT
CHAMBER NO. 50
SUPREME COURT OF INDIA
NEW DELHI-110001
PHONE NO. 23389715

09810108098, 09312222131 Email: <u>mvermadv@gmail.com</u>

K

Uttarakhand Environment Protection & Pollution Control Board

Provisional Consent Order (CCA) E-115 Nehru Colony Haridwar Road, DEHRADUN

Tele: 0135-2668092,2668084

Consent No. AWH-37268 Valid upto: 09/04/2018

PCB ld:13462

Besides streamlining and simplifying of regulatory regime, Uttarakhand Environment Protection & Pollution Control Board has taken initiative in from of introduction of Consolidated Consent and Authorization (CC&A) which provides for a one shot application and clearance of the consents under Water Act, Air Act and Authorization under Hazardous Wastes Rules for a period of 5 years. Board issues consolidated consent and Authorization to an industrial unit for operation of plant/carrying out industrial activity specifying following conditions.

#### Consolidated Consent and Authorisation

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981

and Authorization under rule 3(0)& 5(5)of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2008 framed under the E(P)Act-1986.

And whereas Board has received consolidated Application No. (CtO: CCA-Renewal) 66181 and Dated 10/04/2017 for the consolidated consent and authorization(CC&A) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby granted as under.

CONSENT AND AUTHORISATION:

(under the provisions / rules of the aforesaid environmental acts)

M/s. Coral Laboratories Ltd.

Plot No. 27-28, Phormacity, SIDCUL, Sciagul, Dehradun,

City: Selaqui,

Dist : Dehradun, Tal : Vikasnagar, SIDC : Not In Any SIDC

Phone: -

Consent Order No:

AWH-37268

Valid Upto:

09/04/2018

2. All Conditions under the AIR ACT-1981 WATER ACT-1974 HAZARDOUS ACT-2008 shall be Applicable to you as mentioned in the despiled Consent Order \*\*\*

Consented CETP: Not Linked to any CETP Consented TSDP: Not Regd with any TSDF

#### 3. GENERAL CONDITIONS:-

a) This order is provisional order and detailed order is considered as final.

b) All the conditions & provisions under the Water Act 1974, the Air Act 1981 and the Environment (Protection) Act - 1986 and the reles made there under shall be complied with .

e) All the conditions & provisions under the Mazardous Wasta (Management, Handling and Trans boundary Movement) Rules 2008 as emended shall be complicated d) The applicant shall provide portholes, ledder, platform at a chimney(s) for monitoring the sic constions and the same shall be open for inspection to and for use of Board's staff. The chimney(s) verifications of the chimney of t

respect of noise to less than 75 th (A) during day time and 70 dB(A) thiring night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

1) to ease of change of processing imagement the name and address of the new owners/ partners/ directors/ proprietor or equipment or working conditions as

(a) It case us change of open sample and a second control of the s

White the control of the produced for inspection of the request of an affice; sufferized by the Uttarakhand Environment Protection & Pullution Control Board.

If Any unauthorized change in personnel, equipment of weighing conditions in medical in the CCA order by CCA holder shall constitute a breach of this CCA.

If Any unauthorized change in personnel, equipment of weighing conditions in medical in the CCA order by CCA holder shall constitute a breach of this CCA.

If Adequate plantation about be carried out all slung the prophery of the industrial premises in such a way that the density of plantation is at least 1000 trees per some of land and a groun belt of 5 meters width is developed.

K) The applicant shall have to make payment of water cess to the Board under the Water Cess Aut- 1977.



For and on behalf of Uttarakhand Environment Protection & Pollution Control Board

( Member Secretary )

Printed On: 11/07/2017

Computer generated Order thru XGN, does NOT require Physical Signature

N I 🔞



#### HEAD OFFICE



# Uttarakhand Environment Protection and Pollution Control Living 29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhani)

Phone: 0135-2658686, Fax :2718092. Web : www.ueppcb.uk.gov.in. E-mail : msukpcb@yahoo.com

UEPPCB/HO/Con/K-18/2016/ 310

Date:

PO JO REGD POS

.To

M/s Coral Laboratories Ltd, Plot No: 27-28, Pharmacity, Sideul, Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 13462 Inward ID - 63091 CCA (Renewal) Date: 18.04.2016

CCA is hereby granted to M/s Coral Laboratories/Ltd located at Plot No: 27-28, Pharmacity, Sidcul, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:-

 This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹8.90 Crs:-

S.	Last CCA o	Last CCA or CTE		(Renewal)
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsule in crore	6.250	Capsule in crore	6.250
2	Ear Drops in lakhs	7.500Nos	Ear Drops in lakhs	7.500Nos
3	External Tubes/Gel in lakh	12.500Nos	External Tubes/Gel in lakh	12.500Nos
4	Liquid Bottles in Lakhs	10.000Nos.	Liquid Bottles in Lakhs	10.000Nos.
5	Ointment Tubes in lakhs	7.500Nos	Ointment Tubes in lakhs	7.500Nos
6	Powder units in lakhs	5.000Nos.	Powder units in lakhs0	5.000Nos.
7	Tablet in crores	10.000Nos.	Tablet in crores	10.000Nos.

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	3.2	3.2
Sewage	5	5

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be storted immediately and this Board has to be intimated by fax/phone/email with a repust in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	C	ompulsory Paramete	rs
1	pH	Between	6.0-to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27 <sup>6</sup> C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5.	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
<u>.                                    </u>	<u> </u>	Additional Parameter	
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed *	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reuse in gardening. Quality of the treated effluent shall meet to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

S.No.	Parameters	Standard for STPs
1	Ha	6.5 to 9.0
2	BOD (mg/L)	10
3	COD (mg/L)	50
4	TSS (mg/L)	10 -
5	NH4-N (mg/L)	5
6	N-total (mg/L)	10
7	Fecal Coliform (MPN/100ml)	<230
8	PO <sub>4</sub> -P (ing/L)	2

#### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
. 1	D.G. Set (325KVA) x 1	3	HSD	45Ltr./Hr	Green Belt, Acoustic	*
e Politik	(323KVA) X I			·	Enclosure	

Boiler 15 LPG 35Ltr./Hr Natural Draft (850Kg/Hr) x

In case of stoppage of functioning of air pollution control equipment, production has to stopped immediately and this Board has to be intimated by fax/phone/email with a ruport is this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an accounting enclosure as is required for meeting the ambient noise standards for night and day time an prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which

Standards	Indus	frial Area	TG.	<del></del>				y
for Noise	Day	Night	Day	cial Area		ntial Area.	Silene	ce Zone
level in	time	time	time	Night :	Day	Night	Day	Night
db(A) Leq	75	70	65	85	time	time	time	time
Day time: from 6	.00 a.m. to	0 10.00 p.m	Night sim-			45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes Rules, 2016 (i) Number of authorization and date of issue : -- 175

(ii) The Factory Manager of M/s Coral Laboratories Ltd, Vikasnagar, Distt-Dehardun is hereby granted an authorization to operate a facility for collection and storage of Hazardous

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

C NI.		9 ourceoil of M	astes :-
S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued	Mode of Disposal
	Schedule I – 28.1	(MTA)	ॉत -
2	Schedule I - 28.5	0.600	As per Rules.
3	Schedule 1 – 35.3	0.020 0.600	As per Rules.
	Schedule - 35.4	0.200	As per Rules.
13 1	Schedule - 5.1	0.010	As per Rules.
The auth	Animatia 1 11		Recyclable.

- (iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act,

# Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act,
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close
- (vi) An application for the renewal of an authorization shall be made as laid down under these
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Pharmaceutical formulation process only. 5.
- Compulsory documents to be submitted by the Industry/Unit :-6.

Mo 1 mpro

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardons and Other Wastes Rules, 2016 and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this

OCA

Onit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

Member Seere 20

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control
Board, Distt-Dehradun for information and compliance of the same

Annexure

#### Specific Conditions:

- 1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 4. The industry shall ensure interlocking of air pollution control devices and production processes
- 5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes Rules, 2016 while disposing hazardous waste.
- 11. Hazardous waste should not be stored beyond a period of 90 days.
- 12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 13. The unit shall comply all the conditions mentioned in Doon Valley Notification-1989.
- 14. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

#### General Conditions:-

i. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sawage waste from the unit.

3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Hazardous Waste within premises only

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for

treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.

24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-

25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other

Wastes Rules, 2016 shall be submitted to the Board.

OFFICE COPY



#### HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board 29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0135-2668984, Fas :2668892, Web : www.neppcb.uk.gov.in, E-mail: msukpch@yahoo.co

UEPPCB/HO/Con/K-18/2015/626

Date:

. To.

M/s Coral Laboratories Ltd, Plot No: 27-28, Pharmacity, Sideul,

Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

> PCB ID - 13462. Inward ID - 59653 CCA (Renewal) Consent No. 34937/

CCA is hereby granted to M/s Coral Laboratories Ltd located at Plot No: 27-28, Pharmacity, Sideul, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act. Air Act and HW Rules and the orders that may be made further and subject to following terms and

This CCA is granted for a period from 23.04.2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 24.13Crs :-

S.	Last CCA o	r CTE	Present CCA	(Renewal)
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)
<u> </u>	Capsule in crore	6.250	Capsule in crore	6.250
2	Ear Drops in lakhs	7.500Nos	Ear Drops in lakhs	7.500Nos
3	External Tubes/Gel in lakh	12.500Nos	External Tubes/Gel	12.500Nos
4	Liquid Bottles in Lakhs	10.000Nos.	Liquid Bottles in Lakhs	10.000Nos.
5	Ointment Tubes in lakhs	· 7.500Nos	Ointment Tubes in lakhs	7.500Nos
6	Powder units in lakhs0	5.000Nos.	Powder units in lakhs0	5.000Nos.
7	Tablet in crores	10.000Nos.	Tablet in crores	10.000Nos.

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD)

		· · · · · · · · · · · · · · · · · · ·		
		Last CCA or CTE	Present CCA (Renewal)	1
Į	Trade Effluent	Nil	3.2	
Į	Sewage	5	5	ĺ
			······································	1

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

OFFICE COPY

In case of stoppage of functioning of ETP, production has to be stopped inmediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The freated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	C	ompulsory Paramete	ers
Ī	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first
	İ,		96 hours in 100% effluent.
		Additional Paramete	£2
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	• 0.10
4	Lead	Not to exceed	0.10
5.	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0.

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax phone email with a report in this regard to be disputched immediately.

(v) The treated sewage shall be sent to CETP/reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

	pН	Between	5.5 to 9.0
• [	Suspended Solids	Not to exceed	100mg/l
]	BOD 3 days 27 Degree C	Not to exceed	30 mg/l
	Oil & Grease	Not to exceed	10 mg/l

#### 3, Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate, and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S.	Stack	Stack	Type of	Fuei	Emission	Emission
No	attached with	height	Fuei	Quantity	Control	standards
		(Mt)			Equipment	not to
						exceed
	D.G. Set	3	HSD	45Ltr/Hr	Green Belt,	<u>.</u>
	(385) RVA() x 1	· ·			Acoustic	
			<u></u>		Enclosure	
7	(Antion	. 15	LPG	35Ltr:/Hr	Natural Draft	As per
, Ku	*(850)\$g/Hir) x	;				norms.
			1			

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:

	are as round	•								
:			rial Area	Commer	cial Area	Resider	ntial Area	Silenc	e Zone	ļ
	for Noise	Day	Night	Day	Night	Day	Night time	Day time	Night time	1
	level in	time	time	time _	<u>time</u> 55	55	45	50	40	1
	i db(A) Leq	75_	<u> </u>	03		J.,	L			_

Day time: from 6.00 a.m. to 10.00 p.m.. Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

(i) Number of authorization and date of issue: 15 dt 05/8/WI)

(ii) The Factory Manager of M/s Coral Laboratories Ltd, Vikasnagar, Distt-Dehardun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-1 & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	
		0.600	As per Rules.
<u> </u>	Schedule 1 - 28.1	0.020	As per Rules.
	Schedule 1 – 28.4	0.600	As per Rules.
3	Schedule 1 - 34.3	0.200	As per Rules.
4	Schedule - 34.4	0 010	Recyclable.
j 5	Schedule - 5.1		.hfu

(iv) The authorization shall be in force for a period from 23.04.2015 to 31.03.2016.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC. .

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Pharmaceutical formulation process only. 5.

Compulsory documents to be submitted by the Industry/Unit :-

Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

Mod

GE CE

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

Unit has to comply with the other general conditions as annexed herewith. Non compliance
of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will'
results in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Distt-Dehradun for information and compliance of the same:

Scientific Officer

Annexure

#### Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 3. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules 2001 as amended and shall submit return as per provisions of said rules.
- The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules 2008 and shall-obtained registration (if any) under the said rules.
- 5. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 6. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 7. The industry shall ensure interlocking of air pollution control devices and production processes.
- A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 9.8 The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 10. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- f). The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 12. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 19. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- Residueshalfensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- le pluzaratius waste should not be stored beyond a period of 90 days.
- The frequency situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and all the frequency of the results of the frequency o

17. The unit shall comply all the conditions mentioned in Doon Valley Notification-1989.

18. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

#### General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or aftered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Controlequipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack

In in case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Flazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage

22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and must also be safely collected and stored.

chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall he displayed at appropriate position both in Hindi and English.

UEPPCB

23 The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious those under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

26.4n case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Scientific Officer 1 (8.1)

8-10 (433)

- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered content for the discharge of effluent or gases emission or sewage waste from the unit.
- Tremest waste water and domestic waste water shall be disposed jointly at one disposal point. The applicable shall provide discharge measurement equipment at tinut disposal point.
- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 5. The applicant shall maintain good house keeping. All valvespipes sewer/drainvete, must be leak-proof.
- 6 The industry shall provide uninterrupted entry to the SEP's/ETP's indef and octlet poices. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8 Whenever due to any accident or other unforescent on or event, such emission occurs or is apprehended to occur in excess of standards hid down, such information shall be reported to the Board's offices and affinding concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9 The industry shall operate in a manner so that all emissions he emitted through designated chimney/stack only.
- 40 the comparative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent-Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any scipulated condition issued along with CCA, as may be necessary.
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hozardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30<sup>th</sup> day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Flazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain; or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and copert to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double fined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Scientific Officer

Shund 1

8-10 (434)

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

 Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

Unit has to comply with the other general conditions as annexed herewith. Non-compliance
of any provision of this CCA and provisions of the Water Act, Air Act and BW Rules will
results in legal action under the aforesaid Acts and Rules.

Member Sexuglar

Copy to : Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Distt-Dehradun for information and compliance of the same.

Scientific Officer

Annexure

#### Specific Conditions:

- The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- The applicant shall provide ISI mark water meter to each water supply source and shall regularly solurit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 13. Hazardous waste should not be stored beyond a period of 90 days.
- 14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 15. The unit shall comply all the conditions mentioned in Doon Valley Notification-1989.
- 16. The Unit shall strictly comply with the provisions of Water, Air & E(P) Auts and Rules/Notifications made thereunder.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

S Detre Shire)

· In case of stoppage of functioning of the pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fav/phone/email with a report in this regard to be dispatched immediately

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards	Indus	trial Area	Comme	rcial Area	Reside	ntial Area	Silenc	e Zone
for Noise	Day	Night	Day	Night	Day	Night	I	, Tr. 1
levet in	time	time	time	jtime	irme	ime	time i	lime
db(A) Leq	75	70	65	55	55	45	50 :	4()

Day time : from 6.00 a.m. to 10.00 p.m., Night time, from 10.00 p.m. 40.600 s.m.

(i) Number of authorization and date of issue: 155 (# 18)7 2014 4. Conditions under HW Rules :-

(ii) The Factory Manager of M/s Corol Laboratories Ltd, Vikasnagar, Distt-Dehardun is hereby granted an authorization to operate a facility for collection and storage of Hazardous

(iii) The authorization is stanted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	
	Schedule I – 28.1	0.600	As per Rules.
<del></del>	Schedule I - 28.4	0.020	As por Rules.
	Schedule I ~ 34.3	0.600	As per Rules.
	Schedule - 34.4	0.200	As per Rules.
	Schedule - 5.1	0.010	Recyclable.

(iv) The authorization shall be in-force for a period from 03.04.2014 to 31.03.2015.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

(i) The authorization shall comply with the provisions of the Environment (Protection) Act. 1986, and the rules made there under.

(ii) The authorization and its renewal shall be produced for insportion at the request of an officer authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transferior otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Pharmaceutical formulation process only.

Compulsory documents to be submitted by the Industry/Unit :-

Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.



In ease of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by feelphoneismail with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum-extent to achieve Zero Discharge and remaining treated offluent shall be sent to CETP/reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the only from time-to-time :-

<b>-</b> , -,	C	ompulsory Paramete	ers
1	pH	Between	6.0 to 8.5
	Oil & grease	Not to exceed	<u>i</u> 10mg/l
	BOD (3 days 27°C)	Not to exceed	100 mg/l
<del>-</del> <del>-</del> 4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% offluent.
_~_	<u></u>	Additional Paramete	1'S
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
<u> </u>	Chromium	Not to exceed	0.10
4.	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by faviphone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

nH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/1
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l
	B. 1.4 BY	

3. Conditions under Air Act :-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
l l	D.G. Set (325KVA) x 1	3	HSD	45Ltr./Hr	Green Belt, Acoustic Enclosure	•
2	Boiler (850Kg/Hr) x	15	L.PG	35Utr./Hr	Natural Draft	As per norms.



8-10 1412 (437)

**TEMP** 



#### HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board 29/20, Nemí Road, Dalanwala, Dehra Dun (Uttarakhand)
Phones 0135-2668064, Fat : 2468093, Veth. www.neppelonk.gov.in U.mail. monthpol/subjection.

UEPPCB/HO/Con/K-18/2014/ 6(1)

Date: 187 2014

Te.

M/s Corat Laboratories Ltd, Plot No: 27-28,

Pharmacity, Sideul,

Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 13462 Inward ID - 56397
CCA (Renewal)
Consent No. 33869/15 Date: 3.04.2014

CCA is hereby granted to M/s Coral Laboratories Ltd located at Plot No. 27-28, Pharmacity, Sideul, Tehsil-Vikasnagar, Distr-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:-

 This CCA is granted for a period from 03.04.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values
 ₹27.47 Crs :-

<b>S.</b>	Last CCA o	r CTE	Present CCA (Renewal)		
No.	Product	Quantity (Per Month)	Product	Quantity	
1	Capsule in crore	6.250	Capsule in crore	(Per Month) 6.250	
2	Ear Drops in lakhs	7.500Nos	Ear Drops in lakhs	7.500Nos	
3	External Tubes/Gel in lakh	12.500Nos	External Tubes/Gel	12.500Nos	
4	Liquid Bottles in Lakhs	10.000Nos.	Liquid Bottles in Lakhs	10.000Nos.	
5	Ointment Tubes in lakhs	7.500Nos	Ointment Tubes in lakhs	7.500Nos	
8	Powder units in lakhs0	5.000Nos.	Powder units in lakhs0	5.000Nos.	
7	Tablet in crores	10.000Nos.	Tablet in crores	10 0008122	

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	NiJ	NGI
Sewage		
		,) !

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

3110

#### HEAD OFFICE



Uttarakhand Environment Protection and Pollution Control Board E-115 Nehru Colony, Dehra Dun (Uttarakhand)
Phone: 0135-2668084, Fax: :2668092. Web: www.ueppcb.uk.gov.in. E-mail: msukpcb@yahoo.com

UEPPCB/HO/Con/K-18/2013/ 527

Date: 08/7/2013 REGD. POST

To,

のでは、100mmの

M/s Coral Laboratories Ltd,

Plot No: 27-28,

Pharmacity, Sideul,

Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 13462	Inward ID - 53721
CCA (Renewal)	
Consent No. 32805/ ] S	Date: 12.04.2013

CCA is hereby granted to M/s Coral Laboratories Ltd located at Plot No: 27-28, Pharmacity, Sideul, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

This CCA is granted for a period from 12:04.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 24.71Crs :-

S. '	Last CCA o	r CTE	Present CCA (Renewal)	
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)
ī	Capsule in crore	6.250	Capsule in crore	6.250
2	Ear Drops in lakhs	7.500Nos	Ear Drops in lakhs	7.500Nos
3 .	External Tubes/Gel	12.500Nos	External Tubes/Gel in lakh	12.500Nos
4	Liquid Bottles in Lakhs	10.000Nos.	Liquid Bottles in Lakhs	10.000Nos.
5	Ointment Tubes in lakhs	7.500Nos	Ointment Tubes in lakhs	7.500Nos
6	Powder units in lakhs0	5,000Nos.	Powder units in lakhs0	5.000Nos.
7	Tablet in crores	10.000Nos.	Tablet in crores	10.000Nos.

- 2. Specific Conditions under Water Act :-
  - (i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	Nil	3.2
Sewage	5	5

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In ease of stoppage of functioning of ETP, production has to be stopped immediately and this Bourd has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

Compulsory Parameters						
	pН	Between	6.0 to 8.5			
2	Oil & grease	Not to exceed	10mg/l			
3	BOD (3 days 27°C)	Not to exceed	100 mg/l			
4	Total Suspended solids	Not to exceed	100 mg/l			
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.			
		Additional Paramete	ers			
_1	Mercury	Not to exceed	0.01			
2	Arsenic	Not to exceed	0.20			
3	Chromium	Not to exceed	0.10			
4 -	Lead	Not to exceed	0.10			
_5_	Cyanide	Not to exceed	0.10			
6	Phenolics (C6H5OH)	Not to exceed	1.0			
. 7	Sulphides (as S)	Not to exceed	2.0			
8_	Phosphate (as P)	Not to exceed	5.0			

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.


(v) The treated sewage shall be sent to CETP/reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pН	Between	5.5 to 9.0
Suspended Solids	Not to exceed:	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

#### 3. Conditions under Air Act :-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. No	Attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MTD	Emission Control Equipment	Emission standards not to exceed
	D.G. Set (325KVA) x 1	3	HSD	45Ltr./Hr	Green Belt, Acoustic Enclosure	•
Time Date of	Boiler (850Kg/Hr) x .il	15	LPG	35Ltr./Hr	Green Belt, Acoustic Enclosure	-



In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards	Indust	Industrial Area   Commercial Area   Residentia		Commercial Area		ea Commercial Area		ntial Area	Silenc	е Zоле
for Noise	Day	Night	Day	Night	Day	Night	Day	Night		
level in	time	time	time	time	time	time	time	time -		
db(A) Leq	75	70	65	55	55	45	50	40		

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

#### 4. Conditions under HW Rules :-

(i) Number of authorization and date of issue: 110

- (ii) The Factory Manager of M/s Coral Laboratories Ltd, Vikasnagar, Distt-Dehardun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I – 28.1	0.600	As per Rules.
2 .	Schedule I – 28.4	0.020	As per Rules.
3	Schedule I – 34.3	0.600	As per Rules.
4	Schedule – 34.4	0:200	As per Rules.
5	Schedule – 5.1	0.010	Recyclable.

- (iv) The authorization shall be in force for a period from 12.04.2013 to 31.03.2014.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

#### Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- 5. This CCA is valid for formulation process only.
- 6. Compulsory documents to be submitted by the Industry/Unit :-
  - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
  - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
  - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage
- Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

1990

S. Competent Authority reserves the right to change/modify/add any time any condition of this

Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Distt-Dehradun for information and compliance of the same.

Scientific Officer

() ( Annexure


#### Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 13. Hazardous waste should not be stored beyond a period of 90 days.
- 14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.

#### General Conditions:-

- I. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered multiprior the discharge of effluent or gases emission or sewage waste from the unit.
- In Trented waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant waste water shall be disposal point.
- 4) This applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated supplied within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not





- The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof. 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

1429







# Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

Web 1 www.neppeb.uk.gov.in. E-mail : r.o.dehradun@gmail.com

UEPPCB/ROD/Con/DDN- 675 /2017-18/

1204-463

Date: 218 | 7

To.

M/s Hema Laboratories Pvt. Ltd. Plot No. 29, Pharma City Selaqui Industrial Area, Selaqui Distt. Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10942	Inward ID - 673	327 Date 17-07-2017
	CCA (Renewal)	
Consent No. AWH-	17484 / 205	Date: 21.8.1.7

CCA is hereby granted to M/s Hema Laboratories Pvt. Ltd. at located Plot No. 29, Pharma City, Selaqui Industrial Area, Selaqui, Distf. Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:

1. This CCA is granted for a period from 17.07.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment / Net Assets Values
4.98 Crs:-

S.	Last CCA		Present CCA (Renewal)		
No,	Product	Quantity	Product	Quantity	
		(Per Month)	:	(Per Month)	
1	Capsules	2.5 Crore Nos.	Capsules	2.5 Crore Nos.	
2	Liquid Oral	50.0 Lacs	Liquid Oral	50.0 Lacs	
3	Tablet	5.0 Crore Nos	Tablet	5.0 Crore Nos	

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD):-

	Last CCA	Present CCA (Renewal)
Trade Effluent	6.5	6.5
Sewage	3.0	3.0

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as in required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this **Board has to be intimated by fax/phone/email** with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following

ıΛ

1427

UDI OB

general and specific standards as prescribed under Environment (Protection) Rules, 1986

and applicable to the unit from time-to-time :-

Compulsory Parameters					
1	pH	Between	6.0 to 8.5		
2	Oil & groase	Not to exceed	10mg/i		
.3	BOD (3 days 27°C)	Not to exceed	30 mg/l		
4.	Total Suspended solids	Not to exceed	100 mg/l		
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.		
		Additional Paramete	rs		
1	Mercury	Not to exceed	0.01		
2	Arsenic	Not to exceed	0.20		
3	Chromium	Not to exceed	0.10		
4	Lead	Not to exceed	0.10		
5	Cyanide	Not to exceed	0.10		
6	Phenolics (C6H5OH)	Not to exceed	1.0		
7	Sulphides (as S)	Not to exceed	2.0		
8	Phosphate (as P)	Not to exceed	5.0		

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to STP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	6.5 to 9.0
Suspended Solids	Not to exceed	10.0mg/i
BOD 3 days 27 Degree C	Not to exceed	10.0 mg/l
Oil & Grease	Not to exceed	10 mg/l
COD	Not to exceed	50 mg/l
Fical Coli form	Not to exceed	· <280 mg/l
. Po <sub>4</sub>	· Not to exceed	2.0 mg/l

#### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. N o	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MT D	Emission Control Equipment	Emission standards not to exceed
1	Boiler (600 Kg/H)	15	LPG	21Ltr	Natural Draft	
2	D.G. Set (180 KVA & 200 KVA)	2.0	HSD	23	Natural Draft & Acoustic	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

	Standards	Indust	rial Area	Commer	cial Area	Reside	ntial Area	Sile	nce Zone
	for Noise	Day	Night	Day	Night	Day	Night	Day	Night
]	evel in	time	time	time	time	time	time	time	time
L	db(A) Leq	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

Number of authorization and date of issue: -----

(ii) The Factory Manager of M/s Hema Laboratories Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I – 28.4	0.020 MT	Disposable
2	Schedule I – 34.3	0.400 MT	Disposable
3	Schedule I - 5.1	0.020 MT	Disposable

(iv) The authorization shall be in force for a period from 17.07.2017 to 31.03.2018

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer

authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply-with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Formulation Process only. 5.

Compulsory documents to be submitted by the Industry/Unit :- . 6.

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA. 7.

Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

Unit has to comply with the other general conditions as annexed herewith. Non compliance of 9. any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

O Regional Officer 2) VS

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer Wed

1429

Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.

3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.

- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-3/2009/61 Dated 03-08-2009 obtained from SEIAA.
- 18. Unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 19. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 20. The unit shall comply with the provisions of The E-waste (Management & Handling) Rules-2011 and shall obtained registration (if any) under the said rules.
- 21. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 22. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 23. The unit shall ensure that ETP operate properly and achieve zero disposals.
- 24. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act.

#### General Conditions:

- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

- 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Hazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for

treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

20. In case of any accident, complete defails in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.

25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Regional Officer 23/63

UEPPA

following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	Co	mpulsory Paramet	ers
al c		Between	6.0 to 8.5
2	**************************************	Not to exceed	10mg/l
3	BOD: (3 days 27°C)	Not to exceed	30 mg/l
4`	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first
			- 96 hours in 100% effluent.
	Ac	lditional Paramete	ers
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyánide 1	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
	Phosphate (as P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

#### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

	110011110	<u> </u>				
S. N	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MT D	Emission Control Equipment	Emission standards not to exceed
1	Boiler (600 Kg/H)	15	LPG	21Ltr	Natural Draft	
2	D.G. Set (180 KVA & 200 KVA)	2.0	HSD	23	Natural Draft & Acoustic	•


In case of stoppage of functioning of air pollution control equipment, production has to be stopped inimediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

ĺ		Indus	rial Area	Commer	cial Area	Reside	ntial Area	Silenc	e Zone
	for Noise	Day	Night	Day	Night	Day	·Night	Day	Night
	level in	time	time	time	time	time	time	time	time
	db(A) Leq	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.







## Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

Web : www.ueppcb.uk.gov.in. E-mail : r.o.dehredun@gmail.com

UEPPCB/ROD/Con/DDN-675/2016-17/ 1844-667

Date: 24 /18/16 REGD. POST

To,

M/s Hema Laboratories Pvt. Ltd. Plot No. 29, Pharma City Selaqui Industrial Area, Selaqui, Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Re-apply) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

ſ	PCB ID - 10942	Inward ID - 62616	Date 06-09-2016
		CCA (Re-apply)	
	Consent No. AWH- 1	6728/Joly	Date: 24/10/16

CCA is hereby granted to M/s Hema Laboratories Pvt. Ltd. at located Plot No. 29, Pharma City, Selaqui Industrial Area, Selaqui, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:

1. This CCA is granted for a period from 06.09.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values 4.95 Crs:

S.	Last C	CA	Present CCA (Re-apply)		
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)	
I	- Capsules	2.5 Crore Nos.	Capsules	2.5 Crore Nos.	
2	Liquid Oral	50.0 Lacs	Liquid Oral	50.0 Lacs	
3	Tablet	5.0 Crore Nos	Tablet	5.0 Crore Nos	

2. Specific Conditions under Water Act:

i) The daily quantity of effluent discharge (KLD):-

	Last CCA	Present CCA (Re-apply)	
Trade Effluent	6.5	6.5	
Sewage	3.0	3.0	

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the

OLL

4. Conditions under HW Rules :-

(i) Number of authorization and date of issue : ----

(ii) The Factory Manager of M/s Hema Laboratories Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule 1-28.4	0.020 MT	Disposable
1 -	Schedule I – 34.3	0.400 MT	Disposable
3	Schedule I – 5:1	0.020 MT	Disposable

(iv) The authorization shall be in force for a period from 06.09.2016 to 31.03.2017

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Formulation Process only.

Compulsory documents to be submitted by the Industry/Unit :-6.

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA. 7..

Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Regional Officer 24

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer 100

14 M

Annexula The condit

sha

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) C Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.


2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act

3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.

- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-3/2009/61 Dated 03-08-2009 obtained from SEIAA.
- 18. Unif shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 19. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 20. The unit shall comply with the provisions of The E-waste (Management & Handling) Rules-2011 and shall obtained registration (if any) under the said rules.
- 21. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 22. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 23. The unit shall ensure that ETP operate properly and achieve zero disposal.
- 24. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act.

General Conditions:

- I. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.



The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or

emission point.

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without

obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Hazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for

treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to

this Board at the earliest.

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and

chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall

be displayed at appropriate position both in Hindi and English.

25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be

submitted to the Board.

Regional Officer

# क्षेत्रीय कार्यालय उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड ई-115, नेहरू कॉलोनी, देहरादून-248001



#### REGIONAL OFFICE Uttarakhand Environment Protection & Pollution Control Board E-115, Nehru Colony, Dehradun-248601

पत्रांक सं0-यूईपीपीसीबी/आरओडी/८/४७४-675/2015-16/36/0-1031

सेवा में.

M/s Hema Laboratories Pvt. Ltd. Plot No. 29, Pharmacity Selaqui Industrial Area Distt. Dehradun.

विषय:- जल-वायु सहमति आवेदन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक उद्योग के जल-वायु सहमति आवेदन PCB ID-10942, Inward No. 61131, Date 30.12.2015 के कम में उद्योग के उत्पादन स्थल का निरीक्षण इस कार्यालय द्वारा किया गया। निरीक्षण के दौरान औद्योगिक उत्प्रवाह परिसर से बाहर निस्तारित होता पाया गया और पाया गया कि उद्योग द्वारा पूर्व में दिये गये सहमति आदेशों का पालन नहीं किया जा रहा था। निरीक्षण के समय निम्न किमया पाई गई-

1. निरीक्षण के समय उत्प्रवाह परिसर से बाहर निस्तारित किया जा रहा था।

2. उद्योग में ETP संचालन हेतु लॉगबुक मेन्टेन नहीं की गयी है।

3. ETP संचालन हेतु विद्युत मीटर स्थापित नहीं है। ई०टी०पी० में शुद्धिकृत उत्प्रवाह की मात्रा/पुनः चकण हेतु Flow Meter स्थापित नहीं है।

4. उद्योग द्वारा शून्य उत्प्रवाह की शर्त का अनुपालन नहीं किया जा रहा था।

5. उद्योग में Boiler Blow Down के निस्तारण हेतु उचित व्यवस्था नहीं है।

अतः उक्त परिस्थितियों में उद्योग के जल-वायु सहमति आवेदन को अस्वीकृत किया जाता है एवं उद्योग को निर्देशित किया जाता है कि उद्योग 15 दिनों में प्रारम्भिक शुल्क, बैंक गारन्टी सहित जल-वायु सहमित आवेदन इस कार्यालय में जमा करना सुनिश्चित करें। कृपया नोट करें कि बोर्ड से संचालन हेतु जल-वायु सहमित प्राप्त किये बिना उद्योग का संचालन कदापि न करें अन्यथा उद्योग के विरुद्ध जल / वायु अधिनियमों के तहत कार्यवाही की संस्तुति कर दी जायेगी, जिसका सम्पूर्ण उत्तरदात्वि खंय उद्यमी का होगा।

भवदीय

(एस०एस० राणा)

क्षेत्रीय अधिकारी (प्र०)

प्रतिलिपि-सदस्य सचिव महोदय, उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड, देहरादून को सादर सूचनार्थ प्रेषित ।

क्षेत्रीय अधिकारी (प्र०)

UEPPCB

REGIONAL OFFICE



# Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

ww.ueppeb.uk.gov.in, E-mail : e.o.dehradun@gmail.com

UEPPCB/ROD/Con/DDN-675/2015/254-105

Date: 조약 REGD. PO

M/s Hema Laboratories Pvt. Ltd. Plot No. 29, Pharma City Selaqui Industrial Area, Selaqui, Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

Inward ID - 56836 Date 27-08-2014 PCB ID - 10942 CCA (Renewal) Consent No. AWH- 15093 /205 Date: 30/4/

CCA is hereby granted to M/s Hema Laboratories Pvt. Ltd. at located Plot No. 29, Pharma City, Selaqui Industrial Area, Selaqui, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and

This CCA is granted for a period from 27.08.2014 to 31.03.2015 and valid for conditions:manufacturing of following products with Capital Investment / Net Assets Values 4.85 Crs:-

4.85 Crs		<u> </u>	Present CCA	(Renewal)
S. No.	Last C Product	Quantity	Product	Quantity (Per Month)
1	Capsules Liquid Oral	(Per Month) 2.5 Crore Nos. 50.0 Lacs	Capsules Liquid Oral Tablet	2.5 Crore Nos. 50.0 Lacs 5.0 Crore Nos
3	Tablet	5.0 Crore Nos	1 ablet	

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

enie Conditions and acquest discharge	(KLD):-
The daily quantity of effluent discharge	Present CCA (Renewal)
Last CCA	6.5
Trade Effluent 6.5	3.0
(1)	2.0
Sewage	- The applicant shall operate Effluent

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the

143M

UEPPCE

following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	C	ompulsory Paramet			
1	рН	Between	6.0 to 8.5		
2	Oil & grease	Not to exceed	10mg/l		
3	BOD (3 days 27°C)	Not to exceed	30 mg/l		
4	Total Suspended solids	Not to exceed	100 mg/l		
5	Bioassay Test	Not to exceed.	90% survival of fish after first		
			96 hours in 100% effluent.		
		Additional Paramete	ers		
1	Mercury	Not to exceed	0.01		
2	Arsenic	Not to exceed	0.20		
3	Chromium	Not to exceed	0.10		
4	Lead	Not to exceed	0.10		
5	Cyanide	Not to exceed	0.10		
6	Phenolics (C6H5OH)	Not to exceed	1.0		
7	Sulphides (as S)	Not to exceed	2.0		
8	Phosphate (as P)	Not to exceed	5.0		

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0		
Suspended Solids	Not to exceed	100mg/l		
BOD 3 days 27 Degree C	Not to exceed	30 mg/l		
Oil & Grease	Not to exceed	10 mg/l		

#### 3. Conditions under Air Act :-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S.	Stack attached with	Stack	Type of	Fuei	Emission	Emission
N		height	Fuel	Quantity	Control	standards
0	•	(Mt)		KLD/MT	Equipment	not to
				D		exceed
1	Boiler (600 Kg/H)	15	LPG	21Ltr	Natural Draft	-
2	D.G. Set (180 KVA	2.0	HSD	23 .	Natural Draft	-
-	& 200 KVA)	·			& Acoustic	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:

Standards	Indust	rial Area	Commercial Area		Residential Area		Silence Zone	
for Noise	Day	Night	Day	Night	Day	Night	Day	Night
level in	time	time	time	time	time	time	time	time
db(A) Leq	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Conditions under HW Rules :-

Number of authorization and date of issue: -----(ii) The Factory Manager of M/s Hema Laboratories Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I &	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
	Schedule-II)	0.020 MT	Disposable
1	Schedule I – 28.4	0.400 MT	Disposable
2	Schedule I – 34.3	0.020 MT	Disposable
3	Schedule I - 5.1		. 21 03 2015

(iv) The authorization shall be in force for a period from 27.08.2014 to 31.03.2015

The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

## Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer

authorized by the SPCB/PCC. (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close

(vi) An application for the renewal of an authorization shall be made as laid down under these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Formulation Process only. 5.

Compulsory documents to be submitted by the Industry/Unit :-6.

Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules

and Third Party Audit Report. (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

Competent Authority reserves the right to change/modify/add any time any condition of this 7. 8.

Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will 9. results in legal action under the aforesaid Acts and Rules.

OK Regional Officer

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer

Annexure

#### Specific Conditions:

- I. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-totime), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-3/2009/61 Dated 03-08-2009 obtained from SEIAA.
- 18. Unit shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board
- 19. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 20. The unit shall comply with the provisions of The E-waste (Management & Handling) Rules-2011 and shall obtained registration (if any) under the said rules.
- 21. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 22. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 23. The unit shall ensure that ETP operate properly and achieve zero disposal.
- 24. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act. General Conditions:

- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.



applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated inditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action

The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it

The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Hazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates. 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and

chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

.The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall

25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be

submitted to the Board.

Regional Officer

DE LA CE

### REGIONAL OFFICE



Uttaraktund Environment Protection and Pollation Central Board E-115, Nehru Colony, Debra Dun (Uttarakhand)

Web and the property of the second posts and

DEPPENATORICALIDAN INSTITUTS / 19 5 8

Date: 1 REGEREDS L

Mis Hema Laboratorics Pvt. Ltd. Plot No. 29, Pharma City School Industrial Area, Selaqui, Debradon.

Consolidated Consent to Operate and Authorisation becomefter referred to us the CCA (Consultated Consolt & authorization) (Renewat) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air Presentant & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste Management, Bandling and Transboundary Movement) Rules, 2008" delified under "Environment (Protection) Act, 1986" as applicable to be referred hereinsite; is Water Act, Air Act and HW Rules respectively).

> laward ID - 54871 Date 21 31 3613 PCD ID - 10942 CR at Renewall Consent No. AVVII 13975

CCA is beenly granted to Mix Heren Laboratories For 1 td. or occased Plot No. 29, Phoroas City. Selagai Industrial Area, Selagui, Debradun subject to the provisions of the Water Art. vir Art and ITW Rules and the orders that may be made further and subject to following terms and conditions :-

THIS CCA'IS greated for a period valid up to \$1.03.2914 and valid for reanufacturing or following products with Capital Investment / Net Assets Values - 4.73 Crs-

S	Last CCA or CTE		Present CCA (Renewal)		
No.	Product	Quantity (Per Month)	Product	Quantity (Per Mosih)	
	Cansulzs	2.5 Grang Nos.	Capsules	2.5 Crore No.	
<u> </u>	Linnid Oral	50.0 Lacs	Liquid Oral	50,0 Lucs	
-	Tahlet	5.0 Crore Nos	Tablet	S.ft Crure Nos	

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLi) .-

	The doily quantily	of chinest discharge transfer
	A STATE OF THE PARTY OF THE PAR	Last CCA or Present CCA (Renewal)
٠.		<u>CTE</u>
	Trible Efficient	6.5
	Sewage	3.0
	The state of the s	<u> </u>

(ii) Trade Elliuent Treatment and Disposal : The applicant shall openie Effluent Treatment Plant consisting of primary/secondary and or tertiary treatment as is required with reference to influent quantity and quality.

In cose of stoppose of finishing of ETP, production has to be stopped immediately and this Board has to be intimated by farfoliometernal with a report in this regard to be disputshed immediately.

(iii) The treated ciffrent shall be recycled to the mercine in extent to action Zero Discharge end remaining treated efficient shall be sent to CETF/Reporting and soing Later dispose and the same has to be maintained combineds y so as to achieve the quality of the treated effluent to the following general and appoint, wondards as presented union Favironaneau (Protection) Rules, 1986 and applicable to the unit then time destined

ومعب	DATES AND THE STREET STREET, S	oripulsory Paramete Between	6.0 30 3.3
	<b>1</b>	Not to exceed	Hrap!
2	Oli & presset RCD (3 days 27 C)	Not to exceed	to mg/l
1	Total Buspended solids	No. to excess	160 (8)
2. 2. 13	Homes test	Not to exceed	98 hours in that's extraction
	- Company of the Comp	Additional Paramete	
- T	Mercury	Not to exceed	100
100	Americ	Not to exceed	(1.20)
*	Chromian	Not to exceed	1.0.10. 24. 20.2
	Lead	. Not to exceed	0.10
'n		Not to exceed	0.10
4	Cyanide	A CONTRACTOR OF A STATE OF THE PARTY OF THE	7771
5	Cyanide Pharmies (C6(15O(1))	Not to exceed	1.0
4 5 6	Cyanide Phenolics (C6H5OH) Sulphides (19 S)	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1.0 7.0

(by) Sewage Treatment and Disposal: The applicant shall provide companies are Sir Septic Tank as is required with reference to inflorm quantity and quality

In case of stoppose of functioning of STP, productive based by support immediately or t this Bourd has to be intimated by faciphoneromal with a region of this region to be disparched immediately.

The treased servege shall be sent to CETP/Reuse in predoming Land coapessar and to 2 same shall be maintained continuously so as to achieve the quality of the regress criticens to the following standards as applicable under Environment (Protection) Rules, 1986 tion

THE PARTY ASSESSMENT	144		And the second		
g	1-10-	1	Hetween		47.4940
**************************************	Lie Siera		Not to exceed		(Bing)
703	Military Design	0.57	Not to exceed		30 mg i
8003	Mys 27 Depre		Not to excerd		10 mg.
) Q	L Citales		SATIS SECURIS	<del></del>	The state of the s

3. Conditions under Air Act t-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve fee level of pullutants to the following

N	idends: Statkaturked with	Stack belght (Mtt)	Type of	First Quantity KLD/3HI D	Endssion Control Equipment	t mission se misardi not to exceed
-	Boiler (600 Ke/H)	15	110	Millin	National Point	-
2	D.G. Set (180 KVA	2,0	HSD	25	Shitural Drast & Acoustic	
1	A 200 KVV) Profice light before				*	1 50 50
4	1(c)				L	2.95
5	50:	A CONTRACTOR OF THE PERSON			<u>.</u>	1-30
6	Total Organio Carteen		<u> </u>	- James Jame		20
*	real Dioxina nad					1 62
· <b>4</b>	Perages #	<del></del>			<u>i</u>	1 75
9	Sb+Ax+Pb+Cr+Co+Cu+ Mo+Ni+Y+Cd+Tb+He		1			

In case of suppose of functioning of our polanton control equipment present too we to be stopped immediately and this Board has to be intimated by far forms event with a report to this regard to be disposehed immediately

(ii) Noice from the D.G. Set and other source(s) chould be commissed by pass along an second. enclosure as is required for meeting the anabient noise standards for night and day tune as prescribed for respective areas zones (Industrial, Commercial, Residential, Science) which are as follows :-

	La lines deel A rich	Commer	cial Area	Resident	iał Arca	Sllence	
Standards for Noise level in	Day Night	Duy	Klyhl thue	Day Time	भंजूता रामह १९	that that	Night time 49
ab(A) Lea	75 78	65	55	33			

Englind: Man Citizan, in Matthews. Sight time: Rest 1919 per una 1984 a.c.

### 4. Conditions under HW Rules >

(i) Number of guitonization and date of issue (ii) The Pactory Manager of Mis Hema Laboratories Per Link a hereby grand a authorization to operate a facility for collection and storage of known in as wastes.

(iii) The authorization is granted to operate a facility for generation, collection and stronge of harardous wastes within factors premises for thilewing entegory of wastes.

	17184	MT-TT-T-CE-2 ST	we were the same of the same o	and in Chicago
1	S.No.	Category (Schodulo-1 &	Quantity of Waste for which authorisation is	Made of Disposal
		Schedule-II)	being issued (M(A)	Osparábio
	1	Schedule 1 - 28.4 Schedule 1 - 34.3	0.300 MT	Discussible
ŀ	7	Schedule 1 - 5.1	0.020 Act	Degrasable

(iv) The authorization should be in force for a period volid notes 11.04.2013

(v) The authorization is subject to the conditions scaled below and the condition with a be specified in the rules for the time being in force under Environment (Protects in Act,

### Terms and conditions of authorization:

(1) The matherization shall comply with the pravisions of the Environment (Protection) Act, 1986, and the rules made incremater.

(ii) The authorization and its removal shall be produced for inspection at the request of a reflect authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, land, sell, transfer as otherwise manapost the inconfous wastes without chining prior permission of the SPCR-PCC.

(by) Any unauthorized changes in personnel engineers as working conditions as mentioned in the application by the person authorized shall constitute a preach of his authorization

If is the duty of the authorized person to take prior permission of the SPCB-PCC to close down the facility.

(vi) An application for the nenewal of an authorization shall be made as laid down usefur these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MOEF or CPCB/SPCB from time to time.

This CCA is valid for Ferondation Process poly.

Compulsory documents to be submitted by the Induscry/limit :b.

Annual return in Form and Waste Disposal Manifest in Form I lander HW Rules and Talks Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986

(iii) Quarterly compliance report of the CCA, photograph of FTP/APCs/Waste storage

Unil has to apply for tenewal of CCA well in advance of 60 days of expiry of this CCA.

Competent Authority reserves the right to change/mocally/add any time any candition of this \$.

Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CEA and provisions of the Water Act. Air Act and HW Rules will results in legal section under the aforesaid Acts and Rules.

10.

Regional Officer

Copy to: Member Secretary, Ulturakhamil Cavironment Protection and Polistica Cantral Board, Debradua for kind information and compliance of the area

Regional Officer



ACCORDANGE CONTRACTOR OF THE PROPERTY OF THE P

अधिकारिक के **Duan संख्या को अधिकार कर्ना 10 करा** अन्तर के जिल्ला के किया जिल्ला के कर जा है। containing the control of the control to prefer the control of the transfer of the control of th

bound notalised the standy which has that a "Tilly "Its oil of roles basses and on the second of one of Tourst-deal of their are minds being being by level by any sound being a latter of their management of armollogic but remage balancial of their

misse legal threat will ye housed anticultaring the morning will be stockledure boaded its many tricks more teer of whenhalf will their the transfer of the second to be a second to second the second conserver.

best in the same support representations of this Cost and calmin sometimes report of aligned भारति । १९०८ प्रत्याचा हैते क्षित्राहरू समामान दर्शनाच्या का प्राप्ता क्षित्रका का प्राप्ता का विकास

medigen det dening (secreth 200 to Clariff bestopeth of these rates obsert abroadly brit. rates reserved at this aid may their agreem in accordance energy to Institute to an activity of a 1 or an

borsels to was year was finite gried bushell all the miner with all mouths tor, to consider the second consistence of Day of the second of the second secon

south is the south meaning and the selection of the property descriptions and the selection of the company of the selection o Promitions (hipping)

. 223 mily goiring all man around graining finishing to mentite have not include the first

annium langulad to position are by of

मान केंद्र के किया है जिस्से क्षेत्रकार के किया है कि से के स्वानिक के किया है कि किया है कि किया है कि किया है bright by massing against a many and a

28.21 malicalitate valled nearl of historical and data governory parametrization and feet and bet AND ADDITIONS WIND ABOUT IN SPOND AND ADDITION OF STREET OF P. P.

AARIS most behindin 19801-89-ER tenedt

The sais that comply of the confident meatimed in Encironment Clearmes letter No. EC. 20109661 these spins strong complex with the provisions of this mediteritors.

the reducing second under Environment Inspect Austrantal Relification, 2006 (as amended from time-fo-

ben existing language will owners like astronocht at bin egnad work set genau commis emeben net et ayes to be being a accept bonds of lon chante reason and anyth (

the characteristic and the characteristic control of the characteristic control of the control of the characteristic control o

the state of the consessed leaded of the party desired and the consessed by the same of the consessed and the consessed the consessed of the c Mendenell obere ental line 134 (notiveter?) invinacrite ?

has the distributed every figure may determ begin beautiful than and desired beautiful and desired

The leading of the straint advantage of the specific of the straint fine confidence and the confidence with the confidence with the straint fine confidence with the straint fine confidence with the straint fine confidence and r tha Eurironneut (Tratection) Rules, 1986 at appearing

bollbon 1884 nother miles villed thank all action about short and or stadios glories fishe greatest and an bacott faring ) mitulled letter i

and by designing an extendent thin exempted with the first on the south quievels as such quievels and the अव्हेराहराते ज्या वा स्वत्याचा

with days where or an surprise area area and areas to lawnon of engagene stanged a shet that entanger or I (bahmeng sal 1881, 1936, (neitroint) thrononival oil when tolling 1884

the industry shot comply exist the Manufacture, Stategrand Inguit of Hazardous Chemical Rills. codiestenden note that line train brancigiesdes)

tother are the front from the industry her to be disposed in mainter so that containing the first factor of the containing the containing of the containing ्डमहरूक्ट्रेस हर्वाक्रमहर्वे व्यक्तिक हर्वे हर्व

applications to analogical to be proposed in any older of their security and an including a contract of the co

andmin of bonoughed of their noiselites in enounce resolves or bedeath, state for more services of the opening M spritt fin in wer bin tuffrieque in mose of Unite other and has reference in all your and recovered of the tray as solo mortely rabbid as about soldliosi than docestratemist and or strong personal date municipal as a Sweezese od blubu timentigus aib yd briolianus

and lock on many belonging strong 30 bins out to strong out to book accorded bothlang there is these considers are Ash in 1990 & miliand while halteogy in erm and wer ben mot beetingers; and at writern and require course theretas Visitagot that's here somes suppor rates absently recent rates are it is not took the new terms and the हुत्र विकास स्थाप स्थापन हो है। के एक प्रथम के 
erso fe multud In hertrod ban auftarentiff nets be art be arme a

1412 UMANE

& Whenever disk to any president of other uncontract act in event, 2003 consecut occurs of is hypercuried in activitin excess of standards laid down; such information shall be recorded to one Board's college at 3 of other construct affices. In this of failure of pollution control equipment, the production product control to a thalf he slopped will howicalate effect.

A. The industry shall operate in a meaner so they are surroused to be see that the companion operation and

10. In case of any damage to the egolecture productivity, incrum subilinear are no live on whose or expectation shall be impossible to stop moderation in the industry were instructive affect and their relatives that we reported to Board's offices. The industry shall be finite to pay con-pensal, we that in such a consecutive shall be the Competent Ambiority.

11. The applicant shall upply before the 50 days of exployed CCA or the dealer of greater on type of the concomments from the process of the contract of t

The Board reserves the right to revoke subdensity are apropored to refer to see the 12 weak first and a second nestessury.

13. The person multivitized shall not rent, lend, sell, manufar or coherwise themsport the businesses will a wolland obtaining prior permission of the Board.

ld. Any unsufficient change in personnel, equipment as working construct as morationed in the arcis, and a by the person additionated shall constitute a breach of his auditories on

55. It is the daily of the audientical person to take prior permits on or the doubt took or deceable the tools.

16. The antisotization is valid for temporary storage of Hazardous Waste within paymage only

17. The multiorized agreety shall ensure that decline date with report to grantify and nature of hierarchy. Ben than being used in the plant as well as all amission and waste generated within premises is displayed . . Display Board of size 514 feet out side the main factory gas within parameter.

18. It is duty of the sustingized person to take prior permissive of this country as along an other of the continues

periment, storage and dispusal of hazardous waste.

19. The applicant shall maintain record of hazardiers waste in Form 3 are two ill actions caused between it arms to a or before the M's day of lines following to the financial year so which that ectuan relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Hales small be a restated to this Board as the carllest.

21. In the this any lineardous moste shall be disposed off on hand, in one drain, or the any which stream Albert is a tener also be safely collected and stored

22. Hefore the hazardous waste is slored or dumped in the facility, social are much returbed a detailed pressent and chemical simipsis of bazardous waste sample and report to the theard

23. Dried hazardesin alodge from the process in the plant shall be stored in double lines! HIME pix to astrocted

with R.C.C. prence material which does not react with the name contained in it, 24. The strange area should be franced properly and Sign Notice Board, whose og Thanger, and Hazardson's state

be displayed at apprepriate position both in Hindi and English

25. The industry shall store from ferrous motal reasis, used of sport oil warre in scaled drama placed on expervious Acce under proposed shoul Phospicous waste if required shall be said only to Registered Recyclers/Re-

The largest of any transportation of hiszardoirs waste, the cleans in Morin-13 of the Hazardon-Rule, shall be submitted to the Board.

Regional Officer



Uttarakhand Environment Protection & Pollution Control Board

Provisional Consent Order (CCA)

E-115 Nehru Colony 4 4 2 Haridwar Road, DEHRADUN Tele: 0135-2668092,2668084

Consent No. AWH-37269 Valid upto: 23/05/2018

Application (Clorec As Renewal SNov 657.95; bit 24/05/2017/3 Granted (On: 41/07/2017.

PCB ld:11567

Besides streamlining and simplifying of regulatory regime, Uttarakhand Environment Protection & Pollution Control Board has taken initiative in from of introduction of Consolidated Consent and Authorization (CC&A) which provides for a one shot application and clearance of the consents under Water Act, Air Act and Authorization under Hazardous Wastes Rules for a period of 5 years. Board issues consolidated consent and Authorization to an industrial unit for operation of plant/carrying out industrial activity specifying following conditions.

#### Consolidated Consent and Authorisation

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)Act-1981

and Authorization under rule 3(c)& 5(5)of the Hazardous Waste (Management, Handling and Transboundary Movement)

Rules'2008 framed under the E(P)Act-1986. And whereas Board has received consolidated Application No.(CtO:CCA-Renewal) 65795 and Dated 24/05/2017 for the consolidated consent and authorization(CC&A) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby granted as under.

(under the provisions / rules of the aforesaid environmental acts) CONSENT AND AUTHORISATION:

To,

M/s. M.G. Shahani & Co. (Delhi) Ltd.,

Plot No. 30, Pharma City, Selaqui Industial Area,, Dehradun,

City: Selaqui,

Dist: Dehradun, Tal: Vikasnagar, SIDC: UP Selaqui

Phone: -

1. Consent Order No:

AWH-37269

Valid Upto:

23/05/2018

2. All Conditions under the AIR ACT-1981 WATER ACT-1974 HAZARDOUS ACT-2008 shall be Applicable to you as mentioned in the detailed Consent Order \*\*\*

Consented CETP: Not Linked to any CETP Consented TSDF: Not Regd with any TSDF

#### 3. GENERAL CONDITIONS:-

a) This order is provisional order and detailed order is considered as final.

b) All the conditions & provisions under the Water Act 1974, the Air Act 1981 and the Environment (Protection) Act - 1986 and the rules made there under shall be complied with \*.

c) All the conditions & provisions under the Hazardous Waste (Management, Handling and Trans boundary Movement) Rules 2008 as amended shall be complied d) The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

e) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70dB(A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nightlime is reckoned between 10 p.m. and 6 a.m.

t) In case of change of ownership/management the name and address of the new owners/ partners/ directors/ proprietor or equipment or working conditions as mentioned in the consents form / order should immediately be intimated to the Board.

g) Industry shall have to display data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including waste water and air emissions and solid hazardous wastes generated within the factory premises.

h) The CCA shall be produced for inspection at the request of an officer authorized by the Uttarakhand Environment Protection & Pollution Control Board. i) Any unauthorized change in personnel, equipment or working conditions as mentioned in the CCA order by CCA holder shall constitute a breach of this CCA. j) Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre of land and a green belt of 5 meters width is developed.

K) The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.

Note: ACT Specific Industry specific Area specific Conditions alongwith Product, as rewater efficient details shall be precisely mentioned in the DENALLED Consent der.

Those units is only provisional communication after the final Consent Authorization in the Specific Consent Authorization is a specific Consent Authorization in the Specific Consent Authorization is a specific Consent Authorization in the Specific Consent Authorization is a specific Consent 
For and on behalf of Uttarakhand Environment Protection & Pollution Control Board

( Member Secretary )

- C. C. F. ......

Printed On: 28/08/2017

Computer generated Order thru XGN, does NOT require Physical Signature

## HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board 29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 8135-2668081, Fax: 2668092. Web: www.ueppeb.uk.gov.in. E-mail: msukpeb@yahoo.com

UEPPCB/HO/Con/M-26/2016/ )\U\\

Date: 24/9/2016 REGD. POST

M/s M.G. Shahani & Co. (Delhi) Ltd, Plot No: 30, Pharma City, Selaqui Industrial Area, felisil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

> PCB ID - 11567 Inward ID - 63149 CCA (Renewal) Consent No. 36451/ Date: 01.04.2016

CCA is hereby granted to M/s M.G. Shahani & Co. (Delhi) Ltd located at Plot No: 30, Pharma City, Sclaqui Industrial Area, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 16.40Crs :-

S.	Lnst CCA		Present CCA (Renewal)		
No.	Product.	Quantity (Per Month)	Product	Quantity (Per Month)	
1.	Cream	150MT	Crèam	150MT	
2	Hair Oil	180KLT	Hair Oil	180KLT	
3	Shampoo, Liquid Hand wash & Body Ash	285MT	Shampoo, Liquid Hand wash & Body Ash	1500MT	

#### 2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA	Present CCA (Renewal)
Trade Effluent	6(100% reuse)	6 (100% reuse)
Sewage	8	8

Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Freatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

1446

**(1971)** 

(h) The remaind affluent shall be recycled to the maximum extent to achieve Zero Disch is unit remaining treated effluent shall be sent to CETP/reuse in gardening and the same has its perfulnithing continuously so as to achieve the quality of the treated effluent to the full the general and specific standards as prescribed under Environment (Protection).

At the 1976 and applicable to the unit from time-to-time:

A PARTIES AND A	Between	5.5 to 9.0
A Suppended solids	Not to exceed	100mg/l
1 000 (1 days 27°C)	Not to exceed	30 mg/l
	Not to exceed	250 mg/l
1 Dir W Circase	Not to exceed	10 mg/l

the Barraga Treatment and Disposal: The applicant shall provide comprehensive Septic

#### L.Conditions under Air Act:-

the applicant shall use following fuel and install a comprehensive control system consisting to control equipment as is required with reference to generation of emissions and operate and intuition the same continuously so as to achieve the level of pollutants to the following manufacts:

riie	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
	O.G. Set (IZICVA) x 1	2	Diesel	251.tr./Hr	Natural Draft & Acoustic Enclosure	-
	():G, Set 7200R,VA) x 1	3	Diesel	40];tr://-[r	Natural Draft & Acoustic Enclosure	-
	Moller Wolffff) x 2	13	LPG	50Kg/Hr	Natural Draft	As per norms.

In ease of stoppage of functioning of air pollution control equipment, production has to be stopped inmediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

Motio from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are an follows:

Single State								
Hundacile	Industrial Area		Commercial Area		Residential Area		Silence Zone	
Dr Nobe	Day	Night	Day	Night	Day	Night	Day	Night
lovel h	time	time	time	time.	time	time	time	time
ubtal tag	75	70	65	55	55 i	45	50	40
As the second of			~~~~	·				

The time from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Conthine under Unzardous & Other Wastes Rules-2016: 12 4916

File Prictory Manager of M/s M.G. Shahani & Co. (Delhi) Ltd, Dehradun is hereby unfitted an anthorization to operate a facility for collection and storage of Hazardous wastes.

(II) Intrinstruction is granted to operate a facility for generation, collection and storage of business. Surface within factory premises for following category of wastes:

Control of the second s	<u> </u>	
Category (Schedule-I &	Quantity of Waste for which authorization is being issued	Mode of Disposal
Schedule-II)	(MTA)	·

1440 (1948)

1	Schedule I - 34.3	0.450	As per Rules.
2	Schedule I – 5.1	1.200	Recyclable

(iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

#### Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Mixing & Packaging processes only.
- 6. Compulsory documents to be submitted by the Industry/Unit :-
  - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous & Other Wastes Rules, 2016 and Third Party Audit Report.
  - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
  - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
- 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
- 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
- Unit has to comply with the other general conditions as annexed herewith. Non compliance
  of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous &
  Other Wastes Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

Member Scoretany

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Contro Board, Dehradun for information and compliance of the same.

Scientific Officer

OFFICE COPY


Annexure

Special Confliction

- the appliance shall playlder [Si mark water meter to such water supply source and shall regularly submaranging at white appaining tion in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- the number of each financial year so that fee ambig traditive line application of the assessed.
- at The anti-length that provide ports in the chimney/stack and facilities such as ladder, platform etc. as per sentitioned the monitoring the air emissions and the same shall be open for inspection and use at all times by the Dunite with. The chimney/stack attached to various sources of emission shall be designated by numbers minimals of the and these shall be parmed/ displayed to facilitate identification.
- File the interior ability nature interlocking of air pulludion control devices and production processes.
- 5. A solid waste group that from the industry has to be disposed in manner so that contamination of surface water budles ground water and occ. does not take place.
- the fills inclusing shift take adequate measures to control of noise from its own source so as to comply with the unidardical may be applicable.
- The applicant shall develop three rows of green helt on the premises with plant species as suggested by the Contrar Pollichin Control Board.
- the audition strictly adhere with the specific end greated conditions issued with CCA order. Any visitation of algulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Pentertion) Act and Rules made thereunder
- 9. The bringing shift ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 16) that shall confirm manifest system in Form-10 of Arzardour & Other Wastes Rules, 2016 while disposing hazardones wants
- H. Elizardings waster thould not be stored beyond a period of 90 days.
- 12. This industry alterited nearby the River Gauga and its industries, shall ensure the treatment facilities and sliggerall arrangement in such a way so that no waster water is the binged in water stream or water bodies.
- 13. The Unit shall strictly comply with the provision, of Vistor, Am S. L(P) Acts and Rules/Notifications made Ministerneder.

#### General Conditions :-

- the applicant shall get analyse the samples of offloontennishmentalizardous wantes at least once in a three month from the fillogatory recognized by the MaLF and shall report to the UEPPCB.
- 2. Thur applicant about however, not without the prior consent of the Board bring into use any new or altered on the far the distance of effluent or gases emission or sewage waste from the unit.
- I. Engined wants will se and domestic waste water shall be disposed jointly at one disposal point. The applicant that provide discharge measurement equipment at final disposal point.
- & The applicant shall surfectly comply with conditions of this CCA and submit compliance report of stipulated conditions wifthin 10 days of receipt of this CCA. It, at any point of time, it is found that the industry is not somelying with affounded conditions or any further direction/instruction issued by the Board, legal action what he fulfitted against the applicant.
- 1 The applicant that maintain good house keeping. All valves/pipes/se wer/drains etc. must be leak-proof.
- This halliants affail provide uninterrupted entry to the STP VETP's inlet and outlet points, Air Pollution Control distipated and smalt for smooth sampling/monitoring of afficiency of pollution control measures.
- The indigates aball provide "Inspection Book" at the time of inspection to the Board's officials.
- The Winners line in any accident or other unforescen act or event, such emission occurs or is apprehended to death the surpair at annuards laid down, such information shall be reported to the Board's offices and all other unitarinal alligns in case of failure of pollution control equipment, the production process connected to it Another de appoit with immediate effect.
- The the using that apparate in a manner so that all entistions be emitted through designated chimney/stack
- the history transfer to the agriculture productivity, human habitation etc. by the operation of industry, it that the influentive in stop production in the industry with immediate effect and such information shall be





- 11. The applicant shall apply before the 60 days of explay in the my change in production types/ production capacity/manufacturing process/capacity enhancement are the my change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any affirmabil condition issued along with CCA, as may be necessary.
- 13. The person authorized shall not rent, lend, self, transfer a flored transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as untilligant full on as mentioned in the application by the person authorized shall constitute a breach of his authorized that
- 15. It is the duty of the authorized person to take prior permissing af the floared to close down the facility.
- 16. The authorization is valid for temporary storage of 固語時間 樂師 within premises only.
- 17. The authorized agency shall ensure that on-line data with require to diamitty and nature of hazardous chemicals being used in the plant as well as air emission and warre gardened within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within infinites.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste or factor) and shall submit annual return in Form-4 on or before the 30th day of June following to the fattors of the state of the fattors return relates.
- 20. In no case any hazardous waste shall be disposed off on hirt of the death, or into any water stream. All spillage must also be safely collected and stored.
- 21. Before the hazardous waste is stored or dumped in the location applicant most conduct a detailed physical and chemical analysis of hazardous waste sample and report in the Baned.
- 22. Dried hazardous sludge from the process in the plant shall the squeet in double lined HDPE pit constructed with R.C.C. or such material which does not react with the hadase on quinced in it.
- 23. The storage area should be fenced properly and Sign/Morros (logged indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and Cagaign
- 24. The industry shall store non-ferrous metal waste, and only paid on waste in scaled drums placed on impervious floor under covered shed. Hazardous waste if required and the rold only to Registered Recyclers/Reprocessors.

25. In case of any transportation of hazardous waste, the details to Farm (1) of the Hazardous & Other Wastes Rules, 2016 shall be submitted to the Board.

Scientific Officer

OFFICE COPY

#### HEAD OFFICE



# Uttarakhand Environment Protection and Pollution Control Board 29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0135-2668084, Fax : 2668092. Web : www.ueppcb.uk.gov.m. E-mail: msukpcb@yahoo.com

UEPPCB/HO/Con/M-26/2015/ 628

Date: STOUT REGD. POST

To,

M/s M.G. Shahani & Co. (Delhi) Ltd, Plot No: 30, Pharma City, Selaqui Industrial Area, Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11567	Inward ID - 59707	٦
CCA (Renewal)	•	- [
Consent No. 34938/ 1/2 8	Date: 06.05:2015	į

CCA is hereby granted to M/s M.G. Shahani & Co. (Delhi) Ltd located at Plot No: 30, Pharma City, Selaqui Industrial Area, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:

1. This CCA is granted for a period from 06.05.20115 to 31.03.2016 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 16.89Crs:-

S.	Last CCA	or CTE	Present CCA (Renewal)		
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)	
1	Cream	150MT	Cream	I50MT	
2	Hair Oil	180KLT	Hair Oil	180KLT	
3	Shampoo, Liquid Hand wash & Body Ash	285MT	Shampoo, Liquid Hand wash & Body Ash	285MT	

#### 2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	6(100% reuse)	6 (100% reuse)
Sewage	8	8

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

\_ 1

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharand remaining treated effluent shall be sent to CETP/reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

· [ ]	Ha	Between	5.5 to 9.0
	Suspended solids	Not to exceed	100mg/l
	BOD (3 days 27°C)	Not to exceed	30 mg/l
	COD	Not to exceed	250 mg/l
ļ	5 Oil & Grease	Not to exceed	10 mg/l

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

4.1		
На	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l
Oil de Cicaso	<u> </u>	

#### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	D.G. Set (125KVA) x 1	2	Diesel	25Ltr./Hr	Natural Draft & Acoustic Enclosure	-
2	D.G. Set (200KVA) x 1	3	Diesel	40Ltr./Hr	Natural Draft & Acoustic Enclosure	-
3	Boiler (0.6TPH) x 2	13	LPG	50Kg/Hr	Natural Draft	As per norms.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards	Industrial Area		Commercial Area		Residential Area		Silence Zone	
for Noise	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
db(A) Leq	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

1450

4. Conditions under HW Rules :-

(i) Number of authorization and date of issue : 115.8

(ii) The Factory Manager of M/s M.G. Shahani & Co. (Delhi) Ltd, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I – 34.3	0.450	As per Rules.
2	Schedule I – 5.1	1.200	Recyclable

(iv) The authorization shall be in force for a period from 06.05.2015 to 31.03.2016.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

#### Terms and conditions of authorization:-

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Mixing & Packaging processes only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA; photograph of ETP/APCs/Waste Storage

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to : Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Scientific Officer



1454

Anne: e

#### Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.

- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 3. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules 2001 as amended and shall submit return as per provisions of said rules.
- 4. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules 2008 and shall obtained registration (if any) under the said rules.
- 5. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 6. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 7. The industry shall ensure interlocking of air pollution control devices and production processes.
- 8. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 9. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 10. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 11. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- t2. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 13. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 14. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 15. Hazardous waste should not be stored beyond a period of 90 days.
- 16. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 17. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

#### General Conditions:-

- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
- 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8-12:

1452

- Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only,
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30<sup>th</sup> day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Scientific Officer

145

#### HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board 29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0135-2668084, Fut :2668092, Web : www.neppeh.ukigov.in E-mail : aisukpehiiivahoo.com

UEPPCB/HO/Con/M-26/2014/ 587)

Date: |5|7|2014

REGD. POST

To,

M/s M.G. Shahani & Co. (Delhi) Ltd, Plot No: 30, Pharma City, Selaqui Industrial Area, Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11567 Inward ID - 56669
CCA (Renewal)
Consent No. 33871/ 1 | 38 Date : 25.04.2014

CCA is hereby granted to M/s M.G. Shahani & Co. (Delhi) Ltd located at Plot No: 30, Pharma City, Selaqui Industrial Area, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:

 This CCA is granted for a period from 25.04.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 12.76 Crs:-

S.	Last CCA	or CTE	Present CCA (Renewal)		
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)	
1.	Cream	150MT	Cream	<u>∉</u> 150MT	
2	Flair Oil	180KLT	Hair Oil	180KLT	
3	Shampoo, Liquid Hand wash & Body Ash	* 1500MT	Shampoo, Liquid Hand wash & Body Ash	1500MT 	

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	Nil	6 (100% reuse)
Sewage	8	8

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

-/4/ (USPICE

4. Conditions under HW Rules :-

(ii) The Factory Manager of M/s M.G. Shahani & Co. (Delhi) Ltd, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I – 34.3	0.450	As per Rules.
2	Schedule I – 5.1	1.200	Recyclable

(iv) The authorization shall be in force for a period from 25.04.2014 to 31.03.2015.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time

5. This CCA is valid for Mixing & Packaging processes only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party-Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA. \_\_\_\_

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to :- Regional Officer, Uttarakhand Lalvironment Protection and Pollution Control
Board, Dehradun for information and compliance of the same.

Scientific Officer

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.

2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.

3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee

4. The applicant shall provide ports in the chimney/st.ck and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.

5. The industry shall ensure interlocking of air pollution control devices and production processes.

6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water

7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).

8. The industry shall take adequate measures to control of noise from its own source so as to comply with the

9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the

10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.

11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent

12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.

13. Hazardous waste should not be stored beyond a period of 90 days.

14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.

15. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made. thereunder.

LaThe applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall reported the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point

4. The applicant shalf strictly comply with conditions of this CGA and submit compliance report of stipulated eanditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission-occurs-or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

### Citarakhand Environment Protection and Follation Control Bezic E-115 Nehru Colony, Dehra Unn (Uttarakhand)

UEPPCB/HO/Con/M-26/2013

Date:

REGD. POST

To,

M/s M.G. Shahani & Co. (Deihi) Ltd. Plot No: 30, Pharma City, Selaqui Industrial Area, Tehsil-Vikasnayar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Soction-25 of the "Vatez (Prevention-& Control of Pollution) Art, 1974" and under Soction-21 of the "List (Prevention & Control of Pollution) Act, 1981" and Authorization under "Ente-5" of the "Mazarders Waste (Management, Handling and Transboundary Movement) Rules, IIII notified maker "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Art, Air Act and HW Rules respectively).

PCB ID - 11567	hrera ed 19) - 54645	7
CCA (Renewal)		1
Consent No. 320126/	Date: 1247/2013	_)

CCA is hereby granted to M/s M.G. Shahani & T.C. (Delhi) Ltd located at Plot No: 30, Pharma City, Selagui Industrial Area, Tehsil-Vikasusgar, Pristt-Dekradum subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be usade finding and ordifest to following terms and conditions:

1. This CCA is granted for a period from 12.87.2013 to 34.85.2014 and valid for manufacturing of following products with Capital Suventument / First Assets Values 78.36Crs:-

S.	Last CCA	r CTE Present CCA (Meney		(Henewal)
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)
4	Cream	150MT	Cream	TMOSE
2	Hair Oil	180KLT	Hau Oil	ISOKLT
3	Shampoo, Liquid Hand wash & Body Ash	1500MT	Shampoo, Liquid Hand wash & Body Ash	1500MT

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (f(LD):-

	Last CCA or CTE	Present OCA (Renewal)
Trade Effluent	Nil	б.(100% reuse)
Sewage	8.	8

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped inuncidately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- ! -

and successful over the control of t

	Agm:01	Not to exceed	Oil & Grease	\$
! !	1\gm 025	Not to exceed	COD	7
<u></u>	1/4(m-0)(	Not to exceed	BOD (3 days 27'()	1
<u></u>	Ngm001	Not to exceed	spilos babnadsus	7
	0.9 of 2.2	Between	Hiq	-;-

(iv) Sevage Treatment and Disposal: The applicant shall provide comprehensive:SIPVSeptic

In case of stoppage of functioning of SIP, preduction has to be enoughed tunned and to distance of solution to be intimated by fastleheneit with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/reuse in gardening sad the same shall be maintained continuously so as to achieve the quality of the treated efficient doubte following standards as applicable under Environment (Protection) Rukes, 1986 from time-to-time:

i/dus Cl	Not to exceed	Oil & Grease
(√gar 0€	Not to exceed	BOD 3 days 27 Degree C
Nam001	Not to exceed	Suspended Solids
0.9 et 2.2	Ветween	Hq

3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control equipment as is required with reference to generation effective that the same continuously so as to achieve the level of pollutants to the following standards:

nelszimik ekrabnate n 101 to besece	Emission Control Equipment	KLD/MTD Gusatity Fuel	Lype of	Stack beight (Mt)	Stack diw badashe	°N 'S
	Matural Draft & Acoustic Enclosure	25LM-7Hr	[əsəiQ	7	(152KAK) x 1 D.C. 264	l
	Matural Draft & Acoustic Enclosure	40Ltr./Hr	ləsəi ()	٤	(500KAV)×1 D'C' 2લ	7
тэq г.А готтоп	AstU lauteM	20Kg/Hr	54.1	٤١	S x (HqTb.0)	٤

In case of stoppage of functioning of air pollution control equipment, production has to be intimated by faxiphone/email with a report in this regard to be dispatched immediately.

Moise from the D.C. Set and other source(s) should be controlled by providing an acoustic circlosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

97	05	SÞ.	çç.	SS	<b>S</b> 9	07	SL	ps-J (A)db
higiN smit	Pag time	1तंड्र¥/ आधे	VaU time	Might time	Pay time	ingiN smii	Yrd Smit	seioM 101 ni laval
SHOX S	<u>.                                    </u>	sera leite		cial Area			isnbnī	Standards

Day time : from 6.00 a.m. to 10.00 p.m., Might time: from 10.00 p.m. to 6.00 a.m.



Specific Condition

विक क्षेत्रके क्षात्र । एक १ वस्त वस्  $v = \sqrt{v_{\rm obs}}$ . A new introvention and Control of Population Law Act, 1979 as impended to be refurred as Cess. Act, vial Rules made the conder

- 2. The applicant shall provide ISI mark water more to each water supply source and shall regulary commireturns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The applicant shall submit audited balance sheet of the unit of the end of each financial year so that he submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/sta, and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by mambas such as S-1/S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that constantination of surface water hodies/ground water/soil etc. does not take place
- 7. The industry shall comply with the Manufacture, Storage and durgious of Almandaea Checklonic Males, 1989-natified under the Environment (Erntection) Act, 1966 (as amended).
- 8. The industry shall take adequate measures to constol of noise from its own source so as to comply with the
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the
- 18. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 14. The industry shall cause all safety measures and shall undertake periodical aspessment by the computent
- 12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing horsestone wante.
- 13. Hazardous waste should not be stoard beyond a period of the days.
- 14. The industry situated assuby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.

### General Conditions :-

- 1. The applicant shall get analyse the samples of effluent/entission/hazardous wantes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or aftered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Boxed, legal action
- 5. The applicant shall maintain good house keeping. All ve his/pipes/sewer/drains etc. must be leak-proof.
- 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Buard's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it
- 9. The industry shall operate in a manner so that all emissions be emitted forough designated chimney/stack
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be

1450

T ANGRES PARCHES -

enquious under HN Rule.

Isameer of pathweization and elec-

(iii) The Factory Manager of Mis Mata Shandel & Confliction Debradas is basely granted an authorization to operate a facility the confection and storage of biazardous wastes

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I – 34.3	0.450	As per Rules.
2	Schedule I – 5.1	1.200	Recyclable

(iv) The authorization shall be in force for a period from 12.07.2013 to 31.03.2014.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

#### Terms and conditions of authorization :-

- (i) The authorization shall comply with the povisions of the Environment (Protection) Act, 1986, and the rules made there under
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- 5. This CCA is valid for mixing & packaging processes only.
- 6. Compulsory documents to be submitted by the Industry/Unit :-
  - Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
  - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
  - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
- 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
- Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
- 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Member Sepretar

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Scientific Officer

a to stopti coppie i setore the course

- 13 The Board reserves the right to revoke/add/modify any supromes condition assend along with CC (and may be
- 13. The person authorized shall not rent, lend, seil, transfer or othertyise transport the bazardons waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17 The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and w. & generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior pennission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Ferm-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double fined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage mea should be fenced properly and Sign/Notice Doard indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recycless/Reprocessors.

26 in case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Uttarakhand Environment Protection & Pollution Control Board

E-115 Nehru Colony

Haridwar Road, DEHRADUN Tele: 0135-2668092,2668084

### Provisional Consent Order (CCA)

Consent No. AWH-37384 Valid upto: 31/03/2018

### Applications Gto: GCAN Refiew (INV) 6556 NDt 80/03/2017, Granted On: 26/08/2017

PCB ld:16024

Besides streamlining and simplifying of regulatory regime, Uttarakhand Environment Protection & Pollution Control Board has taken initiative in from of introduction of Consolidated Consent and Authorization (CC&A) which provides for a one shot application and clearance of the consents under Water Act, Air Act and Authorization under Hazardous Wastes Rules for a period of 5 years. Board issues consolidated consent and Authorization to an industrial unit for operation of plant/carrying out industrial activity specifying following conditions.

#### Consolidated Consent and Authorisation

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)Act-1981

and Authorization under rule 3(c) & 5(5) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules'2008 framed under the E(P)Act-1986.

And whereas Board has received consolidated Application No.(CtO:CCA-Renewal) 65567 and Dated 30/03/2017 for the consolidated consent and authorization(CC&A) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby

CONSENT AND AUTHORISATION:

(under the provisions / rules of the aforesaid environmental acts)

To,

M/s. Biological E. Ltd.

31 & 32, PHARMACITY, SELAQUI - DEHRADUN,

City: SELAQUI,

Dist: Dehradun, Tal: Vikasnagar, SIDC: PC Selaqui

Phone: 01353987501

Consent Order No:

AWH-37384

Valid Upto:

31/03/2018

2. All Conditions under the AIR ACT-1981 WATER ACT-1974 HAZARDOUS ACT-2008 shall be Applicable to you as mentioned in the detailed Consent Order \*\*\*

Consented CETP: Not Linked to any CETP

Consented TSDF: Bharat Oil & Waste Management Ltd.[11454]

#### GENERAL CONDITIONS:-

a) This order is provisional order and detailed order is considered as final.

b) All the conditions & provisions under the Water Act 1974, the Air Act 1981 and the Environment (Protection) Act - 1986 and the rules made there under shall be complied with \*

c) All the conditions & provisions under the Hazardous Waste (Management, Handling and Trans boundary Movement) Rules 2008 as amended shall be complied d) The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

e) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70dB(A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.


f) In case of change of ownership/management the name and address of the new owners/ partners/ directors/ proprietor or equipment or working conditions as mentioned in the consents form / order should immediately be intimated to the Board.

g) industry shall have to display data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including waste water and air emissions and solid hazardous wastes generated within the factory premises. h) The CCA shall be produced for inspection at the request of an officer authorized by the Uttarakhand Environment Protection & Pollution Control Board.

i) Any unauthorized change in personnel, equipment or working conditions as mentioned in the CCA order by CCA holder shall constitute a breach of this CCA. i) Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre of land and a green belt of 5 meters width is developed.

K) The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under

the Water Cess Act- 1977.




For and on behalf of Ultarakhand Environment Protection & Pollution Control Board

( Member Secretary )

Printed On: 28/08/2017

Computer generated Order thru XGN, does NOT require Physical Signature



#### HEAD OFFICE



Uttarakhand Environment Protection and Pollution Control Board 29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

UEPPCB/HO/Con/B-44/2016 | ] ] 3

Date:

22/9/10H6 REGD. POST

To,

M/s Biological E. Ltd, Plot No: 31 & 32, Pharmacity, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 16024 Inward ID - 62192
CCA (Renewal)
Consent No. 35172/ 2) 2 Date: 31,03.2015

CCA is hereby granted to M/s Biological E. Ltd located at Plot No: 31 & 32, Pharmacity, Selaqui, Tehsil-Vikasnagar, Disti-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:

1. This CCA is granted for a period from 31.03.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 26.94 Crs:-

S.	Last CCA	or CTE	Present CC	A (Renesval)
No.	Product	Quantity	Product	Quantity
		(Per Month)		(Per Month)
1	Liquid Syrup	1200000Nos.	Liquid Syrup	1200000Nos.

- 2. Specific Conditions under Water Act:
  - (i) The daily quantity of effluent discharge (KLD) :-

	<u> </u>	
	Last CCA or CTE -	Present CCA (Renewal)
Trade Effluent	10	10
Sewage	3	3

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

1

	Ç	ompulsory Paramete	rs :
. 1		Between	6.0 to 8.3
<u>.</u>	pH	Not to exceed	t0mg/l
2_	Oil & grease BOD (3 days 27°C)	Not to exceed	100 mg/l
3	Total Suspended solids	Not to exceed	100 mg/l 90% survival of fish after first
5	Bioassay Test	Not to exceed	96 hours in 100% effluent.
<del></del>	<u> </u>	Additional Paramete	rs
	<del></del>	Not to exceed	0.01
ì	Mercury		0.20
2	Arsenic	Not to exceed	
3	Chromium	Not to exceed	0.10
	· · · · · · · · · · · · · · · · · · ·	Not to exceed	0.10
_4_	Lead	Not to exceed	0.10
_5_	Cyanide	Not to exceed	1.0
6	Phenolics (C6H5OH)	Not to exceed	2.0
7	Sulphides (as S)		5.0
. 8	Phosphate (as P)	Not to exceed	thall provide comprehensive Se

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive Septic Tanks and Soak pits as is required with reference to influent quantity and quality.

### 3. Conditions under Air Act :-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standard s not to exceed
1	D.G. Set (500 KVA) X I	12	HSD	60Ltr/Hr	Acoustic Enclosure	-
2	Baby Boiler (600Kg/Hr) x 1	12	LPG	32Kg/Ht	Natural Draft, Heater/Furn ace-Low Sulphur Fuel	As per Norms.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

mo as to home	<u> </u>		<del>,</del>			4:41 1 200	Silone	e Zone
Standards	Indust	rial Area	Commer	cial Area	Reside	ntial Area		
for Noise	Day	Night	Day time	Night time	Day time	Night time	Day time_	Night time
level in db(A) Leq	time 75	time 70	65	55	55	45	50	40
uniw) red	<u> </u>	l:						

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous & Other Wastes Rules-2016: 1 21 (1) Number of authorization and date of issue: -222-C1 21 (1) 2016

(ii) The Factory Manager of M/s Biological E. Ltd, Plot No. 31 & 32, Pharmacity, Selqui, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

1469 B-13

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No	Category	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
	Schedule I – 28.1	0.010	As per Rules.
2	Schedule I - 34.3	0.030	As per Rules.
3	Schedule I - 5.1	0.500	Recyclable.

(iv) The authorization shall be in force for a period from 31.03.2016 to 31.03.2017.

(v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

#### Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF of CPCB/SPCB from time to time.

5. This CCA is valid for Pharmaceutical formulation process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous & Other Wastes Rules, 2016 and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous Rules & Other Wastes Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

Member Steretaly

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same

Scientific Officer

## OFFICE COPY

Annexure

#### Specific Conditions:

The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee

submitted by the applicant could be assessed. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/displayed to facilitate identification.

4. The industry shall ensure interlocking of air pollution control devices and production processes.

5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.

6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.

7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.

8. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.

The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.

10. The Industry shall ensure all safety measures and shall undertake periodical assessment by the competent

11. Unit shall ensure manifest system in Form-10 of Hazardous & Other Waste Rules while disposing hazardous waste.

12. Hazardous waste should not be stored beyond a period of 90 days.

13. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.

14. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

### General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.



- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30<sup>th</sup> day of June following to the financial year to which that return relates.
- 20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drams placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous & Other Wastes Rules, 2016 shall be submitted to the Board.

Scientifie Officer

OFFICE COPY

1469000000



#### HEAD OFFICE

UEPPCB/HO/Con/B-44/2015 // 03

Date: 26/9/281 REGD. POST

To,

M/s Biological E. Ltd, Plot No: 31 & 32, Pharmacity, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB-ID - 16024 Inward ID - 59229 CCA (Renewal) Consent No. 35172/ 2 2 Date: 01.04.2015

CCA is hereby granted to M/s Biological E. Ltd located at Plot No. 31 & 32, Pharmacity, Schaqui, Tehsil-Vikasnagar, Distr-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and wonditions:-

This CCA is granted for a period from 01.04.2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 23.16Crs:-

S.	Last CCA	Last CCA or CTE Present C			
No.	Product	Quantity	Product	Quantity	
<u> </u>		(Per Month)		(Per Month)	
	Liquid Syrup	1200000Nos.	Liquid Syrup	1200000Nos.	

- 2. Specific Conditions under Water Act:
  - (i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	10	10
Sewage	3	3

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated efficient to the rollowing general and specific standards as prescribed under Epvironarem Protection.

Rules, 1986 and applicable to the unit from time-to-time:

۱.

1469

- 1	·		
	. C	ompulsory Paramete	rs
1	рН	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
	<u> </u>	Additional Paramete	<u> </u>
ī	Mercury	Not to exceed	0.01
- 2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as.P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	t00mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity		Emission standard s not to exceed
. 1	D.G. Set (500 KVA) X	12	HSD	60Ltr/Hr	A coustic Enclosure	
2	Baby Boiler (600Kg/Hr) x I	12	LPG	32Kg/Hr	Natural Draft, Heater/Furn ace-Low Sulphur Fuel	As per Norms.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:

. 2 -

UEPPCB

		<del> </del>					~		
Standards	Indus	trial Area Commercial Area Residential Area		Commercial Area		Commercial Area Residential Area		Silence Zone	
for Noise	Day	Night	Bay	Night	Day	Night	Day	Night	
level in	time	time	time	time	time.	time	time	time	
db(A) Leq	75	70	,65	55	55	45	50	40	
		· ·				<u> </u>			

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules:-

(i) Number of authorization and date of issue: 222 01-219 1017

(ii) The Factory Manager of Mis Biological E. Ltd, Plot No. 31 & 32, Pharmacity, Selqui, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:

S.No	(Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Dispusal
	Schedule I – 28 I	0.040	As per Rules.
2	Schedule I - 34.3	0.030	As per Rules.
3	Schedule I - 5.1	0.500	Recyclable.

(iv) The authorization shall be in force for a period from 01.04,2015 to 31.03.2016.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

#### Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the dury of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Pharmaceutical formulation process only.
- Compulsory documents to be submitted by the Industry/Unit :-
  - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
  - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
  - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage
- 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
- 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
- 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

- 3.

Metat

\_

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Boar Dehradun for information and compliance of the same.

Specific Conditions:

Annexure

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 1. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules 2001 as amended and shall submit return as per provisions of said rules.
- 5. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules 2008 and shall obtained registration (if any) under the said rules.
- 6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 7. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform jetc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack ottached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 8. The industry shall ensure interlocking of air pollution control devices and production processes.
- 9. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 12. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 13. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 14. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act. Air Act and Environment (Protection) Act and Rules made thereunder.
- 15. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent
- 16. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 17. Hazardous waste should not be stored beyond a period of 90 days.
- 18 The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 19. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made

### General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or aftered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

Freated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant (Shall provide discharge measurement equipment at final disposal point.)

- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 5 The applicant/shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
- The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards faid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindrand English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.
- 26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Scientific Officer

- 5

#### HEAD OFFICE



## Uttarakhand Environment Protection and Pollution Control Board 29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

UEPPCB/HO/Con/B-44/2015 // (D.B.

Date: \$ 12 0015 REGD, POST

M/s Biological E. Ltd, Plot No: 31 & 32, Pharmacity, Schaqui, Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & inthonization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act; 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transhoundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

Inward ID - 56236 PCB ID - 16024 CCA (Renewal) Date: 13.08.2015 Consent No. 34392/

CCA is hereby granted to Wes Biological E. Ltd located at Plot No. 31 & 32, Pharmacity, Selaqui, Tehsil-Vikasnagar, Distt-Deliradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

This CCA is granted for a period from 13.08.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment: / Net Assets Values ₹ 21.12Crs :-

Z 21.12	CES :*			(1)
[ 6 ]	Last CCA	or CTE	Present CCA	
No.	Product	Quantity	Product	Quantily (Per Month)
110.		(Per Month)		1200000Nos.
	Liquid Syrup	1200000Nos.	Liquid Syrup	120000014031

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

the and damed or		
	Last CCA or CTE Present CCA (Renewa	101
	10	
Trade Elfluent	3	
Sewage		

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be infimated by faxtphimeternall with a report in this regard to be dispatched immediately.

(iii) The treated offluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

and a roull Residential Arc	a Silence Zone
Semigrades singustrial acco. Commercial Alexander Night	Day Night
NAME OF THE PARTY	time time
time time time	50 40
100 100 100 100 100 100 100 100 100 100	_1
dh(A) larg at the large to the	and the second of the second

Day fints sarang 600 aim to 10 00m in Night time from 10 00 pair to 6 00 aim.

4. Conditions builded W.Rales

(i) Number of authorization and date of issue 222 colors (2) 2015
(ii) The treton Manager of M/s Dictoried & Etd. Plot No. 31 & 32; Pharmacity, Selqui, Distribelity dunals thereby granted all authorization to operate a facility for collection and

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

hazardous wastes within factor) pren		
	Onantity of Waste for which	Mode of Disposal
I S No.	Quantity of the control	
The state of the s	puthosizationsis being issued	
	医动物 海绵 医人名英格兰 医多种性 医神经性 化化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲	1 March 2012 1 Co.
	0.010-5	As per Rules.
and TXISOnedulest - 40163	0.000	As per Rules
		Recyclable
3 Co. Scaling - 521	0.500	4400) Airigin
3000000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A2.2015.

AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS (iv) The authorization shall be in force for a period from 13.08(2014) to 31.03.2015.

(v.) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization: (i) The authorization shall comply with the provisions of the Environment (Protection) Act,

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer 1986, and the rules made thereunder.

sell/franstellor otherwise transport the hazardous Wastes with our colatining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

It is the duty of the authorized person to take prior permission of the SPCB/PCC to close

(vi) An application for the renewal of an authorization shall be made as laid down under these

The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Pharmaceutical formulation process only. 5.

Compulsory documents to be submitted by the Industry/Unit :-

Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

Environment Statement in Porm-Vol Environment (Protection) Rules, 1986. (iii). Quarterly goint plancesterm teather CCA sphotograph of EPP/APCs/Waste Storage

not the recommendation of the control of the contro Competent Authority reserves the right to change/modify/and any time any condition of this

Upit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will 9. results in legal action under the aforesaid Acts and Rules.

complying with stipulated conditions or any further direction/instruction issued by the Board shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewor/drains etc. must be leak-proof.

The industry shall provide uninterrupted entry to the Sup steller's inlet and nutlet points, Air Pollution Control equipment and stack for smooth-sampling/monitoring of elfficiency of pollution control measures.

7. The industry shall provide Auspection Book satisfic lime of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In ease of failure of pollution control equipment, the production process connected to it shall he stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack

ii), to case of any damage to the agriculture productivity, human habitation, etc., by the operation of industry, it shall be imperative to stop production in the vidusity with immediate effect and such information shall be repuried to Board's offices. The Indigsto-shall be Jable to pay compensation also in such cases as decided by the Competent Autibulty.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in offluent discharge point or

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

In. The authorization is valid for temporary storage of Flazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste, generated within premises is displayed on Display. Board of size 6x4 (section) side the mining setory gute synthin premises:

18 Has day of the authorized herson to lake prior permission of this Board to close and cleanup the facility for

treatment, storage and disposal of hazardous waste. 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the linancial year to which that return relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage

22. Before the hazardous waste is stored or dumped in the facility; applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stared in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall

be displayed at appropriate position both in Hindi and English. 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in scaled drums placed on impervious fluor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be

submitted to the Board.

### HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
E-115 Nehru Colony, Dehra Dun (Uttarakhand)

June : 0135-2668084, Fax :2668092. Web : www.ucppeb.nk.gov.in. E-mail : afsukpebfdyahou.cm

UEPPCB/HO/Con/B-44/2013 / 604

Date: |8/7/2013 REGD. POST

Te.

M/s Biological E. Ltd, Plot No: 31 & 32/ Pharmacity, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 16024 Inward ID - 54392 CCA (Re-Apply) Consent No. 32884 / 22 Date: 04.06.2013

CCA is hereby granted to M/s Biological E. Ltd located at Plot No. 31 & 32, Pharmacity, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:

1. This CCA is granted for a period from 04:06.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment / Net Assets Values 7 23.16 Crs:

S. T	Last CCA	or CTE	Present CC	(Renewal)
No.	Product	Quantity	Product	Quantity
		(Per Month)	: <u></u>	(Per Month)
	Liquid Syrup	1200000Nos.	Liquid Syrup	1200000Nos.

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

	Last CC/ cr CTE	Present CCA (Renewal)
Trade Effluent	Nii	Nil
Sewage	3	3

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

	C	ompulsory Parameter	<u>'S</u>
<u> </u>		Between .	0.0 (0 0.5
_!	pH	Not to exceed	10mg/l
	Oil & grease	Not to exceed	100 mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
-1	Total Suspended solids	Not to exceed	90% survival of fish after first
5	Bioassay Test	THE TO CALCULA	96 hours in 100% effluent.
	<u> </u>	Additional Parameter	C,
	Mercury	Not ic exceed	0.01
<del>-</del>		No lo exceed	0.20
<u> </u>	Arsenic .	Not to exceed	0.10
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
_ <u>;</u>	Cyanide	Not to exceed	1.0
6	Phenolics (C6H5OH)	Not to exceed	2.0
7	Sulphides (as S)		5.0
8	Phosphate (as P)	Not to exceed:	1 3.0

Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Bourd has to be intimated by fax phone/email with a report in this regard to be dispatched immediately.


The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time-

200000 as approprie areas.	:	
	Between	5.5 to 9.0
Sanadad Solide	Not be exceed	100mg/l
Suspended Solids		30 mg/l
BOD 3 days 27 Degree C	Not to exceed	10 mg/l
Oil & Grease	1801 to exceed	

### 3. Conditions under Air Act :-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity		Emission standard s not to exceed
1	D.G. Set (500 KVA) X 1	12	HSD	60Ltr/Hr	Acoustic Enclosure	! 
2	Baby Boiler (600Kg/Hr) x 1	12	LPG	32Kg/Hir	Natrual Draft, Heater/Furn ace-Low Sulphur Fuel	As per Norms



In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has we he intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

are as ionows								
· ·		rial Area	Commer	cial Area	Reside	ntial Area	Silenc	e Zone
Standards for Noise	Day	Night	Day	Night	Day	Night	Day	Night   time
level in	time	time	time	time	time	time 45	time	4()
db(A) Leq	75	7()	65		25			i

Day time : from 6.00 a.m. to 10,00 p.m.. Night time; from 10,00 p.m. to 6,00 a.m.

(i) Number of authorization and date of issue: 224 clt 18/7/2013 4. Conditions under HW Rules :-

(ii) The Factory Manager of M/s Biological E. Ltd, Plot No. 31 & 32, Pharmacity, Sclqui, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes to

S.No.	Category (Schedule-1 & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal  As per Rules
	Schedule 1 - 28.1	0.010	As per Rules.
2	Schedule 1 - 34.3	0.030	Recyclable.
3	Schedule L - 5.1	0.500	1 recyclane.

- (iv) The authorization shall be in force for a period from 04.06.2013 to 31.03.2014.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act. 1986.

Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, (cll, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- . (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close
  - down the facility. (vi) An application for the renewal of an authorization shall be made as laid down under these
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Pharmaceutical formulation process only. Š.
- Compulsory documents to be submitted by the Industry/Unit :-
  - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
  - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
  - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
- Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA. 7.

Competent Authority reserves the right to change/modify/add any time any condition of the 8.

Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will Q. results in legal action under the aforesaid Acts and Rules.

Member S

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board;

Dehradun for information and complian anof the same.

Scientific Officer

Annexure

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be dis, used in manner so that containination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 3. The industry shall take adequate measures to control of noise from its own source so as to comply with the
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the
- 10 The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11 The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Figzardous waste should not be stored beyond a period of 90 days
- 15. The industry situated nearby the River Ganga and it -ributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.

ţ


- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.



- The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
- 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforescen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- The industry shall operate in a manner so that all emissions be emitted through designated chianney/stack
- 10 In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority,
- 11 The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be nedessary.
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the -person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Flazardous Waste within prentises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for frealment, storage and disposal of hazardous waste,
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial war to which that return relates.
- 20. In case of any accident, complete details in the light or corm-14 of the Hazardous Rules shall be submitted to
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23 Dried hazardous sludge from the process in the plant shall be stored in double fined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 21 The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in scaled drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-

26 In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be





### Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

Web : www.ueppeb.uk.gov.in. E-mail : r.o.dehradun@gmail.com

UEPPCB/ROD/Con/DDN-757/2017-18/ 1249 - 488

To.

M/s Himalaya Meditek Pvt. Ltd. Plot No: 35 & 36 Pharmacity, Selaqui Distt. Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

> PCB ID - 12349 Inward ID - 66689 Date 06-07-2017 CCA (Renewal) Consent No. AWH- 17533 / 232

CCA is hereby granted to M/s Himalaya Meditek Pvt. Ltd. at located Plot No: 35 & 36, Pharmacity, Selagui, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

This CCA is granted for a period from 06.07.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment / Net Assets Values 3.43 Crs:-

S.	Last CCA		Present CCA (Renewal)		
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)	
1	Capsules	150.0 Lacs Nos.	Capsules	150.0 Lacs Nos.	
2	Injectables	45 KL	Injectables	45 KL	
3	Ointment	22500 Kg.	Ointment	22500 Kg.	
4	Syrup	240 KL	Syrup	240 KL	
	Tablets	150.0 Lacs Nos.	Tablets	150.0 Lacs Nos.	

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD):

	Last CCA	Present CCA (Renewal)
Trade Effluent	5.5	5.5
Sewage	4.4	4.0

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has 10 be intimated by fax/phone/email with a report in this regard to be . dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:-

Compulsory Parameters							
1	рН	Between	6.0 to 8.5				
2	Oil & grease	Not to exceed	10mg/l				
<del></del> -	BOD (3 days 27°C)	Not to exceed	30 mg/l				
4	Total Suspended solids	Not to exceed	100 mg/l				
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.				

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to STP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

ρΗ	Between	6.5 to 9.0
Suspended Solids	Not to exceed	10.0mg/l
BOD 3 days 27 Degree C	Not to exceed	10.0 <sup>1</sup> mg/i
Oil & Grease	Not to exceed	10 mg/l
COD	Not to exceed	50 mg/l
Fical Coli form	Not to exceed	<280 mg/l
Po <sub>4</sub>	Not to exceed	2.0 mg/l

### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. N	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MTD	Emission Control Equipment	Emission standards not to exceed
1	D.G. Set (250 & 82.5 KVA)	2&3 Mt.	HSD	20&25 Ltr.	Natural Draft & Acoustic	-
2	Boiler (500 Kg/H)	06 Mt.	LPG	30Ltr	Natural Draft	-


In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be disputched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards	Industrial Area		Commer	cial Area	Reside	ntial Area	Silenc	e Zone
for Noise	Day	Night	Day	Night	Day	Night	Day	Night
level in	time	time	time	time	time	time	time	time
db(A) Leq	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

Q N /



### Conditions under HW Rules :-

(i) Number of authorization and date of issue:

B-15 14

(ii) The Ractory Manager of M/s Himalaya Meditek Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No:	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal		
1	Schedule I – 28.1	0.050	Safely Store in Room		
2	Schedule I – 28.4	0.150	Safely Store in Room		
3	Schedule I - 34.3	0.100	Safely Store in Room		
4	Schedule I – 5.1	0.200 ,	Safely Store in Room		

(iv) The authorization shall be in force for a period from 06.07.2017 to 31.03.2018.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

### Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- 5. This CCA is valid for Formulation Process only.
- 6. Compulsory documents to be submitted by the Industry/Unit :-
  - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
  - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
  - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
- 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
- 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
- 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Regional Officer

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer

res

### Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
  - 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
  - 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
  - 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
  - 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
  - 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
  - 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 13. Unit shall ensure manifest system in Form-13 of HW Rules within three month.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
- 17. Unit Shall Strictly comply with provisions of Doon Valley Notification 1989.
- 18. Unit shall not carryout manufacturing process which are restricted in Doon Valley Notification 1989 with prior permission of Board.
- 19. The unit shall comply all the conditions mentioned in Environment Clearance letter No. No. EC-46/2009/190 Date 21.12.2009.
- 20. Unit shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 21. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 22. The unit shall comply with the provisions of The E-waste (Management & Handling) Rules-2011 and shall obtained registration (if any) under the said rules.
- 23. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 24. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 25. The unit shall ensure that ETP operate properly and achieve zero disposal.
- 26. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act.

#### General Conditions:

The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three
month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

W

1489 B-15 14

The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Preated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Hazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

must also be salely confected and stored.

22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.

25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Regional Officer Why

0

B-15-14

UEPPCB

#### REGIONAL OFFICE



Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

Web : www.ueppcb.uk.gov.in. E-mail : r.o.dchcadun@gmail.com

UEPPCB/ROD/Con/DDN-757/2017-18/

义46一以久

Date: GS E | )-

To,

M/s Himalaya Meditek Pvt. Ltd.

Plot No: 35 & 36 Pharmacity, Selaqui Distt. Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 12349 Inward ID - 64609 Date 19-12-2016

CCA (Renewal)

Consent No. AWH- 17196 / 232 Date: 25/5/----

CCA is hereby granted to M/s Himalaya Meditek Pvt. Ltd. at located Plot No: 35 & 36, Pharmacity, Selaqui, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:

1. This CCA is granted for a period from 19.12.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values
3.52 Crs:-

S.	Las	t CCA	Present CCA (Renewal)			
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)		
	Capsules	150.0 Lacs Nos.	Capsules	150.0 Lacs Nos.		
2	Injectables	45 KL	Injectables	45 KL		
3	Ointment	22500 Kg.	Ointment	22500 Kg.		
4	Syrup	240 KL	Syrup	240 KL		
· <u>·</u>	Tablets	150.0 Lacs Nos.	Tablets	150.0 Lacs Nos		

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA	Present CCA (Renewal)
Trade Effluent	5.5	5.5
Sewage	4.4	4.0

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

A. Previous Concent Reject J CCA Order / NOC Order (PCR) Uploaded in NCN on 05/05/2017 In This from IP No. 117.201.99.15

B. 12349-Himmaya Meditek Pyt.Ltd accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	C	ompulsory Paramete	ers
	<del></del>	Between	6.0 to 8.5
- <u>-</u> -	pH Oil & grease	Not to exceed	10mg/l
-4	BOD (3 days 27 <sup>®</sup> C)	Not to exceed	30 mg/l
<u>, , , , , , , , , , , , , , , , , , , </u>	Total Suspended solids	Not to exceed	100 mg/l
-4	Bioassay Test	Not to exceed	90% survival of fish after first
3	Dipassay rest .		96 hours in 100% effluent.

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

·		4.400
74	Between	5.5 to 9.0
<u> </u>	Not to exceed	100mg/l
Suspended Solids		30 mg/l
BOD 3 days 27 Degree C	Not to exceed	
Oil & Grease	Not to exceed	10 mg/l
Oil & Glease		

### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as'to achieve the level of pollutants to the following standards:

S. N	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MTD	Emission Control Equipment	Emission standards not to exceed
1	D.G. Set (250 &	2&3 Mt.	HSD	20&25 Ltr.	Natural Draft & Acoustic	-
1 2	82.5 KVA) Boiler (500 Kg/H)	06 Mt.	LPG	30Ltr	Natural Draft	<u>  -                                   </u>

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

	I meland	rial Area	Commer	cial Area	Reside	ntial Area	Silenc	e Zone
Standards for Noise	Day	Night	Day time	Night time	Day time	Night time	Day time	Night time
level in db(A) Leq	time 75	time 70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

A. Previous Consent-Reject / CCA Order / NOC Order (PCR) Uploaded in XGN on 05/85/2017 15:34:28 from IP No: 117.201.89.157.

B. 12349-Himolaya Meaner Pyt.Lid accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE

1489

B-15-14

4. Conditions under HW Rules :-

(i) Number of authorization and date of issue: -----

(ii) The Factory Manager of M/s Himalaya Meditek Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
<del></del>	Schedule 1 – 28.1	0.050	Safely Store in Room
2	Schedule I – 28.4	0.150	Safely Store in Room
	Schedule 1 – 34.3	0.100	Safely Store in Room
4	Schedule I - 5.1	0.200	Safely Store in Room

(iv) The authorization shall be in force for a period from 19.12.2016 to 31.03.2017.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

### Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer

authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Regional Officer 15/15/17

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer

A. Previous Consent-Reject / CCA Order / NOC Order (PCR) Uploaded in XCN on 95/05/2017 15:34:28 from IP No: 117.201.89.157.

B. 12349-Himalaya Meditek Pyt.Ltd accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE.

THE CONTROL OF THE CONTROL OF THE PROPERTY OF THE CONTROL OF THE C

1489 DEPTCE Annexure

Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 13. Unit shall ensure manifest system in Form-13 of HW Rules within three month.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
- 17. Unit Shall Strictly comply with provisions of Doon Valley Notification 1989.
- 18. Unit shall not carryout manufacturing process which are restricted in Doon Valley Notification 1989 with prior permission of Board.
- 19. The unit shall comply all the conditions mentioned in Environment Clearance letter No. No. EC-46/2009/190 Date 21.12.2009.
- 20. Unit shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 21. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 22. The unit shall comply with the provisions of The E-waste (Management & Handling) Rules-2011 and shall obtained registration (if any) under the said rules.
- 23. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 24. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 25. The unit shall ensure that ETP operate properly and achieve zero disposal.
- 26. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act.

#### General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant

shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack

- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be

13. The person authorized shall not rent, lend, sell, transfer or otherwise fransport the hazardous waste without obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

. 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.

25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Regional Officer

Head Office

1491 8-18-14



## Uttarakhand Environment Protection &

### Pollution Control Board

29/20, Nemi Road, Dalanwala, Dehradun

UEPPCB/HO/Con/H-42/2016/ \373

Dated - 21/10/2016

To,

M/s Himelaya Medikit Pvt. Ltd., Plot No. - 35 6 36, Phermacity, Selegui,

Dehradun.

Directions under Section 33-A of Water (Prevention and Control of Pollution) Act- 1974 and Section 31-A of Air (Prevention and Control of Pollution) Act-1981.

WHEREAS, the Central Bovernment has made the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981; and vide provisions of these Acts every water/air polluting industry/unit/operation/processes is required to obtain consent to establish and consent to operate from the State Pollution Control Board; and

WHEREAS, for the purposes of protecting and improving the equality of environment and preventing and abating anvironmental pollution, the standards for discharge of environmental pollutants from the industries, operations or processes, have been specified under the Environment (Protection) Rules, 1986; and it is mandatory to every industries, operations or processes to keep their effluent quality within the specified norms; and

WHEREAS, as per Section-25, of the Woter (Prevention and Control of Pollution) Act, 1974, and Section-21 of the Air (Prevention and Control of Pollution Act, 1981, it is the mandatory requirement for any industry plant, operation or process, or any treatment and disposal system or any extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land; to obtain prior Consent from the Board; and

WHEREAS, the Unit was inspected by the Officials of Regional Office, Roorkee, Distt - Dehradum of this Board on dated 08.09.2016 and made following observations:-

- 1. Unit has obtained Air-Water consent of the Board upto 31.03.2015 and further not applied for renewal of consent in the Board, Ouring inspection, the Unit found in operation without obtaining Air-Water consent of the Board.
- 2. Unit has established Effluent Treatment Plant (ETP) but during inspection, the ETP not found in operation and also affluent found discharged outside the premises of Unit without treatment.
- Unit is not complying the directions under Zero Liquid Discharge.
- 4. Unit is not complying the rules mantioned in Environment (Protection) Act 1986.
- Unit has not made proper arrangement for management and handling of hazardous wastas.

AS SUCH, it is evident from the above observations that the unit has violated the provisions of Section 33 (A) of Water (Pravention and Control of Pollution), Act-1974 and Section 31(A) of the Air (Pravention and Control of Pollution), Act-1981; and

Now in exercise of the power conferred under Section 33 (A) of the Water (Prevention and Control of Pollution), Act-1974 and Section 31(A) of the Air (Provention and Control of Pollution). Act-1981 as amended time to time, you are hereby directed to Close down your Unit/process with immediate effect.

(Vinad Sloghal) One Member Secretary

Ref: UEPPCB/HO/

-/2018

Dehradun,

September 2016

SPEED POST / FAX (DI35-2768867)

Ĭŧ,

Managing Director. Utterakhand Power Corporation Ltd., Urje Bhawen, Kenwali Roed, Dehradun (Utterakhand)

Cont.Page-2

# 1492



Dehradun.

#### RECIONAL OFFICE

### Uttarakhand Environment Protection and Polimion Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

UMPPCB/ROD/Con/DDN-757/2015 / 569 - 19/

Date: \$8/6/15 REGD. POST

To.

M/s Himalaya Meditek Pvt. Ltd. Plot No: 35 & 36 Pharmacity, Selaqui

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Re-apply) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Bazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act. Air Act and HW Rules respectively).

PCB ID - 12349 Inward ID - 57631 Date 25-03-2015

CCA (Ré-Apply)

Consent No. AWH-15099 / Care: 58/6/17

CCA is hereby granted to M/s Himalaya Meditek Pvt. Ltd. at located Plot No: 35 & 36, Pharmacity, Selaqui, Dehradun subject to the provisions of the Water Act. Air Act and taW Rules and the orders that may be made further and subject to following terms and conditions:

This CCA is granted for a period from 25.03.2015 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values 3.03 Crs:-

S.	Last CCA		Present CCA (Re-Apply)		
Ŋο.	Product	Quantity (Per Month)	Product	Quantity (Per Month)	
]	Capsales	150.0 Lacs Nos.	Capsules	150.0 Lacs Nos.	
2	Injectables	2.0 KUT	Injectábles	45 KL	
<del></del>	Ointment	750 Kg.	Ointment.	22500 Kg	
4	Syrup	8.0 KLT	Syrup	240 KL.	
	Tablets	150.0 Lacs Nos.	Tablets	150.0 Laes No	

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

the only quartery		
Ī	Last CCA	Present CCA (Ke-Apply)
Trade Effluent	5.5	5.5
Sewage	4.4	4.0

(ii) Trade Effluent Treatment and Disposal; The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or testiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to we stopped immediately and this Bourd has to be intimated by far phonological with a report to this regard to be dispatched immediately.

For Himaia

Director

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same less you to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time .-

	Compulsory Paramete	rs
Hall	Between	6.0 to 8.5
2 Oil & grease	Not to exceed.	1 10mg/l
3 BOD (3 days 27°)		30 mg/l
4 Total Suspended s		100 mg/l
5 Bioassay Test	Not to exceed	90% survival of fish after firs
) Bloggody 1 cor		96 hours in 100% effluent.

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Sepisc Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sem to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated efficient to the following standards as applicable under Environment (Protection) Rules, 1936 from time-to-time:-

·———————————	Between	5.5 to 9.0
<u> </u>		100ing/l
Suspended Solids	Not to exceed	30 mg/l
BOD 3 days 27 Degree C	Not to exceed	30 4181
Oil & Grease	Not to exceed	10 mg/1
Off & Orease		

### 3. Conditions under Air Act :-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

	S. N	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLO/MTD	Emission Centrol Esperpment	Emission standards not to exceed
!	l	D.G. Set (250 & 82.5 KVA)	2&3 Mt.	ļ	20&25 Lar.	Natural Draft & Acoustic Natural Draft	ļ
	2	Boiler (500 Kg/H)	06 Nic	<u> </u>		1ducu	on has to be

In case of stoppage of functioning of air pollution central equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:

		-					<del></del> 1
	Industrial Ar	Commence	aiol Area	Resider	itial Area	Silene	e Zone
i same	Industrial At		Niglit	Ony	,	Day time	'Alght time
for Noise	time tim	i i	time	dine 55	. 45	50	40
db(A) Leq	75 70	5.3	55 550 10 00 n	1 3 6.00 E	<u> </u>	), <i>177</i> -	

Day time - from 6.00 a.m. to 10.00 p.m., Nigat time: from 10.00 p.m. to 6.00 a.m.

For Himalaya Medical Co

4. Conditions under HW Rules :-

Number of authorization and date of issue:

(ii) The Factory Manager of M/s Himalaya Meditek Pvi. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-1 &	Quantity of Waste for which authorization is being issued	Mode of Disposal
	Schedule II) Schedule I - 28.1	0.000	Safely Store in Room Safely Store in Room
3	Schedule I – 28.4 Schedule I – 34.3	0.150 0.100 0.200	Safely Store in Room Safely Store in Room
1	Schedule 1 - 5.1	0.000	-

(iv) The authorization shall be in force for a puriod from 25.63.2015 to 31.03.2015.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being at force under Environment (Protection) Act, 1986.

### Terms and conditions of nuthorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be preduced for inspection at the request of an officer

authorized by the SPCB/PCC. (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the nazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized staff constitute a breach of his authorization

(v) It is the duty of the authorized person to take prior permission of the SECB/PCC to cluse

(vi) An application for the renewal of an anthoroxition shall be made as hid down under these

(vii) The unit shall comply with any other contentions specified in the guidenies issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Formulation Process only. Ś.

Compulsory documents to be submitted by the Industry/Unit :-'n.

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Raics, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

Unit has to apply for renewal of CCA well is advance of 60 days of expand of this CCA. 7.

Competent Authority reserves the right to mange/modify/add may time may condition of this 8.

Unit has to comply with the other general conditions as gamexed here and. Non compliance of any provision of this CCA and provisions of the water Act. Air Act and HW Rains will ä results in legal action under the aforesaid Acts and Rules

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradum for kind information of asse.

Regional Officer

Director

### Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Callettian) Coss Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section 2 of Cost Acc.
- 3. The applicant shall submit audited balance sheet of the annual the end of each financial year-so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed at facilitate attailibration.
- 5. The industry shall ensure interlocking of air pollution control acvices and production processes
- A splid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and topports of Hazardous Cassificati Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amounded).
- 8. The industry shall take adequate measures to control of mind from a sewir source so to to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premish with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. May violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and vindi-indertake perhodical assessment by the compotent authority.
- 13. Unit shall ensure manifest system in form-13 of HW Rules within tiree month.
- 14. Hazardous waste should not be stored beyond a period of 19 days.
- 15. The industry situated nearby the River Ganga and its arbutaries shall ensure the treatment found its and disposal arrangement in such a way so that no waste state as discharged in water stream in which doctors
- 16. The industry covered under Environment Impact Assessment Notationalen, 2006 (as amended from time-to-time), shall strictly comply with the provisions of time near feetion.
- 17. Unit Shall Strictly comply with provisions of Doon Matter. Notification 1989.
- 18. Unit shall not carryout manufacturing process which are a cricical a close Valley Notice ation 1949 while other permission of Board.
- 19. The unit shall comply all the conditions mentioned in Environment Clearance letter No. 40, EC-46/2009/190 Date 21.12.2009.
- 20. Unit shall strictly comply with the provisions of the The Public Linkshity in arrange Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (Hany) to the Board Offices regularly.
- 21. The unit shall comply with the provisions of the Barteries (framagement & Handling) Rules 2001 as amended and shall submit return as per provisions of said rules.
- 22. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 25. Unit shall not discharge industrial effluent of policion, nature is an insula charing process.
- 26. The unit shall ensure that ETP operate properly and achieve years disposal.
- 25. The consent is valid for formulation only, If tany range in process, product, impacting and image be obtained fresh CTE/COP as per Act.

### General Conditions:

- The applicant shall get analyse the samples of employmentissame of applicant shall get analyse the samples of employmentissame of a mostle mostle from the laboratory recognized by the Motor and Shall report to the UniPPC).
- 2. The applicant shall however, not without the prior consent of the Board bring includes any new or affected outlet for the discharge of effluent or gases emission or sewage wast, from the unit.

For Himalaya Meditek Pvt. Ltd

Directo

- Treated waste water and domestic waste water shall be hisposed pourly at one disposal point shall provide discharge measurement equipment at thus disposal point.
- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of supplied conditions within 30 days or receipt of this CCo. If an any point of time, it is found tast the manual is not complying with stipulated conditions or any factor a action/instruction issued by the Boar a section shall be initiated against the applicant.
- 5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be lear-payer.
- 6. The industry shall provide unintercupted entry to the STP1#ETP1's latet and outlet points. Air Politation Control equipment and stack for smooth sampling/monitoring of efficiency of poliution control secusure...
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's originals.
- 8. Whenever due to any accident or other unforeseen art or event, such emission occurs or is apprehensed to occur in excess of standards laid down, such information shall be reported to the Bourd's offices and all other concerned offices. In case of failure of pollution cosmol equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all end allons be endled through designated change stack
- 10. In case of any damage to the agriculture productivity, buman habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information and be reported to Board's offices. The industry shall be have to pay compensation also in lach case, an included by the Competent Authority.
- 11. The applicant shall apply before the 60 days of many or CCA or my enough in predication type 2 production capacity/manufacturing process/capacity enhancement etc. or any change in element discussive and or emission point.
- 12. The Board reserves the right to revoke/add/modely may improved condition issued among with the con-
- 15. The person authorized shall not rem, lend, sell, transfer or otherwise transport the sazardous was a without obtaining prior permission of the Beard.
- 14. Any unauthorized change in personnel, equipment to working contiliion as mentioned in the application by the person authorized shall constitute a breach of his conservation.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of haz relocus encouncals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18, it is duty of the authorized person to take prior permission of this Board to close and cleanup the satisfity for treatment, storage and disposal of hazardous was
- 19. The applicant shall maintain record of hazardost success Form-3 and shall submit as shall return to the conor before the 30th day of June following to the risance of car to which that return relac-
- 20. In case of any accident, complete details in the fight of Form-18 of the Hazardous miles shall be a command to
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. An opalage
- 22. Before the hazardous waste is stored or damped to the facility, appreant most conduct a detailed particular and chemical analysis of hazardous waste sample and report to the bound.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double linea HDPE per constrained with R.C.C. or such material which does not reach with the warms contained in a 24. The storage area should be fenced properly applied great conce Boal a indicating "Dangue" and clear to a constant
- be displayed at appropriate position both in Finali and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent on waste in scaled (from placed on impurvious floor under covered shed. Hazardous waste if required shall the sold only to registered skeepelers/Re-
- 26. In case of any transportation of hazardous waste, the details in Form-13 of the remardous Rules shall be submitted to the Board.

Regulati O'Meer

For Himaiaya Meditek Pv



### Uttarakhand Environment Protection & Pollution Control Board

E-115 Nehru Colony Haridwar Road , DEHRADUN Ph: 0135-2668092,2668084

BY. R.P.A.D.

## 12349

### REJECTION ORDER

In excercise of the power conferred by clause (b) of sub-section (1) of section 27 of the Water (Prevention and control of Pollution) Act,1974 and sub-section (4) of section 21 of the Air(Prevention and control of Pollution) Act, 1981 and Rule 6 of Hazardous Waste Management Handling & Trans-boundary Movement) Rules 2008, framed under Environment (Protection) Act -1986. This Board is empowered to reject the CCA

The CCA applied for vide Inward application No<sub>1</sub>-54125, Dated 05/07/13 by M/s. Himalaya Meditek Pvt Ltd for the industrial plant located at PLOT NO 35 & 36 Pharmacity Selaqui, City: Selaqui, Dist: Dehradun for the manufacture of products mentioned in the application is herby refused by the Board by the following reasons:

Specific Reason:

as per inspection report, unit has started expenson work in industry without prior consent to establish of board. Please note that to operate an industrial plant without prior consent under the Water Act-1974 and Air Act-1981 and Authorization under the Hazardous Waste Rules are an Offence punishable under the Water, Air & EPA 1986

For and on behalf of Uttarakhand Environment Protection & Pollution Control Board

NO. PCB / DEH / CCA / 12183 - 22/01/2014

(S.S. Pal,SO)

### ISSUED TO : -

Himalaya Meditek Pvt.Ltd, PLOT NO 35 & 36, Pharmacity Selaqui, City: Selaqui, Tal: Vikasnagar, SIDC: PC Selaqui

Dist : Dehradun , Phone :--

#### Copy to:

1) The Regional Office, PCB Board, Dehradun R.O.

2) NOC rejection file.

Printed On: 22/01/2014

True copy

### REGIONAL OFFICE



# Uttarakhand Environment Protection and Pollution Control Board [498 E-115, Nehru Colony, Dehra Dun (Uttarakhand) Web: www.uzopcb.uk.gov.in. E-mail: r.o.dehradun@gmsil.com

UEPPCB/ROD/CON/DDN-798/2017-18/ 1205-464

Date:

To,

M/s Karnani Pharmaceuticals Pvt. Ltd.

Plot No: 38

Pharmacity Selaqui Industrial Area,

Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinaster as Water Act, Air Act and HW Rules respectively). .

Date 30-06-2017 Inward ID - 66610 PCB ID - 17391 CCA (Renewal) Consent No. AWH- 17467 / 155

CCA is hereby granted to M/s Karnani Pharmaceuticals Pvt. Ltd. at located Plot No: 38, Pharmacity, Selaqui Industrial Area, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:-

This CCA is granted for a period from 30.06.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment / Net Assets Values 3.89 Crs:-

	Lact	Last CCA		Present CCA (Renewal)		
S. No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)		
1	Capsule in lac	54.170 Nos.	Capsule in lac	54.170 Nos.		
2	Ointment in	183333.00 Nos.	Ointment in Tubes	183333.00 Nos.		
3	Tubes Tablet in lac	300.00 Nos.	Tablet in lac	300.00 Nos.		

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

	Last CGA	Present CCA (Renewal)
Trade Effluent	2.5	2.5
Sewage	5.0	5.0
		77.00

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

110 0	philotole to the time	James James Daramet	are
		Compulsory Paramet	CO+0 8 5
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
<del></del> -	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96
J	Dioassay 1 out		hours in 100% effluent.
	<u> </u>	Additional Paramet	ers
1	Mercury	Not to exceed	0.01
$-\frac{1}{2}$	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
.4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to STP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

На	Between	6.5 to 9.0
Suspended Solids	Not to exceed	10.0mg/l
BOD 3 days 27 Degree C	Not to exceed	10.0 mg/l
Oil & Grease	Not to exceed	. 10 mg/l
COD	Not to exceed	50 mg/l
Fical Coli form	Not to exceed	<280 mg/l
Po <sub>4</sub>	Not to exceed	2.0 mg/l

### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Stanic	iaius .					····
S.	Stack attached with	Stack	Type of	. Fuel	Emission	Emission
N		height	Fuel	Quantity	Control	standards
0		(Mt)		KLD/M	Equipment	not to
ļ ·	. 1			TD		exceed
1	D.G. Set (250 KVA)	3.0	HSD	40Ltr.	Natural Draft &	•
-					Acoustic	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards Industria		rial Area	Commer	cial Area	Reside	ntial Area	Silenc	e Zone
for Noise	Day	Night	Day	Night	Day	Night	Day	Night
level in	time	time	time	time	time	time	time	time
db(A) Leg	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.



3-15 UEPPCB

### 4. Conditions under HW Rules :-

1500

(i) Number of authorization and date of issue:
 (ii) The Factory Manager of M/s Karnani Pharmaceuticals Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal		
i	Schedule I – 34.3	0.050	Safely Store in Room/Auth. Recyclers		
2	Schedule I - 5.1	0.100	Store in MS Drum, Recyclable		
3	Schedule I - 28.4	0.010	Auth. Recyclers		

(iv) The authorization shall be in force for a period from 30.06.2017 to 31.03.2018

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

### Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer

authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close

down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Regional Officer

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer

Annexure

Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.

3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.

- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-69/10/283 Dated 15-03-2010 obtained from SEIAA.
- 18. Unit shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 19. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 20. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 21. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 22. The unit shall ensure that ETP operate properly and achieve zero disposal.
- 23. Unit shall comply E-waste Management & Handling Rule 2011.
- 24. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act.
- 25. Unit shall strictly compliance with provision of Doon Valley Notification 1989.

### General Conditions:

- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

# 1502 UEPPC

- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
- 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises:
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment; storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30<sup>th</sup> day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.
- 26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Regional Officer





### REGIONAL OFFICE

## Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand) Web: www.neppcb.uk.gov.in. E-mail: r.o.dehradun@gmail.com

UEPPCB/ROD/CON/DDN-798/2016-17/ //8/- 564

To,

M/s Karnani Pharmaceuticals Pvt. Ltd. Plot No: 38

Pharmacity Selaqui Industrial Area,

Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

> PCB ID - 17391 Inward ID - 63797 Date 06-07-2016 CCA (Renewal) Date: 17/9/16 Consent No. AWH- 16319 / 1

CCA is hereby granted to M/s Karnani Pharmaceuticals Pvt. Ltd. at located Plot No: 38, Pharmacity, Selaqui Industrial Area, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

This CCA is granted for a period from 06.07.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values 4.41 Crs:-

S.	Last	CCA	Present CCA (Renewal)		
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)	
71	Capsule in lac	54.170 Nos.	Capsule in lac	54.170 Nos.	
2	Ointment in Tubes	183333.00 Nos.	Ointment in Tubes	183333.00 Nos.	
. 3	Tablet in lac	300.00 Nos.	Tablet in lac	300.00 Nos.	

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA	Present CCA (Renewal)
Trade Effluent	2.5	2.5
Sewage	5.0	5.0

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	(	Compulsory Paramet	ters
1	рН	Between	6.0 (0 8.3
2	Oil & grease	Not to exceed	10mg/l
	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
	<u> </u>	Additional Paramet	ers
·•	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
- <del>-</del> -	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

• •	the state of the s	
Ha	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

#### 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. N	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/M TD	Emission Control Equipment	Emission standards not to exceed
1	D.G. Set (250 KVA)	3.0	HSD	40Ltr.	Natural Draft & Acoustic	•

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Bourd has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards	Indust	rial Area	Commer	cial Area	Reside	ntial Area	Silenc	e Zone
for Noise	Day	Night	Day	Night	Day	Night	Day	Night
level in	time	time	time	time	time	time	time	time
db(A) Leq	75	70	65	55	55	45	50	40

.2.

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.





### 4. Conditions under HW Rules :-

(i) Number of authorization and date of issue: -----

(ii) The Factory Manager of M/s Karnani Pharmaceuticals Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I &	Quantity of Waste for which authorization is	Mode of Disposal
	Schedule-II)	being issued (MTA)	<u> </u>
I	Schedule I - 34.3	0.050	Safely Store in Room/Auth.
			Recyclers
2	Schedule I - 5.1	.0.100	Store in MS Drum, Recyclable
3	Schedule 1 - 28.4	0.010	Auth. Recyclers

(iv) The authorization shall be in force for a period from 06.07.2016 to 31.03.2017.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

### Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

Unit has to comply with the other general conditions as annexed herewith. Non compliance
of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will
results in legal action under the aforesaid Acts and Rules.

Regional Sificer 708

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer

35)

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.

2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.

3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.

- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-totime), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-69/10/283 Dated 15-03-2010 obtained from SEIAA.
- 18. Unit shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices
- 19. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 20. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 21. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 22. The unit shall ensure that ETP operate properly and achieve zero disposed.
- 23. Unit shall comply E-waste Management & Handling Rule 2011.
- 24. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act.
- 25. Unit shall strictly compliance with provision of Doon Valley Notification 1989.

### General Conditions:

- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.







- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
- 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to
  Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage area should be fehreed properly and Sign Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.
- 26. in case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board:

Regional Officer

% 33/







## Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

Web : www.ueppcb.uk.gov.in. E-mail : r.o.dehradun@gmail.com

UEPPCB/ROD/CON/DDN-798/2015-16/3590-1026

Date: 14 3 16 REGD. POST

To,

M/s Karnani Pharmaceuticals Pvt. Ltd.

Plot No: 38

Pharmacity Selaqui Industrial Area,

Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CCA is hereby granted to M/s Karnani Pharmaceuticals Pvt. Ltd. at located Plot No. 38, Pharmacity, Selaqui Industrial Area, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:-

This CCA is granted for a period from 07.09,2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment / Net Assets Values
4.41 Crs:-

S. No.	Last	CCA	Present CCA (Renewal)			
	Product	Quantity (Per Month)	Product	Quantity (Per Month)		
/ 1	Cansule in lac	54.170 Nos.	Capsule in lac	54.170 Nos.		
2	Ointment in Tubes	183333.00 Nos.	Ointment in Tubes	183333.00 Nos		
3	Tablet in lac	300.00 Nos.	Tablet in lac	300.00 Nos.		

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

4. 5.	and the second of the second			
	<del></del> -	Last CCA	Present CCA (Renewal)	
Tr	ade Effluent	2.5	2.5	ı
7	Sewage	5.0	5.0	į

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	(	Compulsory Parame	ters
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
*-		Additional Paramet	ers
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.
  - In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.
- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

- 3. Conditions under Air Act :- 1
  - (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. N	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/M TD	Emission Control Equipment	Emission standards not to exceed
1	D.G. Set (250 KVA)	3.0	HSD	40Ltr.	Natural Draft & Acoustic	- Exceed

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards	Indust	rial Area	Commer	cial Arca	Reside	utial Area	Silenc	c Zone	
for Noise	Day	Night	Day	Night	Day	Night	Day	Night	
level in	time	time	time	fime	time	time	time	time	
db(A) Leq	75	70	65	55	55	45	50	40	
Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.									

· )

## 4. Conditions under HW Rules :-

(i) Number of authorization and date of issue : -----

(ii) The Factory Manager of M/s Karnani Pharmaceuticals Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal		
1	I Schedule I – 34.3	0.050	Safely Store in Room/Auth.		
]		`	Recyclers		
2	Schedule I – 5.1	0.100	Store in MS Drum, Recyclable		
3	Schedule I – 28.4	0.010	Auth. Recyclers		

(iv) The authorization shall be in force for a period from 07.09.2015 to 31.03.2016.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

## Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer

authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit:

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA:

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CGA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

ol - Regional Officer W10311

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer

Annexure

## Specific Conditions:

- The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-totime), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-69/10/283 Dated 15-03-2010 obtained from SEIAA.
- 18. Unit shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
- 19. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 20. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 21. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 22. The unit shall ensure that ETP operate properly and achieve zero disposal.
- 23. Unit shall comply E-waste Management & Handling Rule 2011.
- 24. The consent is valid for formulation only. If any change in process, product, capacity, unit must be obtained fresh CTE/COP as per Act.
- 25. Unit shall strictly compliance with provision of Doon Valley Notification 1989.

## General Conditions:

- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.





The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

- The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Hazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30<sup>th</sup> day of June following to the financial year to which that return relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest:

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.

25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Regional Officer \VIOT





## REGIONAL OFFICE

## Uttarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dehra Dun (Uttarakhand)

Web : www.neppeb.uk.gov.in. E-mail : r.o.dehradun@gmail.com

UEPPCB/ROD/CON/DDN-798/2014-15/2376-1096

Date: 15715 REGD. POST

To.

M/s Karnani Pharmaceuticals Pvt. Ltd. Plot No: 38 Pharmacity Selaqui Industrial Area, Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CCA is hereby granted to M/s Karnani Pharmaceuticals Pvt. Ltd. at located Plot No. 38, Pharmacity, Selaqui Industrial Area, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:-

 This CCA is granted for a period from 27.06.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values
 4.41 Crs:-

S.	Last	CCA	Present CCA (Renewal)		
No.	Product Quantity (Per Month)		Product	Quantity (Per Month)	
<u> </u>	Capsule in lac	54.170 Nos.	Capsule in lac	54.170 Nos.	
2	Ointment in Tubes	183333.00 Nos.	Ointment in Tubes	183333.00 Nos.	
3.	Tablet in lac	300.00 Nos.	Tablet in lac	300.00 Nos.	

2. Specific Conditions under Water Act:

The daily quantity of effluent discharge (KLD):

Last CCA Present CCA (Renewal)

Trade Effluent 2.5 2.5

Sewage 5.0 5.0

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has

to be maintained continuously so as to achieve the quality of the treated effluent to following general and specific standards as prescribed under Environment (Protection Rules, 1986 and applicable to the unit from time-to-time:

	C	Compulsory Paramete	ers
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
<del>                                     </del>	/	Additional Paramete	ers'
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	. Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/i
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

## 3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S. <sub>/</sub> N	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MT D	Emission Control Equipment	Emissio n standar ds not to exceed
1	D.G. Set (250 KVA)	3.0	HSD	40Ltr.	Natural Draft & Acoustic	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards	Industrial Area		Commercial Area		Residential Area		Silence Zone	
for Noise	Day	Night	Day	Night	Day	Night	Day	Night
level in	time	time	time	time	time	time	time	time
db(A) Leq	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.



## 4. Conditions under HW Rules :-

(i) Number of authorization and date of issue:

(ii) The Factory Manager of M/s Karnani Pharmaceuticals Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I – 34.3	0.050	Safely Store in Room/Auth. Recyclers
2	Schedule I – 5.1	0,100	Store in MS Drum, Recyclable
3	Schedule I - 28.4	0.010	Auth. Recyclers

(iv) The authorization shall be in force for a period from 27.06.2014 to 31.03.2015.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

## Terms and conditions of authorization:

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer

authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Regional Officer

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information please.

Regional Officer

## Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Ce Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-I, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- 6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-totime), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-69/10/283
- 18. Unit shall strictly comply with the provisions of the The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board
- 19. The unit shall comply with the provisions of the Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
- 20. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit
- 21. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.
- 22. The unit shall ensure that ETP operate properly and achieve zero disposal.
- 23. Unit shall comply E-waste Management & Handling Rule 2011.
- 24. The consent is valid for formulation only. If any change in process, product, capacity, unit must be

## General Conditions:

- 1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
- 2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.





- 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
- 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
- 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
- 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
- 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
- 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
- 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.
- 26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Regional Officer 15 10/15

1 20







Uttarakhand Environment Protection and Pollution Control Board E-118, Nehru Colony, Dehra Dun (Uttarakhand)

Web : www.ueppcb.uk.gov.in. E-mail : r.a.dehradun@gmail.com

UEPPCB/ROD/Con/DDN-798/2013/117-8-513

Date: OF 8/17 REGD. POST

To,

M/s Karnani Pharmaceuticals Pvt. Ltd. Plot No: 38 Pharmacity Selaqui Industrial Area, Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 17391 Inward ID - 54505 Date 26-06-2013

CCA (Renewal)

Consent No. AWH- 13714 / Date: 0518 US

CCA is hereby granted to M/s Karnani Pharmaceuticals Pvt. Ltd. at located Plot No: 38, Pharmacity, Selaqui Industrial Area, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:-

 This CCA is granted for a period from 26.06.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment / Net Assets Values
 1.54 Crs:-

S.	Last CCA or CTE		Present CCA (Renewal)		
No.	Product	Quantity (Per Month)	Product	Quantity (Per Month)	
1	Capsule in lac	54.170 Nos.	Capsule in lac	54.170 Nos.	
2	Ointment in Tubes	183333.00 Nos.	Ointment in Tubes	183333.00 Nos.	
3	Tablet in lac	300.00 Nos.	Tablet in lac	300.00 Nos.	

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	2.5	2.5
Sewage	5.0	5.0

(ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.



(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening/Land disposal and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

	C	ompulsory Paramet	ers
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first
			96 hours in 100% effluent.
<u> </u>		Additional Paramete	ers
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening/Land disposal and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

- 3. Conditions under Air Act :-
  - (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S.	Stack attached with	Stack	Type	Fuel	Emission	Emissi
N		height	of	Quantit	Control	on
0		(Mt)	Fuel	<b>y</b>	Equipment	standa
			.	.KLD/M		rds not
				TD		to
			]	j		exceed
1	D.G. Set (250 KVA)	3.0	HSD	40Ltr.	Natural Draft	,-
l			1		& Acoustic	
2	Particulate Matter			-	-	50
3	Hel					50
4	SO <sub>2</sub>				:	200
5	CO	-	J <del>.</del>	•		100
6	Total Organic Carbon	-	-		-	20
7	Total Dioxins and Furnace			:: -		0.2
8	Sb+As+Pb+Cr+Co+Cu+M n+Ni+V+Cd+Th+Hg	-	-	-	•	1.5

520 UEPROS 190

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards	Indust	rial Area	Commer	cial Area	Reside	ntial Area	Silenc	e Zone
for Noise	Day	Night time	Day time	Night time	Day time	Night time	Day time	Night time
level in db(A) Leq	time 75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

(i) Number of authorization and date of issue:

(ii) The Factory Manager of M/s Karnani Pharmaceuticals Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.

,	S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
	1	Schedule I - 34.3	0.050	Safely Store in Room
	2	Schedule I – 5.1	0.100	Store in MS Drum, Recyclable

(iv) The authorization shall be in force for a period from 26.06.2013 to 31.03.2014.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

## Terms and conditions of authorization:

 (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.

(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

This CCA is valid for Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.



UEPPCE

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of the CCA

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will results in legal action under the aforesaid Acts and Rules.

Regional Officer

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for kind information and compliance of the same.

Regional Officer

Annexure

## Specific Conditions:

- 1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
- 2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
- 3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
- 4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- 5. The industry shall ensure interlocking of air pollution control devices and production processes.
- A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
- 7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
- 8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
- 9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
- 10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
- 11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
- 12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
- 13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
- 14. Hazardous waste should not be stored beyond a period of 90 days.
- 15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
- 16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
- 17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. EC-69/10/283 Dated 15-03-2010 obtained from SEIAA.
- 18. Unit shall strictly comply with provisions of Doon Valley Notification 1989.
- 19. Unit shall not carryout manufacturing processes which are restricted in Doon Valley Notification 1989 with prior permission of Board.
- 20. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
- 21. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.

14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

16. The authorization is valid for temporary storage of Hazardous Waste within premises only.

17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.

18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.

21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.

23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.


25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.

26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Regional Officer

newly olym

CEPPCE





Ulturakliand Environment Protection and Pollution Control Board 29/20, Nemi Road, Daianwala, Dehra Dun (Ulturakliand)

## UEPTCH/HO/Com/S-89/2017/K/{\fig/}

Date: 23 0\$2017 REGD. POST

To.

M/s Supermus Laftorntonies. Plot No : 40.

Pharmacity, Schagai Industrial Area.

Tobsil & Disti-Dehradun.

Consolidated Consont to Openide and Anthorization hereinafter referred to as the CCA (Consolidated Consont & optionization) (Received) under Section-25 of the "Water Preventure & Control of Publishers of 174" and under Section-21 of the "Air (Prevention & Control of Pollution Lett. 1961 and Anthorization under "Rule-6(2)" of the "Hazardous and Other Wiste (Management and Transhoundary Movement) Rules. 2016" notified under "Environment (Protection) Act. 1966" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB-ID - 15450 Inward ID - 66372 | CEA (Renewal) | Consent No. 37267/ [G] | Date : 20.04.2017

CCA is hereby granted to bits Supermix Laboratories insuted at Plot No : 40. Pharmacity, Schaqui Industrial Area, Telisil & Disa-Debradim subject to the provisions of the Water Act. Air Act and HW Rules and the orders that may be made further and subject to following terms and confidence:

This CCA is granted for a period from 01.04.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment / Net Assets Values, 7.9.73 Crs.

S.	Last CCA or CTE		Present CCA (Renewal)		
No	Product	Quantity (Ber Month)	Produci	Quantity (Per Month)	
1	Capsules	1. 1875000 Nov.	Capsules	1875000 Nos.	
2	Day Syrup	75000 Nos	6 At 4 Th, 2 At , a series	75000 Nos.	
	(Bottles)		(Bottles)		
3	Tablets	30000000 Nos.	lablets	30000000 Nes.	

2 Specific Conditions under Water Act :-

(i) The daily quantity of efficient discharge (KLH):-

	Direction of the second		1.77	•	
٠.		Transfer of the second		The state of the s	
Š		AMM:CCA m CT		esent CCA (Renewal)	- 1
7.	AND THE RESERVE AND THE PARTY	A STATE OF THE PROPERTY OF THE			}
ø		<b>開発なりの</b>	1. "	1	
	مين داديد و مد المصرور في م <del>عدد المساور على المساور بين مساور من مساور من المساور من ال</del>		material management a	4	i
	Seinhab'	1 ' '1			
	Alle TO THE	<u>i</u>		<u></u>	:

(ii) Trade Efficial Treatment and Disposal :- The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of suppose of functioning of LLP, production has to be suppose immediately and this Buard has to be influented by functionelessial with a report in this regard to be dispinciped immediately.

(iii) The treated efficient shall be recycled to the maximum extent. Quality of the treated offluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

. ļ.

	Qui	npulsory Paramete	And the second s
	ull	Between	6.01a83
2	Oil & grouse	Nor to except	1091101
1	BOD (3 days 27°C)	Not to exceed	(9) mg/
4	Total Suspended solids	Not to exceed	100 mg/l
5	Hioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% efficient.
	A	dditional Paramete	
F	Mercury	Not to exceed	0.01
<u>,                                     </u>	Agenic	Not to exceed	0.20
•	Chromium	Not to exceed	0,10
Á	Lead	Not to exceed	0.16
- <u>1</u> ,	Cymide	Not to exceed	0.10
6	Phymolics (C6H5OH)	Not to exceed	1.0
7	Sulphildes (185)	Not to exceed	2.0
A	Physikate (ns.P)	No bo exceed	5.0

(iv) Sawage Treatment and Dispusal: The applicant sind provide comprehensive Septic Tank and Soak pits as is required with reference to influent quantity and quality

## 3 Conditions under Air Acti-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of curissions and operate and maintain the same confinduals so as it, actility; the level of pollutains to the following stendards :

S. No	Sinck attached with	Stantk helght (Mr)	Type of Fuel	Duel Quantity	Emission Control Equipment	Emission standards not to exceed
	DG Set	1	HSO	d(H_tr	Авонянс	

In case of regress of freetoning of my pollution control equipment, production has to be Supplete management of marches travellines to be introduced by fare pinone from all with a report in illa repudito de dispached inuscimien

(a) Poise from the D.G. Second other summer of should be convolted by providing an acqueue enclosure as as required the measure the universal noise attribute the angle and day time as presented to respective account and a lightest of Commercial, Residential, Silence) which

. 1				Colombian	sieldensi:	Reside	rtial Area	Silenc	e Zone
	town Notes	12	Next	Pay	Night	Day	Night	Dny	Night
	tovol in		time	time	time	time	time	time	40
	db(A) Len	75	711	65	55	55	48	50	***************************************

Day time: them 6.00 a.m. to 19.00 p.m. Night time: from 10.00 g.m. to 6.00 a.m.

4. Conditions under Recordant and Other Wastes (Vlanagement and Transboundary Movement) Rules, 2016;-

Number of authorization and done of issue: 1913 At 1923 (8) 2017

- (ii) The Pactory Manager of Mys Superman Laboratories, Debradua is hereby granted an muthorization to operate a facility for collection and storage of Flavordous wastes.
- (iii) The authorization is granted to opposite a facility for generation, collection and storage of hazardows wantes within factory promises for following antegory of mastes:-

S.No.	Category (Schedule-Lik Schedule-H)	Quantity of Waste for which authorization is being issued (MTA)	Made of Disposal
1	Schedule 1 - 28.1	1 200	As per Rules
2	Schedule 1 - 18.1	0.010	As per Rules As per Rules
3	Schodule 1 = 35.3	0.350 0.040	As per Rules
4	Schedule I - 32.4	8010	Recycloble

(iv) The nutburization shall be indicate for a period from 01.04.2017 to 31.03.2018.

(v) The puller region is subject to the conditions stated below and such conditions as any be specified in the rules labelle into theirs in face under Environment (Protection) Act,

Terras and conflitant of inthorisations-

(i) The manufaction shall stimply with the provisions of the Environment (Protection) Act. Ashgand flat rufes diede flore under

(II) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCBACC.

(iii) The person multiprized shall not tem, lend, sell, transfer or otherwise transport the hazardons wastes without obtaining orfor permission of the SPCBIPCC.

(iv) Any unnithingized changes in personnel equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(c) It is the day of the nutherized person to take prior purposalon of the SPCB/PCC to close deren the facility.

(vi) An application for the renawd of an authorization shall be made as faid down under these

The unit shall comply will any other conditions specified in the guidelines issued by the More of CPC was CB from time to time.

This CEA is walled to policy through the all forest attended in process only

Compulsory documents to be submitted by the Industry/Unite-Б.

Annual return in Karin-4 and Waste Disposal Manifest in Foria-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Andit Report.

(ii) Unvironment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quanterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage

Link has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA. 7.

Competent Authority reserves the right to change/incidify/add any time any condition of this Ś. CCA.

Unit has to comply with the other general conditions as annexed burswith. Non compliance of my provision of this CLA and movisions of the Water Act, Air Act and Hazardous and Other Muche (Sanagement and Transhoundary Movement) Rules, 2016 will wants in legal within an established the said Acis and Kules

Copy to: - Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Delication for information and compliance of the same.

Chief Environment Officer

UEPPE

Annexure

## Specific Conditions:

STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD ST

· はないのでは、 はいないないできないというできないのできます。

分部指索的無差許

高い をはなる ころだれ

- 1. The applicant shall previde LSI mark white meter to each water supply source and shall regularly submit returns of water constantation in the proscribed form and pay the cess as specified under Section-I of Cess Act.
- 2. The applicant shall submit audited before show of the unit at the end of each financial year so that fee submitted by the applicant could be verified.
- The applicant shall provide ports in the channey stack and facilities such as ladder, platform etc. as per requirement for monitoring the ric emissions and the same shall be open for inspection and use at all times by the Board's maff. The channey/stack superiors sources of emission shall be designated by numbers such as 5-1, 5-2 class and these multiple pulpper displayed to facilities identification.
- 4. The industry shall ensure interlacking of air pollution control discrets and production processes.
- A polici wrists generaled from the industry has to be disposed in mannel so that contamination of surface water bodies ground watch soft etc. does not take pince
- 6. The indicates shall take adequate invisities to control of noise from its own source so us to comply with the standards as may be applicable.
- 7. The applicant shall develop three costs of some bolt on the preparet with plant species as suggested by the Courses Policoper Course Policoper Courses Policoper Course Policop
- 8 The industry shall sprictly adjure with the specific and general conditions precit with CCA order. Any violation of scipulated conditions into another incomment (protection) Art and Roles inside the conditions of Water Act. Air Act and Environment (Protection) Art and Roles inside the counter:
- 9. The industry shall atmice all sulely measures and shall undertake periodical assessment by the competent authority.
- 10. Unit shall ensure manifest system in Form-III of Hazardons and Other Wastes (Management and Transboundless Movement) Wides, 2016 while disposing bazardons waste.
- 11. Hazardons wente should not be stored devoted a period of 90 days.
- 12. The Unit shall comply all the conditions mentioned in Doon Valley Notification 1989.
- Li The industry statisted adartic the River Captus and its tributaries shall cosme the treatment incidies and disposal adartic match a with an illustric water is discharged in water stream or water bodies.
- 14. The Unit shall strictly comply with the provisions of Winer, Alv & E(P) Acts and Rules Notifications made thoseunder.

## General Conditions:

- 1. The applicant shall get applyed the samples of effluentenession hazardons wastes at least once in a three month from the laboratory recognition by the Malif and shall report to the LIEPECE.
- 2. The applicant shall however, not without the prior consent of the Diment living time and any new or altered outles for the discharge of efficient or page application of except waste from the time.
- 3. Treated waste water and comestic waste water shall be disposed jointly at one disposal point. The applicant shall previde all all the disposal point.
- 4. The applicant shall affectly compily with conditions of this CLA and submit compliance report of stipulated conditions within 10 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction is used by the Bunral, legal action shall be indirect against the applicant.
- 5 The applicant shall maintain good house kapping. All values pipes so even drains enc. must be leak-proof.
- 6. The industry shall provide mintampied entry to the STF xIBTH's infex and outlet points. Air Pollution Control equipment and other for simplify simpling anomitoring of efficiency of pollution control measures.
- 7 The industry shell provide Prespection Bios. in the time of inspection to the Bound's officials.
- 8 Whenever due to any artificit or affect differescen act or event, such emission accurs or is apprehended to occur in excess of standards hald down, such information shall be reported to the found's offices and all other concorned offices. In case of failure of pollution control equipment, the production process connected to a shall be stopped with immediate affect.
- o. The industry shall operate in a manner so that all emissions be endited through designated chimney/stack only.

- 10. In case of my damage to the agriculture productivity, human habitation sice by the operation of inclustry, it shall be imperative to stop production in the ladnery with hunselline effect and such information shall be reported to Board's offices. The industry shall be liable to pay equipensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply before the 60 days of expire of CCA or any change in production types, production capacity/manufacturing process/capacity enhancement etc. or any change in efficient discharge point or entission project
- 12. The Board reserves the right to revoke additionality any atiputated condition issued along with CCA as may be necessary.
- 13. The person authorized shall not real, land, sell, immaker or otherwise imagent the hazardous waste without ublaining prior primission of the Board.
- 14. Any unautiorized change in pendicinal, equipment as working condition is mentioped in the application by the

- person authorized shall constitute a brench of his sufficiential.

  15. It is the day of the authorized personal new piper printeston of the Board to close down the facility.

  16. The authorization is valid the authorized flower of the periods. Vasco within promises only.

  17. The authorized opens, shall are the authorized with regarders quantity and nature of hazardens chemicals. being used in the plant as well at air eigissium mid wisie generaled within premises is displayed on Display Board of size had feet soulds the main thetory tode within premises
- 18. It is duty of the numberized person to take prior permission of this Board to close and cleanup the facility for menument, storage and disposal of incarding wante
- 19 The applicant shall implessing econd of hazardods waste in Form-3 and shall submit annual group in Form-4 on or before the 30th day of lune following to the figure in year to which that return relates:
- 20. In the case any hazurdone waste shall be disposed off on book in any drain, at into any water stream. All spollage must also be eafely collected and stored
- 21. Define the intending waite is stored or dumped in the facility, applicant must conduct a detailed physical and chemical minitals of husardon's waste sumple and report to the Board.
- 22 Dried harmonic studge from the process in the plant shall be award to stanfile friend 11) PE pit constructed with RECentroph motorial which does not react with the waste contained in A.
- 27. The street area should be forced properly and Sign/bulke Board indicating "Dinger" and 'Hazardons' shall be discussed at appropriate position both in Hindi and English.
- The industry state areas acceptances and a seeme and all species of second in product drawns placed on impersions from maker consequent states to the contract of the contract 24. The content of the party of the con-
- 25. In easy of say transportation of bezoeticies wase, the details in Form 10.37 the Hazarrious and Other Wastes (Management and Transboundary Moroment) Rules, 2016 shall be submitted to the Board.

Chief Environment Officer

## MEAN OFFICE



Utturakliand Environment Protection and Pollution Control Board 29/20, Nemt Road, Dalanwalz, Dehra Dun (Uttarakhand)

LETTER BUTTER SERVICE STATE OF THE

Date: 30/7/2016 REGD, POST

NACOTRACTION LIBERTORIES Plote Date 2001. Pharmacity is claim and an experience are i Totaliza in the Travallor.

Consolidated Consent to Openic and Authorization bereinafter referred to as the CCA (Consolidated Consent & Influenation) (Reneval), under Section-25 of the "Water (Consolidated Consent & Influenation) (Reneval), under Section-24 of the "Air (Prevention (Prevention & Control of Billiation) Act, 1981 and anthorization and a "Rate-6(2)" of the "Hazardous & Control of Pollution) Act, 1981 and anthorization and a "Rate-6(2)" of the "Hazardous and Chief Water (Management and Transpoundary Movement) Rules, 2016" notified under and Chief Water (Management and Transpoundary Movement) are written as Water Act, Air "Environmental Control of the CCA Act and HW Rules respectively).

Inward ID - 62318 PCD 0 - 15450 CCA (Honewal) Date: 07.04.2016 Consent No. 36326/

CCA is burely granted to Mile Supermus. Laboratories described at Plot No : 40, Pharmacity. Selected Industrial Area, Teach & Water Act, Air Act and HW Rules and the orders that may be made forther and subject to following terms and conditions:

This CCA is granted for a period from 07.642016 to 31.03:2017 and valid for manufacturing of following products with Capital Threatment / Net Assets Volums

₹ <b>7.17</b>	Cris		Prosent CCA	(Reneval)
I No.	Product	1 Apparatity	Product	Quantity (Per Month)
	Canaules	1874090Nos	Conveiles	1875000Nos
2	Dry Syrup	75000Nas	Dry Syrup (Beules)	30001000Nos.
3	Tables	300000000Nos	Tablets	I as State of the

2 Specific Couglitions under Water Acti-

The dully quantity of efficient discharge (ICLD):-

	The daily amount of concert machiners	13
		Present CCA (Renewal)
	ASILLA	
:	and the same	The second secon
	AT THE STATE OF TH	<u> </u>
	Sevice 1	Tiven

Trude Tithient Transport and Dispusal: The applicant shall operate Efficient Treatment Plant consisting of primary secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppoge of functioning of ETP, production has in he stopped lumediately and this Board lies in be introduct by fortphonological with a expect in this regard to be dispulsion immediately.

(iii) The treated offfuent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated afficient shall be som to CETP house in gurdening and the same has to be maintained continuously so as to achieve the quality of the treated ellineat to the

DAVIES

following general and specific grandeds as prescribed under Environment (Protection)
Rules, 1986 and applicable to the unit from time-to-time:-

The second secon		<u> </u>
	apukory Parameter	
	Between	6:0 to 8:5
Olf & grosse	North exceed	I0mp/I
POD (Jakys 27°C)	Mot to expred	l'ou mg/l
Tutal Supported solids	Not to exceed	100 mg/l
Limersay Test	Not to exceed	90% survival of fish after first
		96 hours in 100% effluent.
(A)	lditional Parameter	3:
Merenry	Not to exceed	0.01
Carried and a second a second and a second a	Not to exceed	0.20
Chromium	Not to cyceed	0.40
Load	heroxe arrox	0.10
Cyenide	branco ich	<b>100</b>
FEBRUICE TO SECURITY	Notice and the	
	Milliowed	<b>41</b>
	. Hix in extract	7.22.25 Sept. 10.26 7.26 7.26
	Distriguess  BCD (4 days 27°C)  Tutal Stapended solids  Binnessay Test  Assenic  Chromium  Lond	Olf & grasse  BOD G days 27°G) Rotto exceed  Futal Sispended solids Not to exceed  Binassay Test Not to exceed  Additional Parameter  Merenry Rotto exceed  Assenic Not to exceed  Chroman Not to exceed  Lord Not to exceed  Cyenide Not to exceed  Phanolics 0. 50430 (4) Your exceed  Sitistics of 50430 (4) Your exceed

(iv) Same Trainment and Danie (): The applicant staff provide companionave Separ Tank as is required with referbile to inflicing anomaly and areality.

In case of supposes of functioning of STP production but to be stopped immediately and dis Road Los to be intimated by fastybone/email with a report in this regard to be chaptered immediately.

(v) The treated servinge shall be sent to CETFreuse in gardening and the same shall be maintained confinuously so as to achieve the quality of the treated efficient to the following standards as applicable under Buvironment (Protection) Rules, 1986 from time-to-time:

	·. ·	The state of the s	
ĺ	S.No.	Parmineters	Standard for STPs
Ì	l.		63 (e 9.0
Í	<b>3</b> .	BOD (mg/L)	10
į	3.	COD mg/L)	50
	4.	TSS.(mg/L).	10
1			
			in a second
Į			\$ i = 201
ì	710		
ź,	The second second second second		19 Car   10 2 33 07 A CAR   1

## A Concession wester decided

7) The opposition shall be inverted for some feet and annula a complete the expension of steps consisting of annual equipment are being present to expension of entreasure and operand and making in the same equipmently so as some well to level of pollutions to the following standards:

1	8.	Stack	State	Type of	Fuel	Emission	Emission
	No	attucked with	holehi	Fuel	Quantity	Control	standards
			(MI)	o instruction		Equipment	of ton
			district.				carerd
		1/6.501		HSD:	- MIA	Acoustic	
	1	(BOLVA)	1222			Eachtern	

ter autrophological of particular products and evaluation of the state of the constant of the local substitution of the state of the st

(ii) Notes information in a second of the second of the compatibility by particular explication of the compatibility of the compatibili

A. Previous Consent-Reject / CCA Order / NOC Order (PGR) Uplanded in XGN on 10/04/2017 14:56:31 from IP No: 49.200.242.176.

B. 15450-Supermax Laboratories accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE.

HEPPEB

presented for respective arms fromes (Industrial, Commercial, Residential, Silence) which are in following

	A Secretary of the second					
Stantiards	Indistrial Area	Commercial Area	Resider	tlal Area	Silone	e Zone
for Profes	Day Night		Day	Night	Day	Sight
level in	lime (inc	fince time	Ame	time.	time	uer
redbleb)(Leq	75 - M	65 55	55	45	50	40

Continue from the angle thank in Mantinue from 10.00 par to 0.00 am

actifens under la constitue Applier Wester Rules 2016

A Section of the Companies of the Compan mecolisaco and moragical Hazardinis wastes.

The property of the control of the c incordone virgis wilding allow promises for following correct volves essential

-	Silva	Carogory	Quantity of Waste for which	Mode of Disposal
		(Scholale L&-	- nuthorization is being issued	¥
1	10.54	Scholabilly	(ATTA)	: !
		Saledule (2281)	1200	As per Rules
	2. 2	Schedule 1-2%	0.010	As per Rules
	3/	Schechife 1 - 343	0350	As per Rules
	4	School et -34.4	0.050	As per Rules
	- 5	Schedule 1-51	-0.010	Recyclable

- (iv) The militarization shall be inflorce for a period from 02.04.2016 to 11.01.2017.
- (v) The authorization is subject to the conditions slated below and the such conditions as may be specified to the rules for the time being in losse under Environment (Projection) Act.

Terms and conditions of suborizations-

- (1). The authorization shall couply for it the provisions of the Environment (Protection) Act. trained to the same here in the
- The service of the research of the produced for inspection at the request of an officer of the research of the service of the
- The person with the distribute rest, lend, soll, panaler or otherwise transport the hazurdous wastes without obtaining prior remassion of the SPCD/PCC.
- liv) Any mantherized changes in persumed, equipment as working conditions as mentioned in the application by the person milliorized shall constitute a breach of his authorization.
- (o) It is the daily of the authorized purson to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the read wall of an authorization shall be made as laid flown under these Attes.
- [vil) The unit shall accidally with any other conditions specified in the nucletines issued by the Moles of CPCB/SPCB from time to time.
- 5 This CCA is valid for pharmagentical formulation process only.
- Corporation of the company of the Corporation of th
  - (ii) Invitorment Sinfamental Form-Vol. Lawironment (Protection) Rules, 1986.
  - (18) Quarterly compliance suport of the CCA, photograph of ETP/APCs/Waste Storage
- Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA. 7.
- \$. Competers Authority reserves the right to change modify hald may time any condition of this CCA.
- Unit has to comply with the other general conditions as annexed bereville. Non compliance of any provision of this CCA and provisions of the Water Act. Air Act and Hazardous

A. Previous Consent-Reject / CCA Order / NOC Order (PCR) Unloaded in XGN on 10/04/2017 14:56:31 from IP No. 49:200:242.176.

B. 15450-Supermax Laboratories accepts the LEGAL responsibility

and undertakes that the furnished information is CORRECT & ACCURATE.

Rules & Other Wastes Rules will results in loun action under the silversaid Acts and Rules.

Member

Copy to: - Regional Officer, Ultaraliland Environment Protection and Pollution Control Barra. Deliverant for information and compliance of the same.

Specific Conditions:

- de and child provide is many ander mider to cook maker party source, and shall require and a last results of purior consumption in the possiblest form and any the cost is spirited under Section-2 of Cess Act.
- The applicant shall subjunt southed interestance of the unit of the end of each finerest year so that her subjunted by the applicant countries of the unit of the end of each finerest year so that her subjunted by the applicant countries of the applicant and the applicant of the such as S-1, S-2 and day these some payment. Exployed to facilitate infeditional
- 4. The industry simil separation remains by the pathillour council devices and presumation remeases.
- 5. A solid using particular from the industry has to be dispused in morner so that contain motion of sociace water brothesterman waterfault che. Open not take place.
- o. The industry shall take adequate assumes to control of noise from its own source so as to county with the stundards as may be applicable.
- 7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Control Pollution Coutrol Bourd
- A. The industry shall refully will have with the opening and general conditions usual with CCA order. Any violation of adjulated conditions may affine togal action under the provisions of Water Act. Ale Act and Environment (Protection) and the Resemble three nader.
- 9. The hiduary shall ensure all safety measures and shall undertake perfordical assessment by the competent authority.
- the tink what events manifest system in Robardo at Horardone & Other Waste Rules while disposing merger cols withit.
- 11. Hearthous worse should be stored beyond a period of the days.
- 12 The industry statuted marker the River Comes and he tributates ideal country the visitation technics and disposal proseguirencimi suodi alampen di accioni considerati di si di considerati di considerati di considera
- 13 The Little that arealy exemply with the provisions of Water, Air A. E.P.) Acts and Rules Verifications much the entites

## Commerci Conditions

- 1. The oppolical parties in reason supplies of efficient amount of the parties of the second of the control of month from the integrated recognized by the Mock panel shall report to the HEPPCH
- 1 The applicant shall however, are without the prior consent of the Board bring into use any new or othered could for the discharge of affinest on games amission or sounge waste from the unit.
- 1. Treated waste water and difference waste water shall be disposed founds at one disposed point. The applicant design the control and the discounting property as the second of the control and the control a
- 4. The applicant shall among country with conditions of this CCA and submit compliance report of stipulated continues within 30 pays all rescript of this CCA. If at any point of time, it is local that the industry is not complying with applicate conditions, or my deather direction intercents is said by the Buard, legal action shall be inclined againment a first some
- A. The applicant shall maintain grand braids dreplay. All subscrappes some rotation est, must be leak-proof.
- is. The industry shall provide design reported stars to the STP steller and outlet policis, Air Pollution Control regularment and Mark for survey and other manufactures of sufficiency of pullulion common measures.

HOLL BY

- 7. The industry shall provide Taspection Bonk? of the dure of inspection to the Bonot's officials.
- 8. Wilestered that to introduce the differ inforestern act of execut and emission occurs or is apprehended to deput in executivit standards but though supremulation shall be reported to the fluorit; offices and all other conserved affects the area of College of College of College Common equipment, the production process connected to a not constrained with francisco settlers
- The state of the s
- i encodo lo columbio del volume del colocio del composito del colocio del colo The electrical of the property - the the the practical of the anti-countries by thoughting types producing experient and the fact that the company the inner open city are made in the contract the contract paint or crossian paint.
- 12-11c Rowel newsychology (packtyres things) () also loss continuous socialising with CCA- as may be Arcesaury.
- Methor person, undintrook abad mor representable, tremater or otherwise trapsport the hazardous waste without abuining prior permission of the Bourd.
- Maker amountained analyst impercuised combinent as working committee as mentioned in the application by the person with orized stadt consilium a breach of his authorization.
- 13. It is the duty of the multiprized person to lake prior penalision of the Haard to close describe facility.
- in The authorization is will for temperary storage of Hazardens Waste within premises only
- 17. The nullimized agency shall ensure that conditio that with regard to attentity, and indure of hazardous chemicals buing used in the purp as well as air emission, and waste generated rejition premises is displayed on Display

  Dearth of streets that side the man follow gute within premises.

  IN It is approximate the collected reflected to the prime permission of this Bourd to close and cleaning the facility for treatment storage and display of imaged observers.
- 19. The applicant shall indicate resume of incontions were in Form-1 and shall submit anount recip; in Form-1 in: or before the 30" day of time following pille topocol year to which the mount relates
- 20. In no case, any lineardour resolute half or disposed afficie land, in most drain, or into any seater succen. All spilitage Lineir brackersilos vislas sel ocia zem
- Hefrer the heraclose water is stored or damped in the facility, appreare most conduct a detailed physical and chartical inalests of heraclose water implicant projects and hourd.

  21 Detail department of the facility of the plan, shall be special to adulte head HDPC pit constructed with React or path and settle and plant of the plant with the resident ined in 2:

  21 The storage area sharts for facility fields of Signi Notice hourd and energy and Hazardous' shall
- be displayed at appropriate position had bit Ille at and Enviole.
- 24. The inclusive small streetient ferrous metal exercity in the post of the property of the p processors.
- 25. It case of any transplictuling is butanishs waste, the divides in Form-th of the theoretons & Other Waster Rules shall by submitted to the Board.

O SPECIE



## ARCHUNAL OFFICE

Protesting and exampled Principles and Pollation Cantrol Board ·**Tells (104 Gil**on): Dehin Dina (Ciparakhand)

Ditte: AST megid, po

Consultanted Council in Council will desire time bearingfor referred to be the CCA Consolidated Considers. Pethologistical Theorems and analysis section 3: of the "Victor Corporation of Control Property of the "Victor Corporation of Control Property of Activities and Authorization patter "Public of the "Hazardina Deception of Participation of Control Control Property of Activities and Authorization patter "Public of the "Hazardina Deception of the Control of Contr

CCA is nearly granted to Markinghilland leablementies in biscoic Plot bis. All Chairms City, School forforthald Kring Decisions and subschild be represented by Water for City Action IIV Rules and the leablest first parties and the control of the

1996 A Secretary Decretary of the State of State

	Presently Manerali
Pro Product Contin	dituit. Changlis
<b>ACCONT</b>	(Per Month)
Cappules 3 (3)	pentes 112900100 No.
The state of the s	Serve 75000100 Nov.
THE CALLS COURSE FROM MERCANISMENT OF THE COURSE TO STUDIES AND THE COURSE AND THE COURSE TO STUDIES	sith i
Tables Comments	illen i Ichirenia

M. Condition wother Trace

delik transfer de primara planica

Frank Carlon III	
The state of the s	
The state of the s	
「大きな」というない。 「大きな」というないできない。 「大きない」というないできない。 「大きない」というないできない。 「大きない」というないできない。 「大きない」というないできない。 「大きない」というないできない。 「大きない」というない。 「大きない」というないできない。 「大きない」というない。 「大きない」 「大きない」 「大きない」 「大きない」 「大きない」」 「大きない」 「ちない」 「	
The second secon	
T CALLED MANAGEMENT IN THE CONTRACT OF THE CON	
The state of the s	
The state of the s	
A COMPANY AND A	
The state of the s	

in Trust Efficient Treatment and Deposits. The applicant and locator Efficient Transment Punt Dane Burg Street emery secondary and or terrory incultient or to respects with releases to influent causility and anality.

In case of subjects of functioning if the president of the stopped immediately and the Annel law he be informed by an intercement with a travel in this regard to be disputated insulation in

the The court efficient and beauty of the maximum count to extra Zuro Discharge and experience transport will have been an ATTP frame in garding and the same in to be destributed continuantly than the distributed of the most of the mat to be a Previous Consent-Reject LCCA Order / NOC Order (PCR) Uploaded in XGN on 02/03/2016 18:74:54 from IP No: 59,161 38.251.

B. 15450-Supermax Laboratories accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE.

## SOFCE

feliculus general sur lipselle assignis de reserved model l'avissament (Protestion) Luis d'incompression de la manifestion de la management

Different Administration Control Contr	-		Section of the sectio	Market and the second s
DI & green Serviced Inter- HIST OF BANK 27 Serviced Serviced Inter- There Supposed service Inter- HIST CONTROL SERVICE INTER- LOCAL SERVICES SERVICES INTO S			<b>dierok</b> ony Paramete	
Horsey Tox Manager December 100 mg 10	46*			e service de flatassico.
Indicated the second of the se			Lis Management	The state of the s
	3		1. Milbooks	Fine
Admitted Percentage    Mineur		Trans Supposited and de-	. We are true	Company Services
Additional Personal CC    Marrier	¥	Borray Text	1 We to cheese	the amendate for alterior
According to the property of the control of the con	<u></u>		Market was survived to the market will	L Patrockly (COSSITE OF
Tennille (1980)				
Leads Production (1971)  E. Christophis (Cell COR) (1972) Production (1972)  E. Christophis (Cell COR) (1972) Production (1972)  Supplementary (1972)		Maray	1 Mrs con	(10)
Leads Production (1971)  E. Christophis (Cell COR) (1972) Production (1972)  E. Christophis (Cell COR) (1972) Production (1972)  Supplementary (1972)	4			
Consider Consideration Construction (Construction Construction Constru	Time water		THE PROPERTY AND A SECOND SECO	logo sa
Consider Consideration Construction (Construction Construction Constru	4	Local	A TOPON TO CONTRACT OF THE PARTY OF THE PART	10.00
		Central	NEW TO CASE	6.30
The state of the s	( B	Pacterica (Call SUA)	A Partition of the Control	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
A Minimum Carlo Carlo No. 10 Carlo Car		Parameter ()		O I
		Propherise?)		

(iv) Sen upe Treatment and Disposit. The applicant that provide entered make a Telegram. Tests are and an interest particular and provide an interest and an i

in case of employed of first district (12) is relation has their thereof amountable, and this figure in the president of superson court of the employed in the president of the superson court of the employed in the president.

The Incomed schedule of the control 
- Ary and the state of the stat		Section 1997	 	
		<b>All</b> was	51099	
Section 2			159246	
(14)	A STREET	10 All Con-	11-11-11	
CHARLES.			il disti	

## 1 Countings will fall for

(f) The approximated from the property of the

4. 1 Tues	ame before		Tief !	Francisco	- Partisar
			A CANADA SAN PROPERTY OF THE PARTY OF THE PA	Control Equipment	elabdards of box
	a day etta		The second of the second	Figure 1 and	escool
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A THE STATE OF THE	

in come of deposits of processing and the analogous passessing in a feet on his to proper a support the contract of the contra

(a. No set from the Data Set and appropriate easy manual be exceeded by proveding, so accounts of the property as its population of the property of the proper

a			****	114			MATERIAL PROPERTY OF THE PERSON OF THE PERSO	The second section is a second second	and the same of th			
Ε	SECTION.	ورسم يخ الماليكم	1 - 24 - 1 - E	02 TO 1		12 - 12 - 12	EV 1	4.7		17772 67	**************************************	1
Ţ	THE PARTY OF THE P	5 5 D 5 D 5	100.00			PER VIII A		<b>もとくいじわみ</b>	1125 A. 233	i MaTerinet	* 7.00E	4
											an and make t	, i
ź	for No			E	- Transfer		10.00	FT 142.	TET LAKE	44	441.14.	7
3	44.5	Section 1	98 Y 1	139 MIL	LEGISTA V.		MES 1020	J. P	3.44 100	Day	11000	
3	1.00			71.7	Transfer FFT	3	17 Table 1	52 <b>3</b> 5 3.4		\$ 1807 C \$	44.5	
3	ta di	. Walter		1940A 1	61166		4	are .	ATHUAN.	Circ 1	timu	-
*	MIT VA					and the same day			200	1185773.	311153(	
7	<b>CONTR</b>		2 Sec. 17. 14.	The Control of the		5) w/4		100.00	4.55		h 0f	ij
٦		L C 2	2.4	32.00	7. TO 1		Control ( ) in	A	7.4	441	E I	
÷		4 7 7	3 3 4 6 70 9	A 17 (4)		- 1 Carlot 1 Carlot	23.1	, <b>7</b> ,50	339 - 179 <b>4</b>	- 1.799 × ≤	****	
4	200 miles				1		**********	A CONTRACTOR OF THE	Make Selection of the Control of the	de a rate partire a construction de		

A. Previous Consent-Reject / CCA Order (NOC501des (FOR 10 bloaded in XGN on 02/03/2016 16:14:54 from IP No: 59.161.38.251.

B. 15450-Supermax Laboratories accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE.

TO SECTION

## Conditions under HTV (Name)

- III Sumber of patroliness of
- ider Fastions Alexander ext. All C production and relative to be a superior or relativence. The Action of Participal Profess.
- the and the period of the peri

	- N				1	13.50 D.T.	Tara and	400		3	A 37 1.	2 646 144	ヤックラン	<ol> <li>50</li> </ol>	(1)
-1	000033	200	Property of	77 CA CA	100	and the second	E CHANG	1 7925 1919			(A) (12)	5.43		Maria San	0.70
-	XXB AX WAR						1000		n iddi	100		in the second		Constant	******
٠í		Name 2	50000		4.	100	200			12	2.24	<b>以及五子</b>	<b>35</b> 1774	11	di i
- 5		100			4.00	村開業	PALTILO	Te division	or Berne	4	10	1. 100 1 20		• "	151
à				1	1.50	(i	2.2	4-12-15-1			40	0.128.446		Sec. 1983	Same
	3/3	357 A 157	70 (e)	12.25	100			PLAY.		100	1858 × 3	353101	Harriet et	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
å	100	7 30 140	7.4	V12-14-	6.77				241	100	2.00	1. (1. de 1. d		- A. 40%	
3					<b>第八章</b>	( ) ( ) ( ) ( )	16/2	4.7	364.		TYP etc		A PARTY OF THE PER	distant years in the	
7	4				3. O.		2.0	· · · · · · · · · · · · · · · · · · ·	101 2 C	1772		3 <del>2</del>	8 1780	0.000	7
1	-	A 2012		4. 发展	\$1+124	**************************************		Sec. 57.2	175.55 175.55		Land to the	ا سرام الكويفية هذا المرابع	- 1	— × σ ,	
7	2	***************************************	Acres de la co			7	Act was	المتعدد المارية المتعدد	V. 107		1200	350			
1		221003	W		1.33		Maria Land		7.7	4-0-10	2017 BE 172	Angelog (Co.)	سمريها والمإ	0-3r 4- ra	
4	T. C.	Andrew Market Street	THE PARTY AND	Sept.	4.200	TO THE PARTY OF	eli Pirita de la composición dela composición de la composición de la composición de la composición dela composición		1000		3,311	38-1-2	i	200	
1	•	3200di		沙黄油	One		30				The state of	Marie Carrier	44.44	Same and	أريشون
- 2	3	The second second	S. 41.185	er de la partie		- 200	Kanan dan sa			1	1.71	3.5			
	A 4	A 100 THE		174	20.00		🛂 jantren.	. 3.	4-4	-12.48A-2		Digitalian		عداد والمراجعة الأ	<b></b>
					100	11111111		1000		J. 3	72.00	10.00	Reco	خرج أجه	
	Contract of the Contract of th	CENTER OF THE PERSON	A COLUMN TO SERVICE	AND THE RESERVE	ALC: UNKNOWN	The state of the Park I		The state of the s	~~- <u>~</u>	of the Contract		Contract of the contract of		A [10.1	- :

- ALBERTAL POLICE TO LINE IN TOUT ON IN.
- responses expedient and the early scallibers as see he dans de financiación Indicaración (Presentino) Ac

- Terror multiple at any partners.

  (iv. The enterplace seed and partners.

  10. The enterplace seed and partners.

  10. The enterplace seed and partners.

  10. The enterplace partners are the seed and partners of the frequency and partners and an efformation of the enterplace partners.

  (iii The enterplace partners are an enterplace for inspections in the enterplace and an efformation of the enterplace partners. and the tree price, the include more than the special of the confidence
- And the state of the state of an increase a compact the horality of the state of th
- water appearable to the property of the first place property of the first place of the property of the first place of the property of the prop
- A CARL SOUTH COMMITTEE AND THE PROPERTY OF STREET AND A STREET AND A STREET AND A STREET AND A STREET ASSESSMENT AS A STREET A
- The sing spall enough are now to the confliction operation in the problem beautiful to the Males of CPGRECOM to the passing the standard of the CPGRECOM to the passing the passing the CPGRECOM to the Parametrical problem of the CPGRECOM to the CPGRECOM t

- Contract and Presental and Presentation and according to the contract and according to the Collins
- Company Automorphisms and Automorphisms and the condition of the
- Links has to councily with the other price of executions as an execution and beautiful. Non complicate of one providing as therein a complicate of any providing as the control of the con

Resident College

Copy to Monthly Supply: Utmrethand Chrispman Protection and Polletton Control finanti, Diffristina for kind informativo please

Regional Officer

Previous Consent-Reject? CCA Office / NOC Grate (RGR) Upipaded in XGN on 02/03/2018 18:14:54 from IP No. 59.161.38.251. 15450-Supermax Laboratories accepts the LEGAL responsibility. and undertakes that the furnished information is CORRECT & ACCURATE.

## UEPPEP

Angerme

significations

- 1. The applicant shall exemply using the forestern and the first property of the forest of the fores
- 4 The applicate and provide part falls delicated to a common man in this called as not The second the second with the second the Beauty west, the chimeses successful and a residue of the contract of the contract of the chimeses of the

## HE PER ST

- The properties of the properties of the second section of the second sec tal beautions are a transport.
  College of the manufacture of the content of the c
- pe de de SPE da CP da CP da CP da Completa de la completa del la completa de  la completa de  la comp
- the pale in the court is the first and in the males of the property of the property of the second of the
- The inchiner shall married by a fine of the control - property of the contraction of the fire or and the second to the Pittle of the appropriate the age and a color which is the fact that the state of the
- Property of the confesting and t
- If the Mandacon are the annual files of the Control of the Mandacon and Control of the Control o
- 13 The gradue mathematical and mathematically and the property of the control of

- A contract the property of the
- hearwait want and spake of the
- promote design and Object of Design and a second of the product of
- named a state of article that higher chains in his consequences and a consequence of the - and the state of t
- nafræði. (1901.): 19. Blóðið. Dæinni þáslagið Þæinnið 16. Áðsílde úðsæð Illóði. þól saminustal subtract and the contained to it.

## REGIONAL OTFICE



Ettarakhand Environment Protection and Pollution Control Board E-115, Nehru Colony, Dahra Dun (Uttarakhand)

UEPPCHRODICHUIDDN-665-76147 694 - 45

Date: 11/9//19 REGD. FOST

To,

Mis Superum Laboratoiles Plotiko, 40, Pharmselly Stingil lähustial Area Debrodus

Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "lazardous Waste (Management, Handling and Fransboundary Movement) Rules, 2000" notified under "Rule-outhous (Protection) Act, 1980" as applicable (to be referred beginning as Water Act, Air Act and HW Rules respectively)

G			
1	William William William P. Co.	there is the country that	はいいきかい オート
4	<b>PCB1D</b> - 15450	Inivaril ID - 57006 Da	SE WALLING FROM
ž		Man are u	169 - 1
	Mistriation.	(CA (Renewal)	
	The second	Contract Con	Service and section 4
	CHANGE AND MINE AND	146367/2017	雑姓 1090001
-1	Consone No. AWII-	The Walt Control of the Control	ite: [[9]14]

CCW is thereby granted to Mis Supermex. Laboratories at located Plot No. 40. Pharma City. School Industrial Area: Debratan subject to the pravisions of the Water Act, Air Act and HV Rules and the orders that may be made further and subject to following terms and conditions:

1. This CEA is granted for a period from 24.05.2014 to 31.03.2015 and valid for magnifecturing of following products with Capital Layestment / Het Assets Values

S	Las	OCATE AND	Present CC	A (Renewal)
No.	findset	Quentity Wer Monitil	Product	Quantity (Per Month)
1	Capsules	3135000.00 Nos.	Capsules	3125000.00 Nos.
2	Dry Syrup (Battles)	75000,00 Nos.	Dry Syrop (Bettles)	750£0,00 Nos.
3	Tablets	35 Crore Nov.	Tublets	3.5 Chare Nas.

2. Specific Conditions under Water Act:

(A) The Matter over the out of the material or or (KLD) :-

d	THE CONTENT OF PROPERTY.	resisting of prizonante (ve	
		Line CCA or	Present CCA (Renewal)
1		CIL	
	Tracio Effluent	1.0	
	Sewage	20	1

(i) Trade Efficient Treatment and Disposal: The applicant shall operate Efficient Treatment High consisting of primary/secondary and/or terhary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be infimaged by faxiphonolemail with a report in this regard to be disputched immediately.

(iii) The frented effluent stiall be recycled to the maximum extent to achieve Zero Discharge and remaining realest effects that be sent to CETP/Reuse in gardening and the same has

to be maintained continuously so us to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:-

	0	impulsory Panameti	13
Ť	pN	Detween	6.0 lo 8.3
2	Oil & prease	Not to exceed	l (limp)
3	BOD (8 days 27°C)	Norto exceed	30 ing/l
4	Total Suspended solids	Not to exceed	
5	Bionsey Test	No reserved	9(Pacinglya) of fish after first. 96 hours belows a fluent.
		endlikonal Pairimere	
ł	Metaly .	Mol to exceed	1001
2	Amme	Nor lo except	(0.20)
3	Chromiunt	Not to exceed	0.10
1	Lead ***	Not to exceed	0.10
5	Cynoide	Not to exceed	0.10
6	Phenolics (CDP/SOLD)	Not to exceed.	1.0
7	Sulphides (csS)	Not to exceed	2.0
e	Phosphalt/fax PA	A Not to exceed.	5.0

(iv) Sewages Treatment and Inspired in The applicant shall provide comprehensive STP Septic Tank as a reliable with a consequent provide and quality.

In case of staying a fundament of XII), production has to be stapped insmediately and this Bound has to be infinitely by faciple meteorally with a report in this regard to be dispracticed immediately.

(v) The nested scryage challengement to CLTP/Lease in gardening and the same shall be maintained confinencially as associatione its enable of the reasest officers to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

			de sa Tal	علياء الأناكاري	20.20		1= 55	:			
1		2.74	Ha.		F-7/4	Den	12.22			5 m 9 t	
i	5	esnori	e Sol			Not le	EVCCAL			100mig/	
-	DOP	2180	2001	pres (2		Nocto	enoerd.		1.00	Ni men	
		Olla	C T			Next	evceed		74 25 26	longi	1945 100 (1945)
			Sec. 10.	1		THE COLUMN	anner reme e e e como		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Contract to the	

## 3. Conditions under Air Active

(f) The applicant shall ask following the and install a comprehensive control system consisting of control supposed as a regular with reference to generation of emissions and operate and maintain the same constantiously so as to achieve the level of pollumnts to the following startling::

	S. No	Sinch attoched with	and the second of the second o	Type of Puel	Fael Quentity KLD/MT	Emission Control Equipment	Emission standards not to exceed
-	1	D.G. Sat (150 K.VA)	2.0	Diesel	40Lit.	Natural Draft & Acquistic	D.O. Set (150 KVA)

In case of stoppose of finationing, of air pollution comes legulpment, pressuction has to be stopped immediately and this Board has to be intimated by far phone/small with a report in this reserve to be disposed immediately:

(ii) Noise from the D.C. Second other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for right and day time as prescribed for respective areastrones (Industrial, Commercial, Residential, Silence) which are as follows:

Intropersed transmitters, terranor Cheksaete in Gatalisa (4.0 eval

1539

UEPPOR

The state of the s	A Paller A Fried and Little 1 A A my 11				
Smodards	Pladustratisten Commer	cial Area Resider	tial Area	Silene	e Zone
for Noke	a <b>um Mijo</b> r day	Night Day	Night	Day	Night
level - In	Unes Unes time	time time	time	thue	time
(h(A),Leq	<b>(5)</b>	55 55	45	50	-10
Plus Blance Blance	The second secon	after a state failth and a state of Arthur			*****

Conditions under MV Rules :-

(i) Humber of anticological control date of losus:

(ii) Too Parties Management (Massoperman Editoratories is heroby granted an authorization to speciale a Golley for pulled the ministrongy of Hazardous wastes.

(iii) The antionization is granted to operate a incility for generation, collection and storage of hazardous wastes within factory premises for following entegery of wastes.

S.No.	Category (Schedule-1 & Schedule-11)	Objective at Waste for which huthorization is being baned (MTA)	Mode of Disposal
	Schaffele .= 28-1	1.20007	TSDF
4	Schedule I - 284	COLACT	TSDF
186	Structure of the state of the s	W. W. 1912	TSDF
	Soletole 1 - Seat	TWINE	TSDF
8	NUTS WATER AND THE	KOINT	Registered Recycler

By) The sinformation skall be in force for a period from 24.05.2014 to 31.03.2015.

(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rates for the time being in force under Environment (Protection) Act, 1960.

Termential equalities of authorization:

- (i) The nother resident state example with the provisions of the Environment (Protection) Act, 1986, and the rules made thereinder.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCOPCC.
- (III) the person without rether all more rest. Tend, will, transfer or otherwise transport the hazardous wastes without child interprise permission of the SPCB PCC.
- (iv) one unsubdrized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the diffy of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MOBF or CPCINPCIA from time to time.
- 5. This CCA is would for Pornablation Process only.
- 6. Compulsory documents to be submitted by the industry/Unit :-
  - (f) Amoust return in Representation Disposed Martifest in Form-13 under HW Rules and Third Party Andi Report.
  - (ii) Environment Sintement lit Form-V of Environment (Protection) Rules, 1986.
  - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Wasta Storage Area.
- 7. Unit has to apply for renoval of CCA well in advance of 60 days of expiry of this CCA.
- S. Competent Authority reserves the right to change/modify/acid any time any condition of this CCA.
- Unit has to comply withoute other general conditions as annexed herewith. Non compliance
  of any provision of this CCA sud-provisions of the Water Act, Air Act and HW Rules will
  results in legal action under the element of Acts and Rules.

Regional Officer

Copy to: Mumber Secretary, Vilarakhanii Environment Protection and Pullation Control Board, Debradur for kind information please.

Regional Officer

Annexure

Specific Conditions:

では、100mmの

12 The north and samply with the partitions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as attended (to be referred as Cess Act) and Rules made thereunder.

2. The applicate shall provide ISI mark mater motor to cool water supply source and shall regularly submit counts of rather expansion in the prescribed form and pay the core as specified under Section-4 of Coss Act.

The applicant and subject to be suffered believed to the sould be the cold of each financial year to that fee subrighted by the feed lambs sould be assessed.

4. The sunform maliane doe parte in the children which and inclinion such as haden, platform sic. as per requiremental and in the the sire continue and the entire shall be open for inspection and use at all times by the Borner waster The common year of the angular common of the contract of the such as S. 1. S. 2 million a proper such discolored in Landidae identification.

5. The indicator shall ensure introducting at the particular reaction devices and production processes

6. A suid weite general from the indices prome alexand in pating to interpretational surface unter budies ground singularity. As a complete to the surface of surface unterpretation of the surface of surface unterpretation of the surface of surface uniters. The industry shall surply with the Managheure Storage and Imports of Pararteers Chemicals Rules, 1989 and field undersite Environment, the China Acc. 1980 its ansential).

8. The industry shall independent alexandent surface from its and source at as to comply with the

affecting of one secondaries

9. The applicant that we long three courses the best are that primiting with plant are clear as suggested by the Central Pollution Control Board

10. The bilings smill arigh adapted in such cases med bids for Doon Valley Neitheation 1989, coulded under the Confromment (Trottoellack Authorisations arrected.

1). The inclusive similarity distributes and properties and general conditions issued with CCA codes. Any violation of Aligniansia conditions one distributes and and and Environment (figures) and and are aligned supported by the properties of the

12. The industry aled mount appears by mount of the end dead insertion periodical accessment by autiority.

es, tont shall an experimentally after the profit to the Turks on the Single in a horse

14. Hosochus yanus abould not be about be form a period of 40 days.

15. The Industry summed nearby the River Caugh and its teleplaries shall ensure the treatment facilities and disputed arrangement in spen a very to find increased water is discharged in water stream to water bodies.

16. The industry covered carles and comment toppust Assessment Voil factions, 2004 in some party from time totime), shall satisfy comply, with the providence of the minimulation.

17. The unit slight comply all the conditious maniforce in Pavironment Clearnace, letter No. EC-3/10/268 Indel 26-03:2010 chistical francis (AA). 18. Link shall strictly comply with providing playon Nathey Northeatton (1989).

19. Tolk shall not energy an mountain the processes which are restricted held con volley Northeation 1989 with orior permisticand likely

10. Unif could not be immediately MISTale Synthetic Fibers and Adhesine Resig without Board permissins.

11. Out thould not be challed sectional Bulk Depty williams Board permission.

22. Unit shall not use fuel in fliese districtioning process or in any subsidiary process which may emit fugifiva emizelen obiillarun nabura.

20. (I-dit mail not all cit de gracification de la company 
## Gereni Conditions

In the applicant small get applies the angles of citius illumission hazardous wantes he least once in a three month from the laboratory recognized by the Mine of and shall report to the UEPPCB.

2. The applicant shall have been not wished the thing consent of the Triang tring this use any new or altered auth for the discharge of efform or gases omission or so rage while from the unit

3. Treated waste mater and domestic waste state; shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at limit disposal points

4. The applicant shell-surtedly enoughly with conditions of this CCA and submit compliance report of stipulated conditions within Indian of the inclusive to the condition at a condition with found that the industry is not complying with stipulated complifiers on any further direction instruction issued by the Bourd, local action stall be inflimed against the applicant.

UEPPCH

5. The applicantistral maintain part house begins. All valves/pipes/sever/duties etc. from he lenk-proof

6. The industry shall provide difinite rights entry to the SIP wETP's infer and outles points. Air Polittien Control equipment and back for emouth stappling mentioning of ellicioney of pollution control measures.

7. The industry shall provide "impossible Book" all the flow of inspection to the flowed's officials.

E. Milentyer dire to any accident percent milensem and or event, such emission accurs or is apprehended to occur intercents of standards and decrease should be reported to the Board's offices and all other conserned offices. In case of fulfiller of pollution control equipment, the production process connected to it shall be stopped with immediate of like

. The industry shall operate in a manner so that all emissions be emined through designated chimney/stack

- 10. In case of any farming to this agriculture productivity, human habitation etc. by the operation of industry, it small to imperative le stop prodoction in the industry with immediate effect and such information shall be reported to Bosto's offices. The influence shall be flable to pay compensation also in such cases as decided by the Competent Authority,
- 11. The applicant shall apply butter the of the of expiry of CCA or any change in production types' production capacity/immunacturing process/expanty columnement etc. or any change in efficient discharge point or orbisties pourt.
- serves die nobe to reput middle delly uny stipulated condition issued along with CCA, as may be

the state of the control of which the post the hazardons made without

complete side for the continue of the state of his authorization.

13. It is the dat of the appropriate arrays to the jetor permission of the Education close down the facility.

15. The authorismitter is wall for temperaty strings of florendons Waste within premises only.

17. The authorite agency shall ensure that cooling this with regard to quantity and nature of hazardots chemicals being used in the pasticus well as the emission and waste generated within primities is displayed on Display timent of the first feet out side the main forces and within premises.

18. It is duty of the authorized present to take prior permission of this Ildard to close and cleanup the facility for

trestrucni, storage and allegossi of incordant wester.

19. The applicant shall matrials respect of hexardous wasterin Formed and shall submit panual return in Formed on a large of the formed to the state of the formed to the state of the stat

uns record in the constant. As the shall be disposed off and limit, in any dealer, or instrumy water stream. All spillings must also be safely collected and stored.

22. Before the incoording seaster is stored or thunged in the facility, applicant must conduct a detailed physical and

chemical annihists of hazardons works annihis and repost to the Board.

23. Oried hazardous single from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such night following react with the weste contained in it.
24. The storage area should be toked properly and Sign/Autice floatd indicating "Danger" and "Itazardous" shall

to displayed at moneoprisps position both juditions and English.

25. The industry shall altre more forthus metal waste, med of spent off white in scaled thoms placed on impervious tion under covered their Huchelovy with il required shall be sold only to Registered Recyclers/Reprotestors.

26 in case of any transportation of horardous waste, the details in Form-13 of the Hazardous Rules shall be sobmitted to the Board.

B-17

1542 DEPRES

REGIONAL OFFICE



Uttara Living Empironment Protection and Pollution Control Board E-118, Nellivir Colony, Debra Dun (Uttarakhand)

The wast desirable by the Court of a deliver distribution of

0.646CB/BGD/CEC/DDDV-992/002/ 391—338

Date: 20 6 13

To.

M/s.SuperinaxiLaboratories Flot No. 40, Phintmesity Selegui Industrial Aren Dehradun.

Consulidated Convent to Operate and Authorisation herelonder refurred to as the CCA (Consulidated Convent & application) (Reserval) under Section-25 of the "Vater (Prevention & Control of Indiana) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Political Act, 1984" and Authorization under "Rule 5" of the "Hazardous Wasts (Minorported Tautaling and Transboundary Movement) Rules, 2008" notified under "Environment (Provedient) Act, 1986" as applicable (to be reserved hereinafter as Water Act, Air Act and HW Rules respectively).

RCB ID - 15450 Inward ID - 54130 Date 26-04-2013

CCA (Renewal)

Conservation AWII-13561/ Date: 25 6 13

CCA is hereby properties M.S. September Laboratories at located Plot No. 40, Plannin City. Science Industrial Acts the provisions of the Water Act, Air Act and HW Rules and the order alters by be made further and subject to following terms and conditions:

 This CCA is granted for a period from 26.04:2013 to 31.03.2014 and valid for minufacturing of following products with Capital Investment / Net Assets Values 4.86 Cont.

9.	Last CX	A or CTE	Present C	CA (Renewal)
No.	Fradurt	Quantity (Per Month)	Product	Quantity (Per Month)
İ	Caparales	1875000.00 Nos.	Capsulta	3125000,00 Nos.
2	Dry Syrup (Baides)	750000.00 Nos.	Dry Syrap (Bottles)	750000.00 Nus.
3	Tablets .	3,0 Crore Nos.	Tablets	3.5 Crore Nos. (CTB Exp)

2. Specific Conditions under Water Act:

(f) The Cally quantity of efficient discharge (KLI) :-

1	Enst CCA or Present CCA (	Renewal)
		*
	Trace Milliagn	1.0
	Sewary Edition 10	2.0

(ii) Trade Effluent Freatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of finalishing of ETP, production has to be stopped immediately and this Board has to be indicated by faciphonelemail with a report in this regard to be dispatched immediately.



8-7P

## 1843 m

(iii) The treated ellipset applicable better cycled to the maximum extent to achieve Zero Discharge and remaining treated ellipsets will be sent to CETP/Reuse in gardening/Land disposal and fire same has to be inclining treatmously so as to achieve the quality of the treated of fire house the following sent all sind specific standards as prescribed under Environment (Protection) that a 134 cert to the in the main from time to time:

7			Sept of the second seco
		TO THE RESIDENCE OF THE PARTY O	<b>1</b>
		all a local de la laction de laction de laction de laction de la laction de la laction de laction de laction de la laction de laction de laction de la laction de lactin de laction de laction de laction de laction de laction de lacti	6.0 m 8.5
	2	Oll & prome: A 3 2 Not to exceed	10mg/l
	3	HOLD (0 days 9/32) 105 110 to cook	30 mg/l
	4	Total Stayandet states Volumexceet	100 mg/l
	5	Blookspy/Gest Not to exceed	90% survival of fish alter first
7			96 hours in 100% effluent.

(iv) Sewage Trendmentand Arthogon the applicants that providencommeterative STP/Septic Tankot is reduced with the constraint and providence and providence and providence.

In case of Modernie of Frank Mark of STP, production flow to be structed immediately and the Bound has to best in the bound by far following mediately to the Aronal in this regard to the Aronal forms into the second of the Aronal forms in the second to the second forms in the second to the second forms in the second second forms in the second second forms in the second s

(v) The rested severy chartile sent in CETP/Reuse in gardening/Land disposal and the sente shall be maintained/confinitionally to as to achieve the quality of the treated effluent to the light spine analysis applicable under Environment (Protection) Rules, 1986 from time to improve the sentence of the

٠.		
	Between 5.5 to 9.0	
1	Sisperset Solida Zarti Not to exceed 100 mp/l	
10	BODS dox 27 Deposition : Notice except : 30 mg/	
	Olike Challes to the Wickel 10 mg/l	

3. Concluous ander Air Acts

(i) The applicant shallense following well and histall a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously some to achieve the level of pollutants to the following samplaids:

نفرن بينور	a transmitted to the second	73 X 2	والمنافقة والمنافقة		<del></del>	<u> - ش ب ب ب</u>
S. Po	Stack attached with	Arbaci Declar Oraș	Type of Faci	Fuel Quantity KLD/MTC D	Emission Control Equipment	lemission standards not to exceed
I	D.C. Swiff20XVA)	2.0	Diesil	4fil.tr.	Natural Druft & Acquistic	D.G. Set (150 KVA)
2	Particulate Motter			*		50
3	ld.	SALK		47 t	4	50
4	80	100	pi maringga Maringga			200
4	CO		ing Training	<del>.</del>	Ť*	100
6	Alte Cigani, Orbin			· · · · · ·		20
7	Detal Dinydne aid. Puritate		A. A. A.  ٤		0.2	
8	Sh+AstPh+Cc#Go+C n+Mn+Ni+V+Cd+Th+ He				ψ.	1.5

In case of stappings of finicitoring of air pollution accurate equipment, production has to be stopped immediately and dus Rosed has to be intuitated by faciphone/email with a report in this regard to be dispetched to mediately.



eather source(a) should be controlled by providing an acoustic tor meeting the ambient noise standards for night and duy time as Pagas zones (Industrial, Commercial, Residential, Silence) which

Santas Cadestrial Area Commercial Area Resides	itial Area	Silene	ve Zone
The state of the s	Night	Day	Night
100 of 10	Ulma 45	time 50	time d0

1000 pangkilade ilmes from 10.00 p.m. 10.6,00 a.m.

ditions independent in

Chimber at an incorpary of the of issue: -

(ii) The Pactory Minniger of M. Supermas Laboratories is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is audied to operate a facility for generation, collection and storage of hazardous wastes within failory premises for following category of waste

8.No.	Calegory Celloples	Quantity of	Mode of Disposal
		Waste for which	
17.04 pt (17.04)	Schedulesty	anthorization is	
		being Issued	
		(MTA)	Marian T
A.	Solidina 1+428/1/2/2/2	1.20 MT	TSDF
	Sensetile (-23%)	0.01 MT	The state of the s
3	Schothile to 1/2	0.55 M'C	TSOF
4	Schadule 1 - Dayle de		ISDE
<b>5</b>	Scherolan VI See See	The second second	TERF
22.4		0.01 MT	Registered Recycler

(iv) The nulliprocession shall be in tous for a period from 26.04.2013 to 31.03.2014.

(v) The nulliprocessor is subject to the conditions stated below and the such conditions as may Description in the titles for the time being in force torder Environment (Protection) Act,

Terms and conditions of an illustration

(C The authorization small compile voits the provisions of the Environment (Protection) Act, 1986, and the filles made of creticies.

(ii) The numerication and its renowal shall be produced for inspection at the request of an officer

(iii) The parson anthorized shall not reht, lend, sell, transfer or otherwise transport the hazardous quarts without obtaining prior semilusion of the SPCD/RCC (iv) Any unauthorized entages in personnal, equipment as working conditions as mentioned in

the application by the person sufferized shell constitute a breach of his authorization.

(v) It is the party of the sauthorized pressur to take prior permission of the SPCINFCC to close

(vi) An application for the renewal of an authorization that he made as laid down under these

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the Moder or CIPCE/OPCID from thing to time-This CEA is value for Somethill on Truess only

Computed by documents to be affinitived by the Industry/Unit:
(1) Annual Jesum in Form Card Waste Disposal Manifest in Form-13 under HW Rules and Thest Party and letteron

Environment Singular Inform V of Environment (Protection) Rules, 1986.

(iii) Company compliance report of the CCA; photograph of ETP/AFCs/Waste Storage

Unit has to apply for removal of CCA avell in advance of 50 days of expiry of this CCA.

Competent Authority reserving the right to change modify add any time any condition of this

Unit has to comply avide income general conditions as annexed herewith. Non compliance chany provision of this Godfand provisions of the Water Act. Air Act and HW Rules will results in legal action under the aforesaid Acis and Rules.

Regional Officer

Copy to: Momber Secretary Thereshand Environment Protection and Pollution Control Experit, Debradon in Kinding amount and compliance of the stope 

Specific Conditions:

Annexure

- 1. The applicant shall councily whit the showings of the Water (Prevention and Control of Pollation) Coss
- Act. 1977 as amended (co.be in filtred as Cas. Act) and Rules made thereunder.

  2. The applicant shall provide fair filtred to the investment supply source and shall regularly submit rounds of water constription in the cost at past form and pay the ease up specified under Section-3 of Case Act.

  3. The applicant shall administratified balance specified of each financial year so that fee
- The applicant shall provide ports the redispersuses and facilities such as hidden platform etc, as per requirement for inquitioning this air embelows and the same shall be open for inspection and use at all times by the Board's staff. Top chiampy/stack attached to various sources of confession shall be designated by numbers such as S-1, S-2 etc. and these small be painted displayed to incilitate identification.

- 5. The industry shall crisure interrocking of the gridition, control devices and production processes.

  6. A solid versue generated from the industry (legislates anaposed in manner so that contamination of surface water bodies graphed water solidate shall support the surface water solidates and production of surface water solidates and production of surface water specially shall contain the surface of the su
- 8. The Industry shall take subsputte the sures to control of collections its own source so as to comply with the
- 9. The publicant shall develop three sows of gramulation the promises with plant specific as suggested by the
- 10. The inclusive shall strictly achieve to the provisions mucle under the Doon Valley Notification 1989, notified unic, the Environment (Protection) Roller 1880 as amended
- HE The Industry shell surfactly atheres with the spectra and general conditions besided with CCA, order. Any Modules of stignistic conditions they among a solution under the provisions of Theory Act, Air Act and Environmental Tribles and Theory and Theory and Environmental Tribles and Theory and Theory and Environmental Tribles and The Environmental Environment
- 13. Unit shall commo manifest a satern in Dorme 12 of HV. Teules while disposing hazardonn water.
- 14. Hazardous waste should not be giored bayond a period of 90 days.
- 15. The industry situated nearby the River Commenced by Pribularies shall crouse the treatment facilities and disposal arrangement in such a way arranging opinio water is discharged in water stream of water todies.
- 16, The industry coverest under Environment Hapket Assessment Notification, 2006 (as amended from time-totime, shall strictly comply with the practision profile motification,
- 12. The unit thall comply all the complitions indulinated in Environment Classinates letter No., EC-73/10/263 Dated 26,03-2014 observed promise that
- 18. Vall Stall Steletty couply with your distance of Dogic Valley Notification 1989:
- 19. Unit anall, not concretely presentational process which are restricted in Doon Valley Month cation 1989

B-16

546

ISTER!

And the stall not use fuel institute maintacturing process or in any subsidiary process which may emit and the subplants different lature.

At that that not discharge industrial afficent of polluting nature from propositioning process.

\*Contral Conditions

- The applicant state gardinary restlick selectics of cilinear emission mazardous wastes at least once in a three amonth from the leboratory recognities by the Modelle and shall report to the UEPPCB.
- 2. The applicant shall three year, not without the prior consent of the Board lying into use any new or altered outlet for the displaying of all purity of cases empission or sawage waste from the unit.
- 3. Treated waste water and domnstic sease water shall be disposed jointly at one disposed point. The applicant shall provide disclarge measurement againment at final disposal point.
- 4. The applicant shall sufficient comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt he this CCA. If at any point of time, it is found that the industry is not complying with dispulated conditions or any further direction/instruction issued by the Board; legal action shall be latituded against the applicant.
- 5. The applicant and immigrate recolutions seeming. All valves/pipes/sewer/dmins etc. must be leak proof.
- 6. The industry shall provide ordinary to the STP's/ETP's inject and outlet points. Air Pollution Control equipment and shall for any appropriate industry of pollution course measures.
- 7. The industry shall provide "the posture thought at the lime of inspection to the Board's officials.
- It, Whenever the to any accident or office kinforeseen set or event, such croission occurs or is apprehended to occur in access of standards teld down, such information shall be reported to the Board's offices and all other conserved offices. In case of influer of pollution control equipment, the production process connected to it shall be stopped with principle office.
- 9. The industry that operate this impact spatial all emissions be amitted through designated chimney/stack only.
- 10. In case of any damage to the afficialities productivity, human habitation etc. by the operation of industry, it shall be impossive to story production in the industry with immediate effect and such information shall be reported to Board's officer. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 11. The applicant shall apply Edica the fill days of expiry of CCA or any change in production types/ production capacity/measured process/entantly only occurs of each or enterior point.
- 12. The Russed reserves the right in revolve and enoughly any supulated condition is sued along with CCA, as may be necessary.
- 13. The person withoutsed shall statistical land, sell, transfer or otherwise transport the hozardous waste without obtaining prior permission of the Board.
- 14. Any transfer change in personnel, equipment as working condition as mentioned in the application by the passon authorized shall constitutes breath of his authorized on.
- 13. It in the duty of the authorized purson to take prior permission of the Board to close down the famility.
- 16. The authorization is will for temporary through of Hamintons Weste within premises only.
- 17. The authorized agency shall ensure that an line days with regard to anomaly and nature of hazardous chemicals being used in the plant as well as all application and worse generated within premises is displayed on Display Board of size 674-feet out side the many factory gate within premises.
- 18. It is day of the sufficiency person to take prior pennission of this Board to close and cleanup the facility for beatment, storage and disposal of hazardons wante.
- 19. The applicant shall maintain record of harmdons was on Form-3 and shall submit an until return in Form-4 on of before the 30th day of June following to the financial year to which that return relates.
- 20. In case of any accident, complete doubts in the light of Form-14 of the Hazardius studes shall be submitted to this Rosect of the cardioct.
- 21. In the case any lazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be saidly collected and stored.
- 22. Before the hundres waste is stored or damped in the facility, applicant must conduct a detailed physical and chemical analysis of parardous waste sample and report to the Board.
- 21. Diled hazardous studge from the process in the plant shall be stored in double fined HDPE pit constructed with RCC arranch material which they not react will the waste contained in it.
- M. The stopage area should be itensed properly and Significative Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate postucit fool; in Hindi and Emplish.



B-16

1547

U PPI CE

25 The industry simil store more formulating waste, used oll/apont oil waste in sealed drums placed on impervious floor language covered short. Hazardous waste if respired shall be said only to Registered Recyclors/Represents.

processors.

26. In case of any interportation of hazardon typic, the details in Fermi-13 of the Hazardons Rules shall be submitted to the Board.

Regional Officer

M

....

855l

**間間引用を見られるななな。** (1911年) 1911年 - 1911

# CENTRAL POLLUTION CONTROL BOARD Parivesh Bhawan, East Arjun Nagar, Delhi-110 032 WASTEWATER LABORATORY ANALYSIS REPORT NABL Accreditation: ISO/IEC: 17025: 2005, Certificate No: T0643.

50X3)

Mr. Mukesh balodhi & Team. Refer Column given below. Date & time of sample receipt Samples collected by Source of sample

28th August to 1.1th September 2017.

Refer Column given below.

Sample registration no. & date

Date of sample analysis

Report No.: WWL/Sept/87/17. Issue Date: # |09 | 2013

Environmental conditions during sampling Test method reference Report sent to (Name & Address)	itions during sance ice ie & Address)	: Boildm	APHA/BIS. Mr. Mukesh bałodhi	bałodhi.			; · · ·				:	  -  -	: :	-
S Sample No. Code/Detail	Date & Time of	Date & Time of	Reg. No. & Date	WWL Sample	ī	TSS	000	<b>8</b> 00	, ,					: :
: - T	Collection 25-26/08/17	Receipt 28/08/17	14787/ww	756	6.78	ន	<u>.</u> 2	- <u>C</u>			•			ı
	- မို	-0.5	60	, /5/	6.39	8 <u>0</u> F	56	:  8  -		1	' !			
40. 	-3		-cp	877	6.92	BDt.	120	σ.	: :			:		. !
.च े.	   9 	:: : •	- <b>9</b> p-	.55 55 15	7.17	20	135	77		•				•
un or	-90-	cp.	\$	760	6.73	ទ្ឋ	128	20	 2	. · . · . · . · . · . · . · . · . · . ·	:			
		- <del>G</del> -	op .	. 761	7.38	33	108	32				,		. :

Note: All the concentrations are expressed in mg/l except of OH and Conductivity (µmho/om).

(Gargi Gurtu)

Sh. B.K. Jakhmola (1/C Water Lab & Ammendment No.: 1ssue Date: 22.05.2007

Authorized Signatory)
O7 Amendment Date: 27.07.2016

Page: 01 of 02

Commercial de de Contraction

Jane col



## CENTRAL POLLUTION CONTROL BOARD Panvesh Bhawan, East Arjun Nagar, Delhi-110 032 WASTEWATER LABORATORY ANALYSIS REPORT

NABL Accreditation: ISO/IEC: 17025: 2005, Certificate No: T0643.

s z	Sample Code/Detail	Date & Time of	Date & Time of Receipt	Reg. No. & Date	Sample No.	<u> </u>	?	}		<u> </u>			 	
7		φ - φ	-00-	쓩	762	7.23	15	193	27	•	,			
, wi	8	-op	-op	ę	763	98.9	21	107	23	-	•	·	,	
6	6	-è	-op-	8	764	6.57	23	3DF	8Dt	,		-		
10.	10	-ộ	-op	\$	765	7.03	11	87	23					
11.	E	ò	-op-	ģ	766	8.34	01	96	20	· ; ·	4		,   	
12	12	ģ	- op	ģ	767	7.46	ig B	09	13			,   	,	
Ä	. FI	-op	-op-	ģ	768	7.72	15	- 6	22	:	 	,	· :	! !! !! <del>!</del> :
Ξ.	4	-op-		ò	769	6.95	13	83	<b>7</b>		· 		·	· ; '
55	\$1	-90	- do-	ę	770	06.9	<u> </u>	001	21			· • • •	· .	
91	9.7	.j.	Сор	-op-		6.88	82	132	28		,	,	•	; ; ;
ot (	e: All the concer	centrations are	Note: All the concentrations are expressed in mg	-	except of pH and Conductivity (µmho/cm)	onductiv	vity (pin	ho/cm)	i					

The results relate only to the samples tested.
 The report shall not be reproduced except in full without the written approval of the laboratory.
 The parameters in the report are under NABL Accreditation.

Supervisor 11 9 Not under NABL scope parameter. BDL & Test methods are mentioned on back side of this in Analyst (Sargi Gurtu)


DOC: CB/CL/QR/5.10/WWL - 2

Sh. B.K. Jakhmola (I/C Water Lab &

Authorized Signatory)
Issue No.: 04 Ammendment No.: Issue Date: 22.05.2007 Amendment Date: 27.07.2016

Page: 02 of 02

True call



S. No.	Industry	Parameter	Standards
i	2	3	4
		<sup>2</sup> [Effluent Standards	Limiting concentration in
		i. Compulsory Paramters	mg/l, expect for pH
		pН	6.0-8.5
		Oil & grease	10
		BOD (3 days 27°C)	100*
		Total suspended Solids	100
		Bioassay test	90% survival of fish after
		-	first 96 hours in 100%
			effluent **
		ii. Additional Paramters	
		Mercury	0.01
		Arsenic	0.20
		Chromium (Cr <sup>6+</sup> )	0.10
		Lead	0.10
		Cyanide	0.10
	ŕ	Phenolics (C <sub>6</sub> H <sub>5</sub> OH)	1.0
		Sulphides (as S)	2.0
v)		Phosphate (as P)	5.0

## Note:

- The BOD and COD limits shall be 30mg/l and 250 mg/l respectively, if treated effluent is discharged directly into a fresh water body i.e., stream, canal, river or lake
- \*\* The Bioassay Test shall be conducted as per IS:6582-1971.
  - (i) Parameters listed as 'Additional Parameters' shall be prescribed depending upon the process and product.
  - (ii) Limits for total dissolved solids in effluent shall be prescribed by the concerned pollution control board/pollution control committee depending upon the recipient water body).

Substituted by Rule 2(b)(i) of the Environment (Protection) Third Amendment Rules, 2009 notified by G.S.R.512(E), dated 9.7.2009

Substituted by Rule 2(b)(ii) of the Environment (Protection) Third Amendment Rules, 2009 notified by G.S.R.512(E), dated 9.7.2009

## BEFORE THE NATIONAL GREEN TRIBUNAL AT NEW DELHI

## PFOOF OF SERVICE

SL.NO	PARTY DETAILS	RECEIVING
1.	APPELLANT Sudesh Kotwal	
2. !	Respodent No. 1 Ayush Negi	
3.	Respondent No.2 Raj kumar	
4.	Respondent No. Prachi Mishra	
5.	Respondent	
	Respondent No.	
	Respondent No	***
	Respondent No.	