

1196

N.D.O.H. 18/09/2017

**BEFORE THE NATIONAL GREEN TRIBUNAL
AT NEW DELHI**

Original Application No.451 OF 2016

Selaqui International School

Applicant

Vs

Union of India & Ors

Respondents

<u>Sr. No.</u>	<u>Particular</u>	<u>Page</u>
1.	Index	-1196 -
2.	Inspection Report UEPPCB	1197 -1201
3.	<u>ANNEXURE -A</u> A copy of the letter dated 20.10.2016	1202 - 1204
4.	<u>ANNEXURE -B-1</u> A copy of the Letter dated 24.07.2017	1206 - 1229
5.	<u>ANNEXURE -B-2</u> A copy of the Letter dated 11.07.2017	1230 - 1254
6.	<u>ANNEXURE -B-3</u> A copy of the Provisional Consent order (cca)	1256 -1272
7.	<u>ANNEXURE -B-4</u> A copy of the Letter dated 24.08.2017	1273 - 1293
8.	<u>ANNEXURE -B-5</u> A copy of the Provisional Consent order (cca)	1294 - 1311
9.	<u>ANNEXURE -B-6 & ANNEXURE -B-7</u> A copy of the Letter dated 23.08.2017	1312 - 1361
10.	<u>ANNEXURE -B-8</u> A copy of the Provisional Consent order (cca)	1362 -1377
11.	<u>ANNEXURE -B-9</u> A copy of the Letter dated 24.08.2017	1378 - 1398

VOLUME - I

NEW DELHI
DATED 16.09.2017

FILED BY



(MUKESH VERMA)
ADVOCATE FOR RESPONDENT
CHAMBER NO. 50
SUPREME COURT OF INDIA
NEW DELHI-110001
PHONE NO 23389715
09810108098, 09312222131
Email: mvermadv@gmail.com

Joint Inspection Report Of Pharma Formulation Unit situated in Pharma City, Setaqui, Dehradun in Compliance Of Hon'ble National Green Tribunal (NGT) order dated July 25, 2017 in respect of original application no.45/of 2016 in the matter of Setaqui International School Vs Union of India.

Order of Hon'ble NGT dated July 25, 2017.

In Respect of original application no.45/of 2016, Hon'ble NGT has decided as follows:

1. The Uttarakhnad Pollution Control Board Shall submit affidavit of its Member Secretary stating that within what time these 14 Industries have been operating without consent of the board. This should be on the basis that the board has no authority to issue consent retroactively.
2. The Uttarakhnad Pollution Control Board and the representative of the Central Pollution Control board shall conduct a joint inspection of all these industries and submit a complete and comprehensive report before the Tribunal within four weeks from today.
3. The inspection shall be comprehensive in all respect, including analysis of effluent being discharged from these industries.
4. The report preferably should relate to at least 5 preceding years.

Inspecting team for joint inspection

1. Sh. Mukesh Bahadur, Scientist 'C' CPCB Delhi.
2. Sh. S. S. Rana, Regional officer UEPCCB, Dehradun.
3. Sh. Subhash Chand Panwar AEE, UEPCCB, Dehradun.
4. Sh. S. S. Chauhan, Scientific Assistant, UEPCCB Dehradun.

Description of Industries

The Joint Inspection team inspected the industries situated in Pharma city Dehradun during August 25-26, 2017.
The listed Industries are Pharmaceutical Formulation units and Herbal Extraction units.
The Pharmaceutical Formulation Units are engaged in manufacturing of capsule, tablet, oral syrup, injection etc.
These units does not fall under 17 category of highly polluting industries identified by the CPCB.

Dr. V. K. Singh
Sh. S. S. Rana
Sh. Subhash Chand Panwar
Sh. S. S. Chauhan

The following information is provided for the purpose of the CCA status of the units. The information is provided for the purpose of the CCA status of the units. The information is provided for the purpose of the CCA status of the units.

1196 2012

Status Summary of Respondent Pharma Units

S. No.	Name and Address of Unit	CCA Status of Last Five Years					Waste Water Generation		Waste Water Treatment Facility		Effluent Disposal	Sample Analysis Report (as per CPC&Lsb)				
		2013-14	2014-15	2015-16	2016-17	2017-18	Washing & Equipment (lmt)	Dom.	Ind	Treated Water		20121				
												BOD (mg/L)	CO2 (mg/L)	TSS (mg/L)	pH	
1	East African (India) Overseas, Plot No. 1, Pharmacy, Selangai, Dehradun - 246197	Granted	Granted	Granted	Granted	Granted	20 KLD	10 KLD	Septic Tank/Soak pit	ETP	Reuses in Gardening	BDL	10	BDL	6.78	
2	India Glycols Ltd. (Herbal Extraction Unit) Plot No. 2 & 3, Pharma City, Selangai, Dehradun - 246197	Granted	Granted	Granted	Granted	Granted	N/A	3.2 KLD	ETP Cum STP	ETP Cum STP	Reuses in Cooling Tower make up water	4	25	BDL	6.99	
3	M&B Pharmaceuticals & Research Limited, Plot No. 10, Pharmacy, Selangai, Dehradun - 246197	CTE	Granted	Granted	Granted	Granted	5.0 KLD	5.0 KLD	Septic Tank/Soak pit	ETP	Gardening and flushing	29	120	BDL	6.92	
4	Mancare Laboratories Pvt. Ltd., 11- Pharmacy, Selangai, Pharmacy, Selangai, Talwks, Selangai-246197 - 246197	Granted	Not Applicable	Granted	Granted	Granted	8.0 KLD	0.30 KLD	Septic Tank/Soak pit	ETP	Gardening and flushing	22	138	20	7.17	

Signature of Officer in Charge with Authority

1199

1	Medipharma Pharmaceuticals Pvt Ltd 46, Pinnawadi, Selakui Industrial Area, 1st VRS, Selakui-248197	Granted	Granted	Granted	Granted	Granted	Granted	6.00 KLD	6.00 KLD	ETP Cum STP	ETP Cum STP	Gardening and Flushing	29	120	BDL	7.92
6	Tejap Pharma Ltd. 19, Pharmacity, Siddul, Selakui, 1st VRS, Selakui-248197, Ochradum	Granted	Granted	Granted	Granted	Granted	Granted	2.10 KLD	2.10 KLD	ETP Cum STP	ETP Cum STP	Gardening and Flushing	22	93	15	7.72
7	Sidmark Laboratories India Pvt Ltd Bldg No. 20, Pharmacity, Selakui, Ochradum- 248197	Granted	Granted	Granted	Granted	Granted	Granted	39.20 KLD	1.50 KLD	ETP Cum STP	ETP Cum STP	Gardening and Flushing	23	87	11	7.09
8	Uni Medico Labs. Pvt Ltd. 21-22, Pharmacity, Selakui, Ochradum-248001	Not Applied	Granted	Granted	Granted	Granted	Granted	20.00 KLD	15.00 KLD	ETP Cum STP	ETP Cum STP	Gardening and Flushing	27	193	15	7.23
9	Kalindi Mediscare Pvt Ltd. 25, 26, Pharmacity Selakui, Ochradum Selakui-248001	Granted	Granted	Granted	Granted	Granted	Granted	4.90 KLD	\$400 KLD	ETP Cum STP	ETP Cum STP	Gardening and Flushing	26	109	BDL	7.38
10	Corall Laboratories Ltd. Plot No. 27-28, Pharmacity, Siddul, Selakui, Ochradum, Selakui-248197	Granted	Granted	Granted	Granted	Granted	Granted	3.20 KLD	\$1.20 KLD	ETP Cum STP	ETP Cum STP	Gardening and Flushing	23	107	21	6.86
11	Meins Laboratories Pvt. Ltd. Plot No. 29, Pharmacity, Selakui Industrial Area, Ochradum	Granted	Granted	Granted	Granted	Rejected	Granted	6.5 KLD	3.00 KLD	Septic Tank/Soak pit	ETP	Gardening and Flushing	BDL	BDL	23	6.57

Dr. (Signature)
Date: 14/09/13
Page: 1199

1200

Page 4 of 5

12	Indo Shalini R. Co. (Devi) Pvt. Lim. No. 50, Pharmacy, Selaqui Industrial Area, Dohradun, Lal mukh, Selaqui-248197	Granted	Granted	Granted	Granted	Granted	Granted	1400 KLD	6000 KLD	ETP Cum STP	ETP Cum STP	Gardening and flushing	24	40	19	8.34
21	Bioherbal E. Ltd. 31 & 32, Pharmacy Selaqui - Dohradun, Tal V.K.S. Selaqui- 248197	Granted	Granted	Granted	Granted	Granted	Granted	1000 KLD	100 KLD	ETP Cum STP	ETP Cum STP	Gardening and flushing	23	60	801	7.46
14	Himalaya Meditech Pvt. Ltd. Plot No 35 B 16, Pharmacy, Selaqui-248197.	Granted	Granted	Rejected	Granted	Granted	Granted	5.50 KLD	4.00 KLD	Septic Tank/Soak pit	ETP	Gardening and flushing	14	83	15	6.95
15	Karnati Pharmaceuticals (P) Ltd. 38, Pharmacy Selaqui, Selaqui, Dohradun	Granted	Granted	Granted	Granted	Granted	Granted	5.00 KLD	2.50 KLD	Septic Tank/Soak pit	ETP	Gardening and flushing	21	100	11	6.9
16	Supermax Laboratories, 40, Pharma City, Selaqui Ind. Area, Selaqui, Dohradun-248197	Granted	Granted	Granted	Granted	Granted	Granted	1.00 KLD	2.00 KLD	Septic Tank/Soak pit	ETP	Gardening and flushing	28	132	18	8.88
17	Neutra Life Sciences, 39, Pharmacy, Selaqui Ind. Area, Selaqui, Dohradun- 248197	Unit closed and not in operation since 2011														

Selaqui

Dohradun
Selaqui
Mukh

Chemical	
Physical	
Biological	
Environmental	
Other	

1. To be used for the purpose of the study.

2. To be used for the purpose of the study. (Copy of the report should be submitted as Annexure A)

Notes

- Copy of the report should be submitted as Annexure (B-E-F-G)
- Copy of Sample Test Report should be submitted as Annexure (H-I-J)
- Copy of Standard Agreement as Annexure (D)

[Signature]

(S.S. Chakrabarti)
Scientific Assistant
USPCCB, Dehradun

[Signature]

(Subhash Chandra Singh)
Asst. Environmental Engineer
USPCCB, Dehradun

[Signature]

(S.S. Rana)
Regional Officer
USPCCB, Dehradun

[Signature]

(Mukesh Bhatnagar)
Scientist 'C'
USPCCB, Dehradun

क्षेत्रीय कार्यालय

उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड
ई-115, नेहरू कॉलोनी, देहरादून-248001



REGIONAL OFFICE
Uttarakhand Environment Protection &
Pollution Control Board
E-115, Nehru Colony, Dehradun-248001

पत्रांक सं०-यूईपीसीसीबी/आरओडी/ईए-816/2016-17/1815-661

दिनांक: 20/10/16
पंजीकृत डाक द्वारा

सेवा में,

सदस्य सचिव महोदय
उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड,
29/20, नेमी रोड, डालनवाला
देहरादून।

विषय- M/s Premier Nutraceuticals Pvt. Ltd. Plot No. 33 (Unit-D) Pharamcity, Selaqui, Dehradun के
बन्दीकरण के सम्बन्ध में। &

महोदय,

कृपया उपरोक्त विषयक बोर्ड मुख्यालय के पत्रांक संख्या-यूईपीसीसीबी/एचओ/कोन./पी-41/2016/1204 दिनांक 07.10.2016 के द्वारा उद्योग को जल प्रदूषण (नियंत्रण एवं निवारण) अधिनियम-1974 की धारा-33-ए एवं वायु प्रदूषण (नियंत्रण एवं निवारण) अधिनियम-1981 की धारा-31-ए, के तहत निर्गत बन्दी आदेश के अनुपालन में दिनांक 15.10.2016 को उद्योग के Tablet Section में संचालित Rapid Mixing Granulator (RMG) एवं Capsule Section के Cone Blender के मुख्य प्रवेश द्वार को उद्योग प्रतिनिधि श्री पीएसओ वर्मा, जीओएमओ, ऑपरेशन की उपस्थिति में इस कार्यालय द्वारा सील कर दिया गया है। बोर्ड मुख्यालय से निर्गत आदेश के अनुपालन में उद्योग का विद्युत विच्छेदन, विद्युत विभाग के द्वारा आज दिनांक तक नहीं किया गया है।

अतः उपरोक्त सादर सूचनार्थ प्रेषित।

संलग्नक-सीलिंग से सम्बन्धित कार्यवाही का विकरण फोटोग्राम सहित

भवदीय

(एसओएसओ संपादक)

क्षेत्रीय अधिकारी (प्र०)

प्रतिलिपि- जिलाधिकारी महोदय, देहरादून को इस अनुरोध के साथ प्रेषित कि Uttarakhand Powder Corporation Ltd., Dehradun को उद्योग का विद्युत विच्छेदन करने हेतु अपने स्तर से निर्देशित करने का कष्ट करना चाहेंगे। (बन्दी आदेश की प्रति संलग्न है)।

क्षेत्रीय अधिकारी (प्र०)

1. प्रमाण के अन्तर्गत के UCCP/RO/CR/P.41/201/1246 दि. 07/10/2011
 2. प्रमाण के अन्तर्गत के Premier Neutraceutical Pvt Ltd (Unit I) Plot No. 1246
 3. प्रमाण के अन्तर्गत के निर्माण की योजना के अनुसार के नुसार के आग निरोधक
 4. प्रमाण के अन्तर्गत के 12.10 को उद्योग के Tablet Section के Rapid mixing
 5. प्रमाण के अन्तर्गत के Granulator (RMG) तथा Capsule Section के Cone Blender के
 6. प्रमाण के अन्तर्गत के उद्योग के अग्नि सुरक्षा की योजना (Fire Protection)
 7. प्रमाण के अन्तर्गत के उद्योग के अग्नि सुरक्षा की योजना (Fire Protection) के अनुसार के
 8. प्रमाण के अन्तर्गत के उद्योग के अग्नि सुरक्षा की योजना (Fire Protection) के अनुसार के
 9. प्रमाण के अन्तर्गत के उद्योग के अग्नि सुरक्षा की योजना (Fire Protection) के अनुसार के
 10. प्रमाण के अन्तर्गत के उद्योग के अग्नि सुरक्षा की योजना (Fire Protection) के अनुसार के

सूचक तालिका का अर्थ है कि प्रत्येक तालिका का अर्थ है कि



Received

[Handwritten signature]

A-101-A

1204

UTTARAKHAND ENVIRONMENT PROTECTION & POLLUTION CONTROL BOARD
E-115, NEHRU COLONY, DEHRADUN

INSPECTION MEMO

1. Name and Address of Industry: M/s. Prasanna Nutraceuticals Pvt. Ltd. Unit - I
Plot No. 33, Pharencity, Selaguri, Dehradun.
2. Date of Inspection: 15/10/2016
3. Date of Commissioning of Unit: year, 2007 (approx)
4. Category of Unit: Red Orange Green
5. Raw Material with Quantity: Basic Pharmaceutical Drugs
6. Product & Production Capacity/Day: Tablet - 0.0 Lakh/day & Capsule - 1 Lakh/day
7. Total Water Consumption per Day: -
8. Effluent Quantity Discharge/Day: -
9. Status of Effluent Treatment Plant: Installed/Not Installed
10. Units of ETP: Collection Tank, with screen trap, Filter, settling tank (S.T.), S.M. Filter, S.D.B. Final Tank
11. Final Discharge Point of Treated Effluent: Grounding etc.
 (a) River (b) Well (c) Dugland (d) Others
12. Distance of Water Body from Unit: -
13. Present Status of Unit: Operational / Not Operational
14. Effluent Sample Collection Date: NO (because unit is closed on 15/10/2016)
15. BOD Concentration in Mg/L: -
16. Remarks: UEPPCB issued Closure Notice on 07/10/2016
and unit sealed on 15/10/2016

Name & Signature of Unit Representative
 with seal

Mr. P. S. Verma
(General Manager operation)



Name & Signature of Inspecting Officer

Dr. Anil Singh, ASO
Mr. Sushant Pandey JE

TRUE COPY

1206

UEPPCB

HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dahanwala, Dehra Dun (Uttarakhand)

Phone: 0119-2560000, Fax: 0119-2560001, Web: www.ueppcb.org, E-mail: ueppcb@ueppcb.org

UEPPCB/HO/Con/E-16/2017/594

Date: 24/07/2017
REGD. POST

To,
M/s East African (India) Overseas,
Plot No. 1, Pharmacy, Selaqui,
Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCR ID - 11159	Inward ID - 66218
CCA (Renewal)	
Consent No. 37277/1930	Date: 17.05.2017

CCA is hereby granted to M/s East African (India) Overseas located at Plot No. 1, Pharmacy, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions:-

1. This CCA is granted for a period from 01.04.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 39.84 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	30MT	Capsules	30MT
2	Dry Injection	7.5MT	Dry Injection	7.5MT
3	Dry Syrup	45MT	Dry Syrup	45MT
4	Ear & Eye Drop	30KLT	Ear & Eye Drop	30KLT
5	Liquid Injection Ampule	30KLT	Liquid Injection Ampule	30KLT
6	Liquid Injection Vial	30KLT	Liquid Injection Vial	30KLT
7	Liquid Syrup	300KLT	Liquid Syrup	300KLT
8	Ointment Lotion	300KLT	Ointment Lotion	300KLT
9	Ointment Tubes	120MT	Ointment Tubes	120MT
10	Tablets	36MT	Tablets	36MT

2. Specific Conditions under Water Act :-

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	10 (100% reuse)	10 (100% reuse)
Sewage	20	20

- (ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

M/s East African (India) Overseas
[Signature]
[Stamp]

In case of stoppage of functioning of ETP production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be reused in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250mg/l
5	Total Suspended solids	Not to exceed	100 mg/l
6	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive Septic Tanks/Soak pits as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standard not to exceed
1	D.G. Set (500 KVA) X 1	4	HSD	50Ltr/Hr	Acoustic Enclosure	
2	D.G. Set (62.5KVA) X 1	2	HSD	5Ltr/Hr	Acoustic Enclosure	
3	Boiler (1000Kg/Hr) X 1	10	LPG	50Ltr/Hr	Natural Draft	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m. Night time : from 10.00 p.m. to 6.00 a.m.

1206 3-1

UPPCCB

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue :
- (ii) The Factory Manager of M/s East African (India) Overseas, Vikasnagar, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 33.2	0.100	As per rules.
2	Schedule I - 5.1	1.000	Recyclable

- (iv) The authorization shall be in force for a period from 01.04.2017 to 31.03.2018.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for pharmaceutical formulation processes only.
 6. Compulsory documents to be submitted by the Industry/Unit :-
 - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Distt-Dehradun for information and compliance of the same.

Chief Environmental Officer

Auth. Sign./Partner

1203


Annexure

Specific Conditions:-

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack, attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures in control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall comply all the conditions mentioned in Oxon Valley Notification - 1989.
14. Treated effluent from ETP should be reused within the industrial premises for gardening. There should be no discharge outside the industrial premises.
15. Unit has to comply all the directions/orders of Hon'ble Court and Hon'ble NGT and the directions of Central Pollution Control Board as applicable.
16. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further directions/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.


 Anil Kumar

1208 8-1

HEPPER

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimneys/smokestack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.

Chief Environment Officer

Chief Officer

Chief Officer



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)
 Phone: 0135-265000, Fax: 214002 Web: www.uepcb.org.uk.gov.in E-mail: uepcb@uepcb.org.uk

UEPPCB/HO/Con/E-16/2017 / 2094

Date: 28.1.2017
REGD. POST

To,
 M/s East African (India) Overseas,
 Plot No: 1, Pharmacy, Selaqui,
 Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11159	Inward ID - 63965
CCA (Renewal)	
Consent No. 36779 / 930	Date: 09.09.2016

CCA is hereby granted to M/s East African (India) Overseas located at Plot No: 1, Pharmacy, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions -

1. This CCA is granted for a period from 09.09.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 11.47 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	30MT	Capsules	30MT
2	Dry Injection	7.5MT	Dry Injection	7.5MT
3	Dry Syrup	45MT	Dry Syrup	45MT
4	Ear & Eye Drop	30KLT	Ear & Eye Drop	30KLT
5	Liquid Injection Ample	30KLT	Liquid Injection Ample	30KLT
6	Liquid Injection Vial	30KLT	Liquid Injection Vial	30KLT
7	Liquid Syrup	300KLT	Liquid Syrup	300KLT
8	Ointment Lotion	300KLT	Ointment Lotion	300KLT
9	Ointment Tubes	120MT	Ointment Tubes	120MT
10	Tablets	36MT	Tablets	36MT

2. Specific Conditions under Water Act:-

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	10 (100% reuse)	10 (100% reuse)
Sewage	20	20

- (ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

M/s East African (India) Overseas
 Auth. Sign./Partner

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be reused in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250mg/l
5	Total Suspended solids	Not to exceed	100 mg/l
6	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive Semic Tanks/Soak pits as is required with reference to influent quantity and quality

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	D.G. Set (500 KVA) X 1	4	HSD	50Ltr/Hr	Acoustic Enclosure	
2	D.G. Set (62.5 KVA) X 1	2	HSD	5Ltr./Hr	Acoustic Enclosure	
3	Boiler (1000Kg/Hr) X 1	10	LPG	50Ltr/Hr	Natural Draft	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time : from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue
- (ii) The Factory Manager of M/s East African (India) Overseas, Vikasnagar, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 13.2	0.100	As per rules.
2	Schedule I - 3.1	1.000	Recyclable

- (iv) The authorization shall be in force for a period from 09.09.2016 to 31.03.2017.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for pharmaceutical formulation processes only.
 6. Compulsory documents to be submitted by the Industry/Unit :-
 - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Distt-Dehradun for information and compliance of the same.

Chief Environment Officer

Auth. Sign. Partner

2-1

UEPPCB

Annexure

12/3

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that tax submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall comply all the conditions mentioned in Doon Valley Notification - 1989.
14. Treated effluent from ETP should be reused within the industrial premises for gardening. There should be no discharge outside the industrial premises.
15. Unit has to comply all the directions/orders of Hon'ble Court and Hon'ble NGT and the directions of Central Pollution Control Board as applicable.
16. The unit shall submit compliance report of this CCA along with Stack analysis report every year to the Board Offices.


General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak proof.
6. The industry shall provide uninterrupted entry to the STP/ETP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other

For and on behalf of Aircon (India) Overseas

- concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
 14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
 17. The authorized agency shall ensure that on-time data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
 20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
 21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pli constructed with R.C.C. or such material which does not react with the waste contained in it.
 23. The storage area should be fenced properly and Sign/Hazard Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
 24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
 25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.


Chief Environment Officer


Partner

8-1215

02/11/20

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time.

Compulsory Parameters			
1	pH	Between	6.0-8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100mg/l
4	Total Suspended Solids	Not to exceed	100mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	10-10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphates (as P)	Not to exceed	5.0

- (iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time.

S.No.	Parameters	Standard for STPs
1.	pH	6.5 to 9.0
2.	BOD (mg/L)	10
3.	COD (mg/L)	50
4.	TSS (mg/L)	10
5.	NH ₄ -N (mg/L)	5
6.	N-Total (mg/L)	10
7.	Faecal coliform (MPN/100ml)	<250
8.	PO ₄ -P (mg/L)	4

3. Conditions under Air Act

- (i) The applicant shall use fossil fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Sr. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1.	D.G. Set (500 KVA) X 1	4	HSD	500.0/Hr	Acoustic Enclosure	

B-1 1217

10/10/16

2	D.G. Set (62.5KVA) X 1	2	FSD	5Lm/1hr	Acoustic Enclosure	-
3	Boiler (1000Kg/Hr) x 1	10	BPO	50Lm/1hr	Natural Draft	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards for Noise level in dB(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time:- from 6.00 a.m. to 10.00 p.m., Night time from 11.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous & Other Wastes Rules-2016

- (i) Number of authorization and date of issue: 930 dtc 24/6/16
(ii) The Factory Manager of M/s East African (India) Overseas, Vilcasagar, Distt. Behradan is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule I & Schedule II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1.	Schedule II- 33.2	0.100	As per rules
2.	Schedule I- 5.1	1.000	Recyclable

- (iv) The authorization shall be in force for a period from 16.07.2015 to 31.03.2016.
(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
(iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
(vi) An application for the renewal of an authorization shall be made as laid down under these rules.
(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for pharmaceutical formulation processes only.

6. Compulsory documents to be submitted by the Industry/Unit:-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous & Other Wastes Rules and Third Party Audit Report
(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APC/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous & Other Wastes Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to - Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Distt. Dehradun for information and compliance of the same.

Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall provide ISI mark water meter in each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year in the form submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached in various sources of emission shall be designated by number such as S-1, S-2 etc. and these shall be painted & displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies & ground water etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards that are applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA under. As violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environmental (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous & Other Wastes Rules while the hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated near by the River Ganga and its tributaries shall ensure the treatment facilities & disposal management in such a way so that no waste water is discharged in water stream or water bodies.
13. The unit shall submit compliance report of this CCA along with Stack analysis report every year to the Board Office.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a month from the laboratory recognized by the MOEF and shall report to the UEPCCB.
2. The applicant shall, however, not without the prior consent of the Board bring into use any new or old facility for the discharge of effluent or gases emission or sewage waste from the unit.
3. Sewage effluent water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment in final disposal point.

Auth. Sign/Partner

HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Neral Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 0522-252611, Fax : 0522-252612, E-mail : ueppcb@ueppcb.org.in, ueppcb@ueppcb.org

UEPPCB/HO/Con/E-16/2015 / 18/1

Date : 18/3/2015

REGD. POST

To,

M/s East African (India) Overseas,
Plot No: 1, Pharmicity, Selagui,
Tehsil-Vikasnagar, Dist-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-31 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Shipment) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11159

Inward ID - 56643

CCA (Renewal)

Consent No. 34456/ 93 C

Date : 17.06.2014

CCA is hereby granted to M/s East African (India) Overseas located at Plot No: 1, Pharmicity, Selagui, Tehsil-Vikasnagar, Dist-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period from 17.06.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 25.89 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	30MT	Capsules	30MT
2	Dry Injection	7.5MT	Dry Injection	7.5MT
3	Dry Syrup	45MT	Dry Syrup	45MT
4	Ear & Eye Drop	30KLT	Ear & Eye Drop	30KLT
5	Liquid Injection Ampule	30KLT	Liquid Injection Ampule	30KLT
6	Liquid Injection Vial	30KLT	Liquid Injection Vial	30KLT
7	Liquid Syrup	300KLT	Liquid Syrup	300KLT
8	Ointment Lotion	300KLT	Ointment Lotion	300KLT
9	Ointment Tubes	120MT	Ointment Tubes	120MT
10	Tablets	36MT	Tablets	36MT

2. Specific Conditions under Water Act:-

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	10 (100% reuse)	10 (100% reuse)
Sewage	20	20

- (ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone call with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time.

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
2	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone call with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mtr)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	D.G. Set (500 KVA) X 1	4	HSD	50Ltr/Hr	Acoustic Enclosure	-
2	D.G. Set (62.5KVA) X 1	2	HSD	5Ltr/Hr	Acoustic Enclosure	-
3	Boiler (1000Kg/Hr) X 1	10	LPG	50Ltr/Hr	Natural Draft	-

UEPFCB

In case of stoppage or malfunctioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by jct phone-email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards (or Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m. Night time: from 10.00 p.m. to 6.00 a.m.

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue *Q30.d/10/3/2015*
 (ii) The Factory Manager of M/s East African (India) Overseas, Vikasnagar, Dist-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
 (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 33.2	0.100	As per rules.
2	Schedule I - 3.1	1.000	Recyclable

- (iv) The authorization shall be in force for a period from 17.06.2014 to 31.03.2015.
 (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for pharmaceutical formulation processes only.
 - Compulsory documents to be submitted by the Industry/Unit :-
 - Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 - Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 - Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

UEPFCB

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules

Member Secretary

Copy to - Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Distt-Dehradun for information and compliance of the same

Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
4. The unit shall comply with the provisions of The Bacteria (Management & Handling) Rules - 1981 as amended and shall submit return as per provisions of said rules.
5. The unit shall comply with the provisions of The E-Waste Management & Handling Rules - 2008 and shall obtained registration (if any) under the said rules.
6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
7. The applicant shall provide parts in the chimney/stack and facilities such as ladder, platform etc. as per requirements for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed in luminous identification.
8. The industry shall ensure interlocking of air pollution control devices and production processes.
9. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/oil etc. does not take place.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
12. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
14. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
15. Unit shall ensure manifest system in Form-13 of HW Rules while dumping hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days.
17. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
18. The unit shall submit compliance report of this CCA along with Stack analysis report every year to the Board Offices.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF&P and shall report to the UEPFCB

5. The applicant shall however, not without the prior consent of the Board bring into use any new or altered unit for the discharge of effluent or gases emission or sewage waste from the unit.
6. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
7. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 10 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
8. The applicant shall maintain good house keeping. All valves, pipes, sewers, drains etc. must be leak-proof.
9. The industry shall provide uninterrupted entry to the SFP's LTP's inlets and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
10. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
11. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
12. The industry shall operate in a manner so that all emissions be carried through designated chimney/stack only.
13. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
14. The applicant shall apply before the expiry of CCA or any change in production types, production capacity, manufacturing process, capacity enhancement etc. or any change in effluent discharge point or emission point.
15. The Board reserves the right to revoke/modify any stipulated conditions issued along with CCA, as may be necessary.
16. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
17. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
18. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
19. The authorization is valid for temporary storage of Hazardous Waste within premises only.
20. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
21. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
22. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
23. In case of any accident, complete details in the light of Form-13 of the Hazardous Rules shall be submitted to this Board at the earliest.
24. In no case any hazardous waste shall be disposed off on land, in any drain, or in any water stream. All spillage must also be safely collected and stored.
25. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
26. Toxic hazardous sludge from the process in the plant shall be stored in double lined HDPE or constructed with RCC or such material which does not react with the waste contained in it.
27. The storage area should be fenced properly and sign board Hazard indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.
28. The industry shall store non-harmful waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recycler/Re-processors.
29. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Scientific Officer

B-1 1225

UEPPCB



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
E-115, Nehru Colony, Dehra Dun (Uttarakhand)

Phone : 0135-260064, Fax : 0135-260065, Web : www.ueppcb.org.in, E-mail : ueppcb@dehradun.gov.in

UEPPCB/HO/Con/E-15/2013/1679

Date: 11-11-2013

REGD. POST

To,

M/s East African (India) Overseas,
 Plot No: 1, Pharmacy, Selaqui,
 Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11159	Inward ID - 54358
CCA (Renewal)	
Consent No. 33153/ 931	Date: 22.06.2013

CCA is hereby granted to M/s East African (India) Overseas, located at Plot No: 1, Pharmacy, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions:-

- This CCA is granted for a period from 22.06.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 18.74 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	30MT	Capsules	30MT
2	Dry Injection	7.5MT	Dry Injection	7.5MT
3	Dry Syrup	45MT	Dry Syrup	45MT
4	Ear & Eye Drop	30KLT	Ear & Eye Drop	30KLT
5	Liquid Injection Ampule	30KLT	Liquid Injection Ampule	30KLT
6	Liquid Injection Vial	30KLT	Liquid Injection Vial	30KLT
7	Liquid Syrup	300KLT	Liquid Syrup	300KLT
8	Ointment Lotion	300KLT	Ointment Lotion	300KLT
9	Ointment Tubes	120MT	Ointment Tubes	120MT
10	Tablets	36MT	Tablets	36MT

- Specific Conditions under Water Act -

- The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	10 (100% reuse)	10 (100% reuse)
Sewage	20	20

- Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standard is not to exceed
1	D.G. Set (500 KVA) X 1	4	HSD	50Ltr/Hr	Acoustic Enclosure	
2	D.G. Set (62.5 KVA) X 1	2	HSD	8Ltr/Hr	Acoustic Enclosure	
3	Boiler (1000Kg/Hr) x 1	10	LPG	50Ltr/Hr	Natural Draft	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
db(A) Leq	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time : from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue :
- (ii) The Factory Manager of M/s East African (India) Overseas, Vikasnagar, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 33.2	0.100	As per rules.
2	Schedule I - 5.1	1.000	Recyclable

- (iv) The authorization shall be in force for a period from 21.08.2012 to 31.03.2013.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for pharmaceutical formulation processes only.

6. Compulsory documents to be submitted by the Industry/Unit :-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dist-Dehradun for information and compliance of the same.

Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/solid etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
12. Unit shall ensure manifest system in Form-43 of HW Rules while disposing hazardous waste.
13. Hazardous waste should not be stored beyond a period of 90 days.
14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
15. The unit shall submit compliance report of this CCA along with Stack analysis report every year to the Board Offices.

General Conditions :-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPCCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

B-1 1229

UAPPOR

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipments, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. M. D.
Scientific Officer 12.11.20

True copy



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)
 Phone : 0152-265034, Fax : 0152-265034, Web : www.uepcb.org.in, E-mail : uepcb@uepcb.org.in

UEPPCB/HO/Con/1-38/2017 S26

Date : 11-07-2017

REGD. POST

To,

M/s India Glycols Ltd- Herbal Extraction Unit,
 Plot No. 2-5,
 Pharma City Selaqui,
 Distt- Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10064	Inward ID - 65003
CCA (Renewal)	
Consent No. 37230/ 493	Date : 24.04.2017

CCA is hereby granted to M/s India Glycols Ltd- Herbal Extraction Unit located at Plot No. 2-5, Pharma City Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period from 01.04.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 195.70 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1.	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	61.50MT	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	61.50MT

2. Specific Conditions under Water Act :-

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	2	3.2

- (ii) **Trade Effluent Treatment and Disposal :-** The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- 1231
- (iii) The treated effluent shall be recycled to the maximum extent. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iii) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP for treatment of sewage and treated waste water shall be use for flushing and horticulture purpose.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iv) The treated sewage shall be reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as per the direction dated 27.04.2016 issued by CPCB for Sewage Treatment Effluent discharge standards plant shall meet the standards given below within two years :-

S.No.	Parameters	Standard for STPs
1	pH	6.5 to 9.0
2	BOD (mg/L)	Not more than 10
3	COD (mg/L)	Not more than 50
4	TSS (mg/L)	Not more than 10
5	NH ₄ -N (mg/L)	Not more than 5
6	N-total (mg/L)	Not more than 10
7	Fecal Coliform (MPN/100ml)	Less than 230

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mtr)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1.	Baby Boiler (850Kg/Hr) x 1	21	FO	100Ltr/Hr	Green Belt, Wet Scrubber	As per E (P) Act
2	DG Set (500KVA) x 1 (operated during power sd)	15	HSD	400Ltr/Hr (When Operated)	Green Belt	-
2.	DG Set (750KVA) x 2 (operated during power sd)	15	HSD	400Ltr/Hr (When Operated)	Green Belt	-
3.	Boiler (5000Kg/Hr) x 1	30	Agro Waste	800Kg/Hr	Green Belt	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure, as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standard for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue :
- (ii) The Factory Manager of M/s India Glycols Ltd- Herbal Extraction Unit, Vikasnagar, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 20.1	10	Recyclable
2	Schedule I - 33.1	1300	As per Rules.
3	Schedule I - 5.1	1,250	Recyclable

- (iv) The authorization shall be in force for a period from 01.04.2017 to 31.03.2018.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the SPCB/PCC from time to time.

5. This CEA is valid for Solvent Extraction process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

- (i) Annual Return in Form-1 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.

1233

37A

Environment Statement in Form-V of Environment (Protection) Rules, 1986.

Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Copy to - Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Member Secretary

Chief Environment Officer


Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous Waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall comply with the Provisions Prescribed for Doon Valley under Doon Valley Notification 1st Feb 1989.
14. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three months from the laboratory recognized by the MOEF, and shall report to the UEPPCB.

- The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
 4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
 5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
 14. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
 20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
 21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
 23. The storage area should be fenced properly and Sign/Notice Board indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.
 24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
 25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.


Chief Environment Officer

8-2 1235
~~Amritsar~~

UPEPCB

HEAD OFFICE



Uttarakhand Environment Protection and Pollution Control Board
 29/20, Nemi Road, Balanwala, Dehra Dun (Uttarakhand)

Phone: 0522-2550001, Fax: 0522-2550001, e-mail: upepcb@rediffmail.com

UPEPCB/HO/Cons/38/2016/973

Date: 17/8/2016
 REGD. POST

To,

M/s Indis Glycols Ltd- Herbal Extraction Unit,
 Plot No. 3 & 4
 Pharma City Sehgal,
 Dist- Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & Authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2015" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CEB ID - 10064	Inward ID - 61849
CCA (Renewal)	
Consent No. 36312/1/51	Date: 01.04.2016

CCA is hereby granted to M/s Indis Glycols Ltd- Herbal Extraction Unit located at Plot No. 3 & 4, Pharma City Sehgal, Dist-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Value ₹ 146.00 Crs :-

S. No.	Last CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1.	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	61.50MT	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	61.50MT

2. Specific Conditions under Water Act :-

- The daily quantity of effluent discharge (KLD) :-

	Last CCA	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	2	2

- Trade Effluent Treatment and Disposal:NA.

- Sewage Treatment and Disposal: The applicant shall provide comprehensive Septic Tank & Soak Pit as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

- The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate

1236

DEP/11/17

and maintain the same continuously so as to achieve the level of pollutants to the following standards:

S.No.	Stack stacked with	Stack height mtr	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1.	Baby Boiler (500 Kg/Hr)	21	FO	100 Kg/Hr	Green Belt, Wet Scrubber	As per E (P) Act
2.	D.G. Set (750 KVA) x 1	15	HSD	400 Lit/Hr (When Operated)	Green Belt	
3.	D.G. Set (500 KVA) x 1 during power cut	15	HSD	400 Lit/Hr (When Operated)	Green Belt	
4.	Boiler (5000 Kg/Hr) x 1	30	Agro Waste	800 Kg/Hr	Green Belt	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/mail with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous & Other Wastes Rules-2016:-

(i) Number of authorization and date of issue: 1445 dt. 17/3/2017

(ii) The Factory Manager of M/s. Indira Chemicals Ltd- Herbal Extraction Unit, Vikasnagar, Dist. Dehri is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1.	Schedule-I-20.1	100	Recyclable
2.	Schedule-I-33.3	1300	As per Rules
3.	Schedule-I-5.1	1,290	Recyclable

(iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.

(v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

(i) The authorized unit comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.

B-2 1137
1237

USE PCCS

The authorization and its renewal shall be produced for inspection at the request of an officer of the SPCB/PCC.

The person authorized shall not use, sell, transfer or otherwise transport the hazardous waste without the prior permission of the SPCB/PCC.

The person authorized shall not change the personnel, equipment or working conditions as mentioned in the authorization. The person authorized shall constitute a breach of his authorization.

It shall be the duty of the authorized person to take prior permission of the SPCB/PCC to close the facility.

Application for the renewal of an authorization shall be made as laid down under these guidelines.

The person authorized shall comply with any other conditions specified in the guidelines issued by the SPCB/PCC from time to time.

This authorization is valid for solvent extraction process only.

The person authorized shall be signified by the Industry/Unit :-
(a) Hazardous Waste Manifest in Form-10 under Hazardous Waste Rules, 2016 and Third Party Audit Report.

(b) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
(c) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

The person authorized shall apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

The person authorized reserves the right to change/modify/add any time any condition of this authorization.

The person authorized shall comply with the other general conditions as annexed herewith. Non compliance with any provision of this CCA and provisions of the Water Act, Air Act and Hazardous & Other Waste Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Member Secretary

Scientific Officer

[Signature]
Scientific Officer

DEFINITION

A.000000

1. The Board shall have the authority to require any person who is engaged in the manufacture, use, storage, handling, or disposal of any substance which is or may be a pollutant to obtain a permit from the Board. The Board may also require the person to install and maintain any device or equipment which is necessary to prevent the discharge of any pollutant into the environment. The Board may also require the person to submit to the Board any report or information which is necessary to determine whether the person is complying with the requirements of the permit.

2. The Board shall have the authority to require any person who is engaged in the manufacture, use, storage, handling, or disposal of any substance which is or may be a pollutant to obtain a permit from the Board. The Board may also require the person to install and maintain any device or equipment which is necessary to prevent the discharge of any pollutant into the environment. The Board may also require the person to submit to the Board any report or information which is necessary to determine whether the person is complying with the requirements of the permit.

3. The Board shall have the authority to require any person who is engaged in the manufacture, use, storage, handling, or disposal of any substance which is or may be a pollutant to obtain a permit from the Board. The Board may also require the person to install and maintain any device or equipment which is necessary to prevent the discharge of any pollutant into the environment. The Board may also require the person to submit to the Board any report or information which is necessary to determine whether the person is complying with the requirements of the permit.

4. The Board shall have the authority to require any person who is engaged in the manufacture, use, storage, handling, or disposal of any substance which is or may be a pollutant to obtain a permit from the Board. The Board may also require the person to install and maintain any device or equipment which is necessary to prevent the discharge of any pollutant into the environment. The Board may also require the person to submit to the Board any report or information which is necessary to determine whether the person is complying with the requirements of the permit.

5. The Board shall have the authority to require any person who is engaged in the manufacture, use, storage, handling, or disposal of any substance which is or may be a pollutant to obtain a permit from the Board. The Board may also require the person to install and maintain any device or equipment which is necessary to prevent the discharge of any pollutant into the environment. The Board may also require the person to submit to the Board any report or information which is necessary to determine whether the person is complying with the requirements of the permit.

6. The Board shall have the authority to require any person who is engaged in the manufacture, use, storage, handling, or disposal of any substance which is or may be a pollutant to obtain a permit from the Board. The Board may also require the person to install and maintain any device or equipment which is necessary to prevent the discharge of any pollutant into the environment. The Board may also require the person to submit to the Board any report or information which is necessary to determine whether the person is complying with the requirements of the permit.

B-2

1235

VERIFIED

10. In case of any damage to the agriculture, productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's officers. The industry shall be liable to pay compensation also in such cases as decided by the Enforcement Authority.
11. The applicant shall apply before the start of expiry of CCA or any change in production type/ production capacity/manufacturing process/technology enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to suspend or modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lease, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. The authority of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that online data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and change the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-2 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. If any hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Open hazardous waste from the process in the plant shall be stored in double lined HDPE pit constructed with 2 layers of such material which does not react with the waste contained in it.
23. The storage area should be clearly marked properly and Significance Board indicating 'Danger' and 'Hazardous' shall be displayed in appropriate position both in Hindi and English.
24. The industry shall provide serious threat waste, used either as oil waste in sealed drums placed on immovable block under covered shed. Hazardous waste is required shall be sold only to Registered Recycler.
25. The transportation of hazardous waste, the details in Form-3 of the Hazardous & Other wastes shall be submitted to the Board.

[Signature]
Scientific Officer

to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CEEP/Use in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent in the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. **Conditions under Air Act :-**

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1.	Baby Boiler (350Kg/Hr) x1	21	LSO	1000Ltr/Hr	Green Belt Wet Scrubber	As per EIP Act
2.	DG Set (750KVA) x1	15	HSD	400Ltr/Hr (When Operated)	Green Belt	
3.	DG Set (500KVA) x 1 (operated during power sd)	15	HSD	400Ltr/Hr (When Operated)	Green Belt	
4.	Boiler (5000Kg/Hr) x 1	30	Agm Waste	800Kg/Hr	Green Belt	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day	Night	Day	Night	Day	Night	Day	Night

8-2 1242

1242

for Noise level in db(A) Leq	time	time	time	time	time	time	time	time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- Number of authorization and date of issue : yes at 05/8/2015
- The Factory Manager of M/s India Glycols Ltd- Herbal Extraction Unit, Vikasnagar, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 20.1	100	Recyclable
2	Schedule I - 33.3	1000	As per Rules.
3	Schedule I - 5.1	1.250	Recyclable

- The authorization shall be in force for a period from 02.05.2015 to 31.03.2016.
- The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment, as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Solvent Extraction process only.
 - Compulsory documents to be submitted by the Industry/Unit :
 - Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of EFP/APCs/Waste Storage Area.
 - Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 - Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 - Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

OFFICE COPY

1243

UEPPCB

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

S. Singh
23/01/14
Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
3. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules - 2001 as amended and shall submit return as per provisions of said rules.
4. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules - 2008 and shall obtained registration (if any) under the said rules.
5. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fees submitted by the applicant could be assessed.
6. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be demarcated by numbers such as S-1, S-2 etc. and there shall be painted/displayed to facilitate identification.
7. The industry shall ensure interlocking of air pollution control devices and production process.
8. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
9. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
10. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
11. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
12. The industry shall strictly adhere with the specific and general conditions issued with CUA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
13. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
14. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
15. Hazardous waste should not be stored beyond a period of 90 days.
16. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
17. The Unit Shall Comply with the Provisions Prescribed for Doon Valley under Doon Valley Notification 1st Feb 1989.
18. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

General Conditions :-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
2. The applicant shall, however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/overflows etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/ETP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA, in any change in production type, production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data will be used to quantify and nature of hazardous chemicals being used in the plant as well as air emission and effluent generated at that premises is displayed on Display Board of size 6x4 feet outside the main factory gate with enclosures.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste as a form and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off or land in any dump or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the tanks, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Cased hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign board - Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position inside the land and in tank.
25. The industry shall store non-ferrous metal waste, used sludge and waste in sealed drums placed on impervious floor under covered shed. Hazardous waste in a drum shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. P. Singh
Scientific Officer 23/7/11

OFFICE COPY



HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board

29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 0152-255000, Fax : 255001, E-mail : ueppcb@rediffmail.com, ueppcb@yahoo.co.in

UEPPCB/HO/Con/L-38/2014/ 1549

Date: 20.1.2015

REGD. POST

To,

M/s India Glycols Ltd- Herbal Extraction Unit,
Plot No. 3 & 4,
Pharma City Selaqui,
Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10064	Inward ID - 55912
CCA (Renewal)	
Consent No. 32818/ UQ 3	Date : 09.06.2014

CCA is hereby granted to M/s India Glycols Ltd- Herbal Extraction Unit located at Plot No. 3 & 4, Pharma City Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 09.06.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 126.30 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	31.50MT	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	31.50MT

- Specific Conditions under Water Act :-

- The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	2	2

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/reuse in gardening and the same has

to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (5 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

(iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time :-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 5 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	Baby Boiler (850Kg/Hr) x1	21	FO	100Ltr/Hr	Green Belt Wet Scrubber	As per E(P) Act
2	DG Set (750KVA) x1	15	HSD	400 Ltr/Hr (When Operated)	Green Belt	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other sources should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in dB(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m. Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under RW Rules :-

(i) Number of authorization and date of issue : 443 dt 12/11/2015

(ii) The Factory Manager of M/s India Glycols Ltd. Herbal Extraction Unit, Vikasnagar, Dist. Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 20.1	100	Recyclable
2	Schedule I - 33.3	800	As per Rules
3	Schedule I - 5.1	1.00	Recyclable

- (iv) The authorization shall be in force for a period from 09.06.2014 to 31.03.2015.
(v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- An application for the renewal of an authorization shall be made as laid down under these rules.
- The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Solvent Extraction process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

- Annual return in Form-I and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
- Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Scientific Officer

Specific Conditions:-

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures for control of noise from its each source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
12. Unit shall ensure manifest system in Form-13 of MW Rules while disposing hazardous waste.
13. Hazardous waste should not be stored beyond a period of 90 days.
14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no raw effluent is discharged in water stream or water bodies.
15. The Unit Shall Comply with the Provisions Prescribed for Down Valley under Down Valley Notification 1st Feb. 1989.
16. The Unit shall strictly comply with the provisions of Water, Air & Env. Acts and Rules/Regulations made thereunder.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission hazardous wastes at least once in a three month from the laboratory recognized by the SSI & I and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed primarily at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house-keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/STTP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

- The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production type/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
 14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
 20. In case of any accident complete details in the light of Form-1 of the Hazardous Rules shall be submitted to this Board at the earliest.
 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water bodies. All spillage must also be safely collected and stored.
 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
 24. The storage area should be fenced properly and Sign Safety Board indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.
 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
 26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

[Signature]
Scientific Officer 24.1.16



8-2
11-58
UEPPCB

HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
E-115 Nehru Colony, Dehra Dun (Uttarakhand)
Phone : 0522-2664874, Fax : 2664872, Web : www.ueppcb.org.in, E-mail : ueppcb@ueppcb.com

UEPPCB/HO/Con/1-38/2013 /636

Date: 26/7/2013
REGD. POST

To,
M/s. India Glycols Ltd- Herbal Extraction Unit,
Plot No. 3 & 4,
Pharma City Selaqui,
Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2005" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10064	Inward ID - 53529
CCA (Renewal)	
Consent No. 32818/ 493	Date : 02.04.2013

CCA is hereby granted to M/s India Glycols Ltd- Herbal Extraction Unit located at Plot No. 3 & 4, Pharma City Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 02.04.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment / Net Asset Values ₹ 103.68 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	31.5MT	Natural Health Products (Herbal Extracts) Volatile and Non Volatile Fraction Oil	31.5MT

- Specific Conditions under Water Act :-

- The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	2	2

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/ reuse in gardening and the same has

125

EPPC-19

to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	Baby Boiler (850Kg/Hr) x1	21	FO	100Ltr/Hr	Green Belt Wet Scrubber	As per E (P) Act
2	DG Set (750KVA) x1	15	HSD	400 Ltr/Hr (When Operated)	Green Belt	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time : from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 729 dt 22/11/18
- (ii) The Factory Manager of M/s India Glycols Ltd- Herbal Extraction Unit, Vikasnagar, Distt-Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

B-2 **Approved**
1252

- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 20.1	100	Recyclable
2	Schedule I - 33.3	800	As per Rules.
3	Schedule I - 5.1	1.00	Recyclable

- (iv) The authorization shall be in force for a period from 02.04.2013 to 31.03.2014.
(v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for Solvents Extraction process only.
 6. Compulsory documents to be submitted by the Industry/Unit :-
 - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

N.S.
Member Secretary

Copy to :- Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

S. Singh
Scientific Officer

96

1253

Specific Conditions:-

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
13. Hazardous waste should not be stored beyond a period of 90 days.
14. The industry situated nearby the River Gomti and its tributaries shall ensure the treatment facilities and dispose their effluents in such a way so that no waste water is discharged in water stream or water bodies.
15. The Unit shall comply with the Provisions Prescribed for Doon Valley under Doon Valley Notification in Feb 1989.


General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F or I shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

B-2 1257

EX-100

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Signboards Board indicating 'Danger' and 'Hazardous' shall be displayed in appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.


Scientific Officer 24.7.17
D.C.


True copy

Uttarakhand Environment Protection & Pollution Control Board
Provisional Consent Order (CCA)
 E-115 Nehru Colony
 Haridwar Road, DEHRADUN
 Tele : 0135-2668092, 2668093

Consent No. AWH-37377 Valid upto: 13/07/2018

Enacted On: 26/08/2017 PCB No: 1904

Besides streamlining and simplifying of regulatory regime, Uttarakhand Environment Protection & Pollution Control Board has taken initiative in form of introduction of Consolidated Consent and Authorization (CC&A) which provides for a one shot application and clearance of the consents under Water Act, Air Act and Authorization under Hazardous Wastes Rules for a period of 5 years. Board issues consolidated consent and Authorization to an industrial unit for operation of plant/carrying out industrial activity specifying following conditions.

Consolidated Consent and Authorisation

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of Air (Prevention and Control of Pollution) Act-1981

and Authorization under rule 3(c) & 5(5) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules-2008 framed under the E(P) Act-1986.

And whereas Board has received consolidated Application No. (CAO-CCA-Renewal) 66243 and Dated 14/07/2017 for the consolidated consent and authorization (CC&A) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby granted as under:

CONSENT AND AUTHORISATION : (under the provisions / rules of the aforesaid environmental acts)

To,

M/s. Hub Pharmaceuticals & Research Limited,

Plot No- 10, Pharmacy,

Selaqui, City : Pharmacy,

Dist : Dehradun, Tal : Vikasnagar, SIDC : PC Selaqui

Phone : 9820082123

1. Consent Order No: **AWH-37377** Valid Upto: **13/07/2018**

2. All Conditions under the AIR ACT-1981 WATER ACT-1974 HAZARDOUS ACT-2008 shall be Applicable to you as mentioned in the detailed Consent Order ***

Consented CETP: **Not Linked to any CETP**

Consented TSDF: **Bharat Oil & Waste Management Ltd. (11454)**

3. GENERAL CONDITIONS :-

a) This order is provisional order and detailed order is considered as final.

b) All the conditions & provisions under the Water Act 1974, the Air Act 1981 and the Environment (Protection) Act - 1986 and the rules made there under shall be complied with.

c) All the conditions & provisions under the Hazardous Waste (Management, Handling and Trans boundary Movement) Rules 2008 as amended shall be complied.

d) The applicant shall provide perches, ladder, platform etc on chimney(s) for monitoring the air emissions and the same shall be open for inspection and/or use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

e) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70dB(A) during night time. Daytime is reckoned as between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

f) In case of change of ownership/management, the name and address of the new owners/ partners/ directors/ proprietor or employees or working conditions as mentioned in the consent form / order should immediately be intimated to the Board.

g) Industry shall have to display data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the place, including waste water and air emissions and solid hazardous wastes generated within the factory premises.

h) The CCA shall be produced for inspection at the request of an officer authorized by the Uttarakhand Environment Protection & Pollution Control Board.

i) Any unauthorized change in personnel, equipment or working conditions as mentioned in the CCA order by CCA holder shall constitute a breach of this CCA.

j) Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre or land and a green belt of 5 meters width is developed.

k) The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.

For and on behalf of
 Uttarakhand Environment Protection & Pollution Control Board

For and on behalf of
 Uttarakhand Environment Protection & Pollution Control Board

(Member Secretary)

8-3
1258
HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 0135-262046, Fax : 0135-262042, Web : www.uepcb.org.uk, Email : uepcb@uepcb.org.uk

UEPPCB/HO/Con/21-43/2016/ SD2

Date: 16/6/2016
REGD. POST

To,

M/s Hub Pharmaceuticals & Research Ltd.,
Plot No.-10, Pharmacy, Selagui,
Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively)

PCB ID - 19044 Inward ID - 62116
CCA (Renewal)
Consent No. 36096/779 Date - 31.03.2016

CCA is hereby granted to M/s Hub Pharmaceuticals & Research Ltd located at Plot No.-10, Pharmacy, Selagui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 19.83 Crs :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	208 Lacs Nos	Capsules	208 Lacs Nos
2	Ointment	7800 Kgs	Ointment	7800 Kgs
3	Tablets	390 Nos	Tablets	390 Nos

- Specific Conditions under Water Act :

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	5	5
Sewage	5	5

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Rouse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	1.0
6	Phenolics (C6H5OH)	Not to exceed	2.0
7	Sulphides (as S)	Not to exceed	5.0
8	Phosphate (as P)	Not to exceed	5.5 to 9.0
1	pH	Between	6.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
1	pH	Between	6.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

(iv) Sewage Treatment and Disposal : The applicant shall provide comprehensive Septic Tank as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (125KVA) x 1	1	HSD	104.00/Hr	Acoustic Enclosure	-
2	Boiler (400Kg/Hr) x 1	10	LPG	1 Kg/Hr	-	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time : from 11.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes Rules, 2016

- (i) Number of authorization and date of issue : 079-01/01/2016
- (ii) The Factory Manager of M/s Hab Pharmaceuticals & Research Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.100	Recyclable
2	Schedule I - 34.3	0.200	Secure land fill

- (iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986

Terms and conditions of authorization :-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Pharmaceutical Formulation Process only
 - Compulsory documents to be submitted by the Industry/Unit :-
 - Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes Rules, 2016 and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APC/Waste Storage Area.
 - Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 - Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 - Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board
Dehradun for information and compliance of the same

Member Secretary

Scientific Officer

8-3
1259

UEPCCR

Annexure

Specific Conditions:

1. The applicant shall provide ISI mark water meter in each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the dues as specified under Section-3 of CWA Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that for submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack, attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodic assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The unit shall strictly comply with the provisions of Water, Air & E. (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MOEF and shall report to the UEPCCR.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed finally at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/ventilating etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the SIPs/UEP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/measuring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be

B-3
1260 UETPCB

- reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/effluent enhancement etc. or any change in effluent discharge point or collection point.
 12. The Board reserves the right to revoke/modify any stipulated condition issued along with CCA, as may be necessary.
 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
 14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which the return relates.
 20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
 21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
 23. The storage area should be fenced properly and Sign/Notice Board indicating "Danger" and "Hazardous" shall be displayed in appropriate position both in Hindi and English.
 24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
 25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

Sfmr 6616
Scientific Officer



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
 29/30, Naini Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0522-232896 (071), 2710092, Web: www.ueppcb.org.in, E-mail: ueppcb@ueppcb.org

DEP/REGD/CA/11-43/2015/1026

Date: 24/9/2015
REGD. POST

To,
M/s. Hsb Pharmaceuticals & Research Ltd.,
 Plot No. 10, Pharmacy, Selaqui,
 Dist- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & Authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" applicable to the referred hereinafter as Water Act, Air Act and Hazardous Waste Act.

PCB ID - 19044	oward ID - 59689
CCA (Renewal)	
Consent No. 35148	779 Date: 20.06.2015

CCA is hereby granted to M/s. Hsb Pharmaceuticals & Research Ltd. located at Plot No. 10, Pharmacy, Selaqui, Dist- Dehradun subject to the provisions of the Water Act, Air Act and HW Rules, and the orders that may be made further and subject to following terms and conditions :-

The CCA is granted for a period from 20.06.2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 19.5 Crs:-

S. No.	Last CCE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	208 Lacs Nos	Capsules	208 Lacs Nos
2	Ointment	7800 Kgs	Ointment	7800 Kgs
3	Tablets	390 Nos	Tablets	390 Nos

2. Specific Conditions under Water Act:-

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCE or CCA	Present CCA (Renewal)
Trade Effluent	5	5
Domestic Sewage	5	5

(ii) Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Suspended Solids	Not to exceed	100 mg/l
5	Survival of fish	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	3.0
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DG Set (125KVA) x 1	1	HSD	10 Lit/Hr	Acoustic Enclosure	-
2	Boiler (400Kg/Hr) x 1	10	LPG	1 Kg/Hr	-	-

In case of stoppage or malfunctioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by facsimile/email with a report in this regard to be dispatched immediately.

(iv) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as required to meeting the ambient noise standards for night and day time as prescribed for respective area/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
75	75	70	65	55	55	45	50	40

Day time: from 10:00 p.m. to 6:00 a.m.

4. Conditions under HW Rules:-

(i) Number of authorization and date of issue: 729 dt 24/9/2015
The Director, Maharashtra Pollution Control Board & Research Ltd., Dehradun is authorized to issue this authorization for generation, collection and storage of Hazardous wastes.

(ii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MT)	Mode of Disposal
1	Schedule-I - 5.1	0.100	Recyclable
2	Schedule-I - 14.3	0.200	Secure land fill

(iii) The authorization shall be in force for a period from 20.06.2015 to 31.03.2016.

(iv) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules to be in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

(i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.

(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/POC.

(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/POC.

(iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.

(v) The person authorized shall not transfer or otherwise transport the hazardous wastes without prior permission of the SPCB/POC to close.

(vi) An application for the renewal of an authorization shall be made as laid down under these rules.

(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or SPCB/SPLC from time to time.

5. This CCA is valid for Pharmaceutical Formulation Process only.

6. Compliance documents to be submitted by the Industry/Unit:-


(i) Annual Return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/POC/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.



Unit has to comply with the other general conditions as annexed herewith. Non compliance with any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Consent to issue of Consent to Operate and Environment Protection and Pollution Control Board. The Unit shall comply with the provisions of the same.

Member Secretary
Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board of Officers regularly.
4. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules-2001 as amended and shall submit returns per provisions of said rules.
5. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules-2008 and shall obtain registration (if any) under the said rules.
6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the unit can be assessed.
7. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as E-1, E-2 etc. and these shall be painted/displayed to facilitate identification.
8. The industry shall ensure interlocking of air pollution control devices and production processes.
9. Solid wastes generated from the industry has to be disposed in a manner so that contamination of surface water bodies and ground water does not take place.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
12. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
14. The unit shall ensure that all hazardous waste is disposed in a manner as specified in the consent order.
15. The unit shall ensure that a system in Form-B3 of HW Rules while disposing hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days.
17. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
18. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three months from the laboratory recognized by the MoEF and shall report to the UEPPCB.

B-3

1265

UNENCL

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases, emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever, due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned officers. In such cases, the pollution control equipment, the production process connected to a polluting activity shall be shut down.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not sell, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size five feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of the Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain a record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before 31st March of the following year to the Board. The return shall be submitted to the Board through the return refiler.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or steel material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-hazardous liquid waste, used oil/waste oil in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.



S. S. S. S.
Scientific Officer



HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 052-265006, Fax : 052072, Web : www.ueppcb.gov.in, E-mail : ueppcb@ueppcb.org

UEPPCB/HO/Con/H-43/2014/ 1423

Date: 30/12/2014
REGD. POST

To,

M/s Hab Pharmaceuticals & Research Ltd.,
Plot No.-10, Pharmacy, Setaqui,
Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Expand) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 19044	Inward ID - 57444
CCA (Expand)	
Consent No. 34289/779	Date :- 16.08.2014

CCA is hereby granted to M/s Hab Pharmaceuticals & Research Ltd located at Plot No.-10, Pharmacy, Setaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 16.08.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 16.26 Crs :-

S. No.	Last CTE or CCA		Present CCA (Expand)	
	Product	Quantity (Per day)	Product	Quantity (Per Month)
1	Capsules	0.5 Million	Capsules	208 Lacs Nos
2	Ointment	200 Kg	Ointment	7800 Kgs
3	Tablets	01 Million	Tablets	390 Nos

- Specific Conditions under Water Act :

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Expand)
Trade Effluent	5	5
Sewage	5	5

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-



1267

(B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z)

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. **Conditions under Air Act :-**

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (125KVA) x 1	1	HSD	10 Lit/Hr	Acoustic Enclosure	-
2	Boiler (400Kg/Hr) x 1	10	LPG	1.Kg/Hr	-	-

8-3/1268
OFFICE

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time : from 10.00 p.m. to 6.00 a.m

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 779 dt 30/12/14
- (ii) The Factory Manager of M/s Hab Pharmaceuticals & Research Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.100	Recyclable
2	Schedule I - 34.3	0.200	Secure land fill

- (iv) The authorization shall be in force for a period from 16.08.2014 to 31.03.2015.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Pharmaceutical Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.



1269

UEPPCB

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
4. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
5. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules-2011 and shall obtain registration (if any) under the said rules.
6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
7. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
8. The industry shall ensure interlocking of air pollution control devices and production processes.
9. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
12. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
14. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
15. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days.
17. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
18. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MOE&F and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

[Signature]
Scientific Officer

[Signature]

क्षेत्रीय कार्यालय
उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड
ई-116, मेहरा कॉलोनी, देहरादून-248001



REGIONAL OFFICE
Uttarakhand Environment Protection &
Pollution Control Board
E-116, Mehra Colony, Dehradun-248001

पत्रांक: सं०-सुईपीसीसीपी/आरओबी/एनओसी-देहरादून- 1990 / 13 / 11 / 20 - 649
कम्पक संख्या-सीओई- CTE -13805 दिनांक 27.08.2013

दिनांक 13/9/13
REGD. POST
(क्षमता विस्तारीकरण हेतु)

सेवा में,
MUS Hab Pharmaceuticals & Research Ltd.
Plot No. 10
Pharmacy, Selaqui
Dehradun.

विषय:- पर्यावरणीय प्रदूषण की दृष्टि से क्षमता विस्तरीकरण हेतु स्थापना सहमति (Consent to Establish) पत्र निर्गमन।

महोदय,

युक्त उपरोक्त विषयक अपने आवेदन पत्र PCB-10 : 19044, JMWAR-54470, दिनांक 27.08.2013 का सन्दर्भ है। आपके आवेदन पत्र पर विचार किया गया है। अवगत है कि उद्योग को पर्यावरणीय प्रदूषण के दृष्टिकोण से निम्नलिखित विशिष्ट शर्तें एवं सामान्य शर्तों के समुचित अनुपालन की शर्त के साथ क्षमता विस्तरीकरण के अन्तर्गत सराई स्थापना सहमति पत्र निर्गत किया जाता है।

1. स्थापना हेतु सहमति पत्र निम्नलिखित विशिष्ट विवरणों के लिए ही निर्गत किया जा रहा है:-

(क) स्थल	: Plot No. 10, Pharmacy, Selaqui, Dehradun.
(ख) उत्पादन	: Tablet- 15.0 Lakh Nos/Day, Capsule- 6.0 Lakh Nos/Day, Ointment-300 Kg/Day.
(ग) मुख्य कच्चे पाल	: Bulk Drugs and Excipients etc.
(घ) औद्योगिक उत्सर्ग	: 10.0 KLD. (शराबकरी/सिपाई में पुनः प्रयुक्त)
(ङ) प्रयुक्त ईंधन	: Diesel for D.G. set (125 KVA) Only & 500 Kg/Hr. (एल.पी.जी. से संयोजित)

- उपरोक्त विषय वस्तु में किसी भी प्रकार से परिवर्तन करने पर पुनः स्थापना हेतु सहमति पत्र प्राप्त करना आवश्यक होगा।
- उद्योग में सभी आवश्यक यन्त्र, संयंत्र, हरित पदार्थक, उत्पादित शुद्धिकरण संयंत्र तथा वायु प्रदूषण नियंत्रण की व्यवस्था की स्थापना में की गई प्रगति रिपोर्ट इस कार्यालय में प्रत्येक माह की दसवीं तारीख तक निरन्तर भेजित करे।
- उद्योग इकाई में परीक्षण उत्पादन सब तक प्रारम्भ नहीं करें, जब तक कि यह बोर्ड से ज्ञात एवं वायु अधिनियमों के अन्तर्गत सहमति प्राप्त न जाए। जहाँ एवं कौन सा सहमति प्राप्त करने हेतु इकाई में उत्पादन प्रारम्भ करने की दिशि से कम से कम 2 माह पूर्व निर्धारित सहमति आवेदन पत्रों को उत्पादन पूर्ण प्रथम आवेदन का उत्तर देते हुए इस कार्यालय में अवश्यक जमा कर दिया जाये। यदि उद्योग उपरोक्त का अनुपालन नहीं करता है तो उक्त अधिनियमों के वैधानिक प्रावधानों के अन्तर्गत उद्योग को बिल्ट बिना किसी पूर्व सूचना के विधिक कार्रवाई की जा सकती है।
- उद्योग में परीक्षण उत्पादन से पूर्व क्षेत्रीय कार्यालय द्वारा इकाई का निरीक्षण सुनिश्चित किया जाये।
- घरेलू उत्सर्ग, जिसकी मात्रा 5.0 सेमीली/दिन से अधिक नहीं होगी, जिसका निस्तारण इंटीग्रेटेड के माध्यम से निर्धारित मानकों के अनुसार शुद्धिकृत कर परिसर को अन्दर शराबकरी में प्रयोग किया जाये।
- उत्सर्ग शुद्धिकरण संयंत्र की स्थापना यथाप्रस्तावित की जाये तथा शुद्धिकरण संयंत्र तथा निर्माण कार्य आधुनिक ढंग से सिले दिये गये आदेश की प्रति इस कार्यालय में दिनांक 12.10.2013 तक आवश्यक प्रस्तुत की जाये। उत्सर्ग शुद्धिकरण संयंत्र में अतिरिक्त रूप से Pressure Sand Filter & Activated Carbon Filter की स्थापना की जाये। शुद्धिकृत उत्सर्ग के एकत्रण हेतु उचित क्षमता के पम्प के टैंक का निर्माण किया जाये तथा शुद्धिकृत उत्सर्ग के प्रयोग जगहानी आदि में किया जाये। किसी भी दशा में उत्सर्ग उद्योग परिसर से बाहर कदमि निस्तारित न किया जाये।
- यह स्थापना हेतु सहमति पत्र एक वर्ष की अवधि के लिए है।
- उद्योग परिसर में बाएँ तरफ खनन इस्ति पट्टिका विकसित की जाये जिसका क्षेत्रफल कुल प्रोजेक्ट एरिया का न्यूनतम 33 प्रतिशत रखा जाये।

1272

9. उद्योग का संचालन इस प्रकार से किया जाये, कि परिवेशीय वायु गुणवत्ता मंद्य बोर्ड मानकी के अनुसृत रहे।
10. उद्योग से उत्पन्न होत अपशिष्ट पदार्थों को इस प्रकार निस्तारित किया जाये, कि जल, वायु तथा मृदा प्रदूषण की सम्भावना न रहे।
11. उद्योग का संचालन इस प्रकार किया जाये, कि प्रदूषण सम्बन्धी शिकायतें प्राप्त न हों। प्रदूषण सम्बन्धी जन-शिकायतें प्राप्त होने एवं पुष्टि होने पर स्थापना हेतु सहमति पत्र रिवोक कर दी जायेगी। जिसका सम्पूर्ण उत्तरदायित्व उद्योगी का होगा।
12. उद्योग परिसर में रुफ ट्राफरेन फाटर हावैरिंग की व्यवस्था की जाये।
13. उद्योग में The Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008 को अनुपालन सुनिश्चित करें तथा उत्पादन से पूर्व परिसंक्रमण अपशिष्ट के निस्तारण हेतु बोर्ड से प्राधिकार प्राप्त किया जाये।
14. उद्योग में सुरक्षा सम्बन्धी वास्तव उपाय किये जायें तथा उत्पादन प्रारम्भ करने से पूर्व सक्षम विभागों से अग्रप्राप्ति पत्र प्राप्त किया जाये।
15. उद्योग में स्थापित जल एवं वायु प्रदूषण नियंत्रण व्यवस्था के प्रभावी संचालन हेतु पृथक-पृथक विद्युत मीटरों की स्थापना सुनिश्चित की जाये। उक्त हेतु प्रतिदिन विद्युत/रसदानी की खपत का विवरण तब तक रजि कर दिया जाये।
16. यह सहमति पत्र मात्र Formulation प्रक्रिया से Tablet- 15.0 Lakh Nos/Day, Capsule- 80 Lakh Nos/Day, Ointment-300 Kg/Day के उत्पादन हेतु मान्य है।
17. उद्योग में बोर्ड की पूर्वानुमति के बिना क्षय क्षति विलारीकरण/प्रक्रिया परिवर्तन कदापि न करें।
18. उद्योग में बोर्ड की पूर्वानुमति के बिना ज्वार/फनेस/ओयन/अतिरिक्त डीडीसी/सेट आदि की स्थापना न की जाये।
19. प्रस्तावित 125 के.वी.ए. के डी.जी. सेट पर उत से 1.0 मीटर ऊंची चिमनी तथा एक्जॉस्टिव इनपलोजर स्थापित करना सुनिश्चित करें।
20. SCLAA से प्राप्त पर्यावरणीय स्वीकृति No. EC-59/1064 Dated 30-07-2010 में वर्णित शर्तों का अक्षरत अनुपालन सुनिश्चित करें।
21. उद्योग पर्यावरण सख्य अधिनियम -1986 में उल्लेखित सख्य प्रावधानों का अनुपालन सुनिश्चित करें।
22. उद्योग दून घाटी अधिसूचना-1989 के अन्तर्गत भारती श्रेणी के बिन्दु का अक्षरत अनुपालन किया जाना सुनिश्चित करें।
23. यह सहमति स्थायी उच्चतम न्यायालय में विचारधीन विशेष अपीलिय याचिका (सिविल) सं- 6023/2008 के निर्णय के अधीन रहेगी।

कृपया ध्यान दें कि उपर्युक्त विहित विहित शर्तों एवं सामान्य शर्तों का प्रभावी एवं सन्तोषजनक अनुपालन न करने पर बोर्ड द्वारा निरस्त स्थापना हेतु सहमति पत्र निरस्त कर दिया जायेगा। बोर्ड का अधिकार सुरक्षित है कि स्थापना हेतु सहमति पत्र की शर्तों में संशोधन किया जाये अथवा निरस्त कर दिया जाये।

उपर्युक्त विहित एवं सामान्य शर्तों के सम्बन्ध में उद्योग द्वारा इस कार्यालय में दिनांक 12/10/2013 तक प्रथम अनुपालन आख्या अवश्य प्रेषित की जाये। अनुपालन आख्या नियमित प्रेषित की जाये, अन्यथा स्थापना हेतु सहमति पत्र निरस्त कर दिया जायेगा।

भवदीय

(डा० बी०बी० जोशी)
क्षेत्रीय अधिकारी (डी०)

पृ० सं० एवं दिनांक/उपस्थितिानुसार
प्रतिनिधि:- सदस्य सचिव महोदय, उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड, देहरादून को सूचनार्थ सादर प्रेषित।

क्षेत्रीय अधिकारी (प्र०)

True copy

HEAD OFFICE



Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 0135-245000, Fax : 0135-245002 Web : www.uepfcb.org.in E-mail : uepfcb@uepfcb.com

UEPFCB/HO/Con/M-178/2017/705

Date : 24.08.2017
REGD. POST

To,

M/s Manicare Laboratories Pvt. Ltd.,
Plot No.-11, Pharmacy, Setaqui,
Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 14699	Inward ID - 66522
CCA (Renewal)	
Consent No. 37365	Date : 06.07.2017

CCA is hereby granted to M/s Manicare Laboratories Pvt. Ltd. located at Plot No.-11, Pharmacy, Setaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 01.04.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 9.85 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	45Lacs Nos	Capsules	45Lacs Nos
2	Ointment	900 Kgs	Ointment	900 Kgs
3	Syrup	18000 LTS	Syrup	18000 LTS
4	Tablets	90Lacs Nos	Tablets	90Lacs Nos

- Specific Conditions under Water Act :

- The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	5.0	5.0
Sewage	0.7	0.7

- Trade Effluent Treatment and Disposal :- The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250mg/l
5	Total Suspended solids	Not to exceed	100 mg/l
6	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) Sewage Treatment and Disposal : The applicant shall provide comprehensive Septic Tanks/Soak pits as is required with reference to influent quantity and quality.

1. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
Not Applicable						

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue : 251 dt 24/8/2017
- (ii) The Factory Manager of M/s Mancare Laboratories Pvt. Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 35.3	0.050	Secure land fill

(iv) The authorization shall be in force for a period from 01.04.2017 to 31.03.2018.

(v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for Pharmaceutical Formulation Process only.
 6. Compulsory documents to be submitted by the Industry/Unit :-
 - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.


Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Chief Environment Officer


Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own-source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall comply all the conditions mentioned in Doon Valley Notification - 1989.
14. Unit has to comply all the directions/orders of Hon'ble Court and Hon'ble NGT and the directions of Central Pollution Control Board as applicable.
15. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.


Chief Environment Officer

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 602.362.6100 Fax: 602.362.6101 E-mail: info@pcc.edu Web: www.pcc.edu

Date: 20/4/2017
REGD. POST

M/s Manicare Laboratories Pvt. Ltd.,
Plot No.-11, Pharmacy, Selaqui,
Distt- Dehradun.

PCB ID - 14699 Inward ID - 64244
CCA (Renewal) Date - 28.09.2016
Consent No. 36834

1. This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹5.73 Crs:-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	45Lacs Nos	Capsules	45Lacs Nos
2	Ointment	900 Kgs	Ointment	900 Kgs
3	Syrup	18000 LTS	Syrup	18000 LTS
4	Tablets	90Lacs Nos	Tablets	90Lacs Nos

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	5.0	5.0
Sewage	0.7	0.7

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250mg/l
5	Total Suspended solids	Not to exceed	100 mg/l
6	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive Septic Tanks/Soak pits as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
Not Applicable						

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time : from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue : **2051**
2051 dt. 20/2/2017
- (ii) The Factory Manager of M/s Manicare Laboratories Pvt. Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 35.3	0.050	Secure land fill

- (iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.
 (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for Pharmaceutical Formulation Process only.
 6. Compulsory documents to be submitted by the Industry/Unit :-
 - (i). Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - (ii). Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (iii). Quarterly compliance report of the CCA, photograph of ETP/APC/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Chief Environment Officer

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Gurea and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall comply all the conditions mentioned in Doon Valley Notification - 1989.
14. Unit has to comply all the directions/orders of Hon'ble Coun and Hon'ble NGT and the directions of Central Pollution Control Board as applicable.
15. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPCCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.

6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicants must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.


Chief Environment Officer

Date: 23/4/2016
REGD. POST

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & Authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

Lyward ID - 59720

10-11-1942

Consent No. 35889

Date :-18.09.2015

CCA is hereby granted to, M/s. Manicare Laboratories Pvt. Ltd. located at Plot No.-11, Pharmacy, Selasgik Dist. Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

1. This PCA is granted for a period from 18.09.2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹5000/-

S.No	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	45Lacs Nos	Capsules	45Lacs Nos
2	Ointment	900 Kgs	Ointment	900 Kgs
3	Syrup	18000 LTS	Syrup	18000 LTS
4	Tablets	90Lacs Nos	Tablets	90Lacs Nos

2. Specific Conditions under Water Act :

- (i) The daily quantity of effluent discharge (KLD) .

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	5.0	5.0
Sewage	0.7	0.7

- (ii). **Trade Effluent Treatment and Disposal** : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

1

John

B-4

UEPPL

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	DO (mg/L)	Not to exceed	10mg/l
3	BOD (mg/L)	Not to exceed	100 mg/l
4	Total Suspended Solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Cadmium	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Copper	Not to exceed	0.10
5	Lead	Not to exceed	0.10
6	Fluoride (CO ₃ HCO ₃)	Not to exceed	1.0
7	Sulphate	Not to exceed	2.0
8	Phosphate	Not to exceed	5.0
9	pH	Between	5.5 to 9.0
10	Suspended Solids	Not to exceed	100mg/l
11	BOD (3 days 20°C)	Not to exceed	30 mg/l
12	COD	Not to exceed	250 mg/l
13	Total Grease	Not to exceed	10 mg/l

- (iv) **Sewer Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

1	pH	6.5 to 9.0
2	BOD (mg/L)	Not more than 10
3	COD (mg/L)	Not more than 50
4	TSS (mg/L)	Not more than 20
5	NH ₄ -N (mg/L)	Not more than 5
6	N-total (mg/L)	Not more than 10
7	Fecal Coliform (MPN/100ml)	Less than 100

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
Not Applicable						

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as

B-4
1283 LEPCB

prescribed limits specified in the following (Industrial, Commercial, Residential, Silence) which areas follow:

Sound level (dB)	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
60	65	55	65	55	55	45	50	40

Note: Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under EPA Rules:

- Number of authorization and date of issue: 1913 dt 23/11/2016
- The Factory Manager of M/s. Manicare Laboratories Pvt. Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule-I & II	0.050	Secure land fill.

- The authorization shall be in force for a period from 18.09.2015 to 31.03.2016.
- The authorization is subject to the conditions stated below and such conditions as may be specified in the rules, for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made thereunder.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SP/CB/PC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SP/CB/PC.
 - Any unauthorized changes in personnel, equipment, working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
 - It is the duty of the authorized person to take prior permission of the SP/CB/PC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Pharmaceutical Formulation Process only.
 - Compulsory documents to be submitted by the Industry/Unit:-
 - Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 - Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 - Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 - Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

(Signature)

Regional Office of the Environment Protection and Pollution Control Board
for monitoring and compliance of the same.

Scientific Officer

Annexure

General conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 and the rules made thereunder.
2. The applicant shall provide a stand water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section 3 of Cess Act.
3. The applicant shall comply with the provisions of The Public Liability Insurance Act, 1991 as amended and shall maintain a sum of one lakh rupees of Insurance Policies (if any) to the Board Offices.
4. The applicant shall comply with the provisions of Hazardous (Management & Handling) Rules-2001 as amended and shall maintain a sum of one lakh rupees of Insurance Policies (if any) to the Board Offices.
5. The applicant shall comply with the provisions of Hazardous (Management & Handling) Rules-2006 and shall maintain a sum of one lakh rupees of Insurance Policies (if any) to the Board Offices.
6. The applicant shall submit annual progress sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
7. The applicant shall install weep holes in the chimney/stack and facilities such as ladder, platform etc. as per requirements for monitoring the emissions and the same shall be open for inspection and use at all times by the Board staff. The chimney/stack and the various sources of emission shall be designated by numbers and the same shall be prominently displayed for easy identification.
8. The applicant shall install pollution control devices and production processes.
9. Solid waste shall be disposed off in the prescribed manner so that contamination of surface water bodies is avoided.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment Protection Act, 1986 (as amended).
11. The industry shall take all the measures to control of noise from its own source so as to comply with the standards laid down in the Environment Protection Act, 1986 (as amended).
12. The applicant shall plant trees and green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall comply with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment Protection Act and Rules made thereunder.
14. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
15. Unit shall ensure manifest system in form-13 of HW Rules while disposing hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days.
17. The industry situated nearby the river Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that wastewater is discharged in water stream or water bodies.
18. The unit shall comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three months from the laboratory recognized by the MOEF and shall report to the UPFPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered method for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

Q-4 1287

UEPPCB

7. The industry shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
8. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
9. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
10. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
11. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
12. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
13. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
14. The Board reserves the right to impose any stipulated condition issued along with CCA, as may be necessary.
15. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
16. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
17. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
18. The authorization is valid for temporary storage of Hazardous Waste within premises only.
19. The authorized agency shall ensure that on his days with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
20. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
21. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
22. In case of any accident, complete details in the form of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
23. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
24. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
25. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
26. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
27. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste or material shall be sold only to Registered Recyclers/Re-processors.
28. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. M. J.
19/11/16
Scientific Officer



REGIONAL OFFICE
Uttarakhand Environment Protection and Pollution Control Board
E-118, Nehru Colony, Dehra Dun (Uttarakhand)

Web : www.ueppcb.org.uk, E-mail : ueppcb@ueppcb.org.uk

UEPPCB/ROD/Con/DDN-959/2013/716-287

Date: 07/6/13
REGD. POST

To,

M/s Mancare Laboratories Pvt. Ltd.
 Plot No. 11
 Pharmacy, SIDCUL
 Selaqui, Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 14699	Inward ID - 53651	Date 02-04-2013
CCA (Renewal)		
Consent No. AWH- 13506/	Date: 07/6/13	

CCA is hereby granted to M/s Mancare Laboratories Pvt. Ltd. at located Plot No. 11, Pharmacy, SIDCUL, Selaqui, Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 02.04.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment / Net Assets Values 4.48 Crs:-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1.	Capsule	45.00 Lac Nos.	Capsule	45.00 Lac Nos.
2.	Ointment	900.00 KGS	Ointment	900.00 KGS
3.	Syrup	18000.00 LTS	Syrup	18000.00 LTS
4.	Tablets	90.00 Lac Nos.	Tablets	90.00 Lac Nos.

- Specific Conditions under Water Act:

- The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	1.0	5.0
Sewage	3.0	0.7

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(Signature)
 [Stamp]

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening/Land disposal and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	BOD (5 days 20°C)	Not to exceed	10 mg/l
3	BOD (5 days 20°C)	Not to exceed	30 mg/l
4	Total Suspended Solids	Not to exceed	100 mg/l
5	Fish Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening/Land disposal and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100 mg/l
BOD 5 days 20 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:-

S. No.	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity KLD/MTD	Emission Control Equipment	Emission standards not to exceed
1	Particulate Matter	-	-	-	-	50
2	Hcl	-	-	-	-	50
3	SO ₂	-	-	-	-	200
4	CO	-	-	-	-	100
5	Total Organic Carbon	-	-	-	-	20
6	Total Dioxins and Furane	-	-	-	-	0.2
7	Sb+As+Pb+Cr+Co+Cu+Mn+Ni+V+Cd+Th+Hg	-	-	-	-	1.5



In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m. Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue :
 (ii) The Factory Manager of M/s. Mancare Laboratories Pvt. Ltd. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
 (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes on the factory premises for following category of wastes.

S.No.	Category of Wastes (Schedule I, II, III, IV, V)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I, II, III, IV, V	0.050	Disposable

- (iv) The authorization shall be in force for a period from 02.04.2013 to 31.03.2014.
 (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.


Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
 (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.



7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. The competent authority reserves the right to change/modify/add any time any condition of this CCA.
9. The unit has to comply with the other general conditions as annexed herewith. Non compliance with any provisions of the CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

[Signature]
Regional Officer

Copy to: Member Secretary, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

[Signature]
Regional Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit return of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide parts in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
14. Hazardous waste should not be stored beyond a period of 90 days.
15. The industry situated near the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
17. The unit shall comply all the conditions mentioned in Environment Clearance letter No. J-110611/1131/2007-14-IND Dated: 07.05.2008 obtained from SEIAA.
18. Unit Shall Strictly comply with provisions of Doon Valley Notification 1989.



19. Unit shall not carry out manufacturing process which are restricted in Doon Valley Notification 1989 with prior permission of Board.
20. Unit shall not use fuel in their manufacturing process or in any subsidiary process which may emit fugitive emission of different nature.
21. Unit shall not discharge industrial effluent of polluting nature from manufacturing process.

General Conditions:

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the industry.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-time data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

④



8-4-1293
BAPCA

24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

[Signature]
Regional Officer

True copy

[Signature]

[X]

Provisional Consent Order (CCA)

Uttarakhand Environment Protection & Pollution Control Board
E-115 Nehru Colony
Haridwar Road, DEHRADUN
Tele : 0135-2668992, 2668084

Besides streamlining and simplifying of regulatory regime, Uttarakhand Environment Protection & Pollution Control Board has taken initiative in form of introduction of Consolidated Consent and Authorization (CCA) which provides for a one shot application and clearance of the consents under Water Act, Air Act and Authorization under Hazardous Waste Rules for a period of 5 years. Board issues consolidated consent and Authorization to an industrial unit for operation of plant/carrying out industrial activity specifying following conditions.

Consolidated Consent and Authorization

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981 and Authorization under rule 3(c)& 5(5) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules-2008 framed under the E(P) Act-1986. And whereas Board has received consolidated Application No. (CC/CCA-Renewal) 65782 and Dated 30/03/2017 for the consolidated consent and authorization (CCA) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby granted as under.

CONSENT AND AUTHORISATION : (under the provisions / rules of the aforesaid environmental acts)

To,
M/s. Medonox Lifesciences Pvt. Ltd.
16, PHARMACITY,
SELAQUI INDUSTRIAL AREA, City : SELAQUI,
Dist : Dehradun, Tal : Vilasnagar, SIDC : PC Selapuri
Phone : 01353965152

1. Consent Order No: **AWH-37386** Valid Up to: **31/03/2018**

2. All Conditions under the AIR ACT-1981 WATER ACT-1974 HAZARDOUS ACT-2008 shall be Applicable to you as mentioned in the detailed Consent Order ***

Consented CBTP: **Not Linked to any CBTP**

Consented TSDF: **Shree Oil & Waste Management Ltd. (11454)**

3. GENERAL CONDITIONS:-

- This order is provisional order and detailed order is considered as final.
- All the conditions as provided under the Water Act-1974, the Air Act-1981 and the Hazardous Waste (Management, Handling and Transboundary Movement) Rules-2008 and the rules made there under shall be complied with.
- All the conditions & provisions under the Hazardous Waste (Management, Handling and Transboundary Movement) Rules-2008 as amended shall be complied.
- The applicant shall provide portable ladder platform on chimney(s) for monitoring the air emissions and the same shall be open for inspection and for use of Board's staff. The chimney(s) must be attached to various sensors of emission shall be designed by members such as S-1, S-2, etc. and these shall be properly displayed to facilitate identification.
- The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.
- In case of change of ownership/management the name and address of the new owner/ person/ director/ proprietor/ equipment or working conditions as mentioned in the consent form / order should immediately be submitted to the Board.
- Industry shall have to display data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including waste water and air emissions and solid hazardous wastes generated within the factory premises.
- The CCA shall be provided for inspection at the request of an officer authorized by the Uttarakhand Environment Protection & Pollution Control Board.
- In any modification change in personnel, equipment or working conditions as mentioned in the CCA order by CCA holder shall constitute a breach of the CCA.
- Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 5 meters width is developed.
- The applicant shall have to submit the returns as prescribed from regarding water consumption and shall have to make payment of water rate to the Board under the Water Cost Act-1977.

For and on behalf of
Uttarakhand Environment Protection &
Pollution Control Board

(Member Secretary)



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 0522-262004, Fax : 271882, Web : www.ueppcb.org, E-mail : ueppcb@ueppcb.org

UEPPCB

B-5

1295

UEPPCB/HO/Con/M-50/2016/ 964

Date: 16/8/2016
REGD. POST

To,

M/s Mepromax Lifesciences Pvt Ltd.,
 Plot No-16, Pharmacy,
 Selagui Industrial Area,
 Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11462	Inward ID - 63164
CCA (Re Apply)	
Consent No. 36377/ 106	Date : 27.05.2016

CCA is hereby granted to M/s Mepromax Lifesciences Pvt Ltd located at Plot No-16, Pharmacy, Selagui Industrial Area, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period from 27.05.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 12.18Cr :-

S. No.	Last CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Rejected		Capsule in crore	6Nos
2			Dry Power Injectable vials	2500000Nos
3			Ointment	75MT
4			Tablet in crore	11.250Nos

2. Specific Conditions under Water Act:-

- (i) The daily quantity of effluent discharge (KLD):-

	Last CCA	Present CCA (Renewal)
Trade Effluent	7	7
Sewage	6	6

- (ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the



following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test.	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/ reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

S.No.	Parameters	Standard for STPs
1.	pH	6.5 to 9.0
2.	BOD (mg/L)	10
3.	COD (mg/L)	50
4.	TSS (mg/L)	10
5.	NH ₄ -N (mg/L)	5
6.	N-Total (mg/L)	10
7.	Fecal Coliform (MPN/100ml)	<230
8.	PO ₄ -P (mg/L)	2

3. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:-

S. No	Stack attached with	Stack height (Mtr)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	Boiler (600Kg/Hr) x1	12	LPG	50	Natural Draft	-
2	Boiler (850Kg) x1	12	LPG	80	Natural Draft	-
3	DG Set (440KVA) x1	3	HSD	100Ltr/Hr	Natural Draft & Acoustic Enclosure	-
4	DG Set	3	HSD	30Ltr/Hr	Natural Draft	-

(160KVA) x 1				& Acoustic Enclosure	
--------------	--	--	--	----------------------	--

1297

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous & Other Wastes Rules-2016:-

- (i) Number of authorization and date of issue : 1196 dt. 16/12/2016
- (ii) The Factory Manager of M/s Mepromax Lifesciences Pvt Ltd., Vikasnagar, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 28.1	1.200	As per Rules.
2	Schedule I - 28.4	0.400	As per Rules.
3	Schedule - 34.3	0.400	As per Rules.
4	Schedule - 34.4	0.100	As per Rules.
5	Schedule - 5.1	0.400	Recyclable.

- (iv) The authorization shall be in force for a period from 27.05.2016 to 31.03.2017.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for pharmaceutical formulation process only.
 - Compulsory documents to be submitted by the Industry/Unit:-



- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous & Other Wastes Rules, 2016 and Third Party Audit Report.
 - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous & Other Wastes Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

[Signature]
Managing Director

Copy to: - Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

[Signature] 08.16
Scientific Officer

ANNEXURE

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous & Other Wastes Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPCCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet pipes, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production type/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous & Other Wastes Rules, 2016 shall be submitted to the Board.

S. M. Singh
 Sd/-
 Secretary



1200

[illegible]

PCN 91-10452

CCA-Kyushu

Control

A. Previous Consent/Reject / CGA Order / MOC Order (PCR) Uploaded in XGM on 12/06/2016 11:54:09 from IP No: 59.161.38.112
B. 11462-Meprosar Lifesciences Pvt. Ltd. accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE.



HEAD OFFICE

Uttarakhand Environmental Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 0135-265646, Fax : 2716492, Web : www.ueppcb.org.in, Email : ueppcb@ueppcb.org

UEPPCB/HQ/Con/M-50/2015/658

Date: 5/8/2015
REGD. POST

To,

M/s Mepromax Lifesciences Pvt Ltd.,
Plot No-16, Pharmacy,
Selaqui Industrial Area,
Tehsil-Vikasnagar, Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Trans boundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11462	Inward ID - 56937
CCA (Renewal)	
Consent No. J4946/ 1196	Date : 13.03.2015

CCA is hereby granted to M/s Mepromax Lifesciences Pvt Ltd located at Plot No-16, Pharmacy, Selaqui Industrial Area, Tehsil-Vikasnagar, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 13.03.2015 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 9.78Cr :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsule in crore	6Nos	Capsule in crore	6Nos
2	Dry Power injectable vials	2500000Nos	Dry Power injectable vials	2500000Nos
3	Ointment	75MT	Ointment	75MT
4	Tablet in crore	11.250Nos	Tablet in crore	11.250Nos

- Specific Conditions under Water Act:-

- The daily quantity of effluent discharge (KLD):-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	7	7
Sewage	6	6

- Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/reuse in gardening and the same has



1202 **HEPFCB**

to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	Boiler (600Kg/Hr) x1	12	LPG	50	Natural Draft	-
2	Boiler (850Kg) x 1	12	LPG	80	Natural Draft	-
3	DG Set (440KVA) x 1	3	HSD	100Ltr/Hr	Natural Draft & Acoustic Enclosure	-
4	DG Set (160KVA) x 1	3	HSD	30Ltr/Hr	Natural Draft & Acoustic Enclosure	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules:-

- (i) Number of authorization and date of issue : 1196 dated 28/01/2015
- (ii) The Factory Manager of M/s. Mepronax Lifesciences Pvt Ltd., Vikasnagar, Dehradun is hereby granted an authorization to operate a facility for ~~collection and storage of~~ Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 28.1	1.200	As per Rules.
2	Schedule I - 28.4	0.400	As per Rules.
3	Schedule - 34.3	0.400	As per Rules.
4	Schedule - 34.4	0.100	As per Rules.
5	Schedule - 5.1	0.400	Recyclable.

- (iv) The authorization shall be in force for a period from 13.03.2015 to 31.03.2015.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for pharmaceutical formulation process only.

6. Compulsory documents to be submitted by the Industry/Unit:-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

- 1304 **UEPPCB**
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

~~Member Secretary~~
14/03/21

Copy to: - Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
4. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules - 2001 as amended and shall submit return as per provisions of said rules.
5. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules - 2008 and shall obtained registration (if any) under the said rules.
6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
7. The applicant shall provide posts in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
8. The industry shall ensure interlocking of air pollution control devices and production processes.
9. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
12. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
14. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
15. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days
17. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
18. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

General Conditions:-


1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

8-5
1305

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 8x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. S. M.
Scientific Officer 1.8.15





1. Project Name
Project Description

2. Objectives

3. Scope

4. Timeline

5. Budget

6. Risks

7. Conclusion

8. References

9. Appendix

10. Other

11. Notes

12. Comments

13. Signatures

14. Date

15. Page

16. Version

17. Author

18. Reviewer

19. Approver

20. Comments

21. Signatures

22. Date

23. Page

24. Version

25. Author

26. Reviewer

27. Approver

28. Comments

29. Signatures

30. Date

31. Page

32. Version

33. Author

34. Reviewer

35. Approver

36. Comments

37. Signatures

38. Date

39. Page

40. Version

41. Author

42. Reviewer

43. Approver

44. Comments

45. Signatures

46. Date

47. Page

48. Version

49. Author

50. Reviewer

51. Approver

52. Comments

53. Signatures

54. Date

55. Page

56. Version

57. Author

58. Reviewer

59. Approver

60. Comments

1. **DEFINITION**
 The term "deficiency" as used in this report is defined as the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment.


2. **DEFINITION**
 The term "deficiency" as used in this report is defined as the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment.


3. **DEFINITION**
 The term "deficiency" as used in this report is defined as the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment.

4. **DEFINITION**
 The term "deficiency" as used in this report is defined as the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment. It is the difference between the actual and the expected results of a test or experiment.



1309





A1311

SECRET

[Signature]
4-2-13

True copy



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)
Phone: 0122-2634886, Fax: 0122-2634887, Web: www.uttarakhand.gov.in, E-mail: uttep@uttarakhand.gov.in

Date: 23/08/2017
REGD. POST

UPEPCB/HO/Con-N-34/2017/659

To,

M/s Natco Pharma Ltd,
Plot No.-19, Pharmacy,
Sidel, Selaqui, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HWY Rules respectively).

PCB ID - 11013 (Inward ID - 66354)
CCA (Renewal)
Consent No. 37347/1-23 Date: 01.06.2017

CCA is hereby granted to M/s Natco Pharma Ltd located at Plot No.-19, Pharmacy, Sidel, Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 01.04.2017 to 31.03.2019 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 15.28 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity/Month	Product	Quantity/Month
1	Injectables	45 Lacs Nos	Injectables	45 Lacs Nos
2	Tablets & Capsules	660 Lacs Nos	Tablets & Capsules	660 Lacs Nos

- Specific Conditions under Water Act :-

- The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	2.1	2.1
Sewage	3	3

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive Septic Tanks and Soak pits as is required with reference to influent quantity and quality

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (320KVA)	4	Diesel	64Ltr/Hr	Acoustic Enclosure	
2	DGSet (125KVA)	2	Diesel	25Ltr/Hr	Acoustic Enclosure	
3	Boiler (850KGPH)	15	L.P.G	10	Natural Draft	As per Doon Valley Notification.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue : _____

- (i) The Factory Manager of M/s Natco Pharma Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes
- (ii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 28.1	0.600	Disposable
2	Schedule I - 28.5	0.600	Disposable
3	Schedule I - 35.3	0.600	As per rules
4	Schedule I - 35.2	1.200	Recyclable
5	Schedule I - 5.1	0.800	Recyclable

- (iv) The authorization shall be in force for a period from 01.04.2017 to 31.03.2018.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986

Terms and conditions of authorization :

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
 - (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for Pharmaceutical Formulation Process only.
 6. Compulsory documents to be submitted by the Industry/Unit :-
 - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Chief Environment Officer


Specific Conditions:


1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal management in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall comply all the conditions mentioned in Doon Valley Notification - 1939.
14. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed in appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-19 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.


 Chief Environment Officer



8-1317
 01/06/2016



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
 29/28, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)
 Phone: 01352333996, Fax: 01352333997, Web: www.ueppcb.org.in, Email: ueppcb@ueppcb.com

UEPPCB/HO/Con-N-34/2016-950

Date: 12/8/2016
 REGD. POST

To,
M/s Naito Pharma Ltd,
Plot No. 19, Pharmacy,
Sidcul, Selaqui, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11613	Forward ID - 60153
CCA (Renewal)	
Consent No. 36406	Date: 22.06.2016

CCA is hereby granted to M/s Naito Pharma Ltd located at Plot No. 19, Pharmacy, Sidcul, Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 15.51 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity/Month	Product	Quantity/Month
1	Injectables	45 Lacs Nos	Injectables	45 Lacs Nos
2	Tablets & Capsules	660 Lacs Nos	Tablets & Capsules	660 Lacs Nos

- Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	2.1	2.1
Sewage	3	3

(ii) Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

OFFICE COPY

1318

CEPPA

Compulsory Parameters			
1.	pH	Between	6.0 to 8.5
2.	Oil & grease	Not to exceed	10mg/l
3.	BOD (3 days 27°C)	Not to exceed	100 mg/l
4.	Total Suspended solids	Not to exceed	100 mg/l
5.	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1.	Mercury	Not to exceed	0.01
2.	Arsenic	Not to exceed	0.20
3.	Chromium	Not to exceed	0.10
4.	Lead	Not to exceed	0.10
5.	Cyanide	Not to exceed	0.10
6.	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7.	Sulphides (as S)	Not to exceed	2.0
8.	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal** The applicant shall provide comprehensive Septic Tanks and Soak pits as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (320KVA)	4	Diesel	64Ltr/Hr	Acoustic Enclosure	-
2	DGSet (125KVA)	2	Diesel	25Ltr/Hr	Acoustic Enclosure	-
3	Boiler (850KGPH)	15	L.P.G	10	Natural Draft	As per Doon Valley Notification.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m

4. Conditions under Hazardous and Other Wastes Rules, 2016 :-

- (i) Number of authorization and date of issue : 1028.01/1428
- (ii) The Factory Manager of M/s Natco Pharma Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes on factory premises for following category of wastes :-

S.No.	Category (Schedule I & Schedule II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 28.1	0.600	Disposable
2	Schedule I - 28.1	0.600	Disposable
3	Schedule I - 34.2	0.600	As per rules
4	Schedule I - 34.3	1.200	Recyclable
5	Schedule I - 5.1	0.800	Recyclable

- (iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.
 (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.
- Terms and conditions of authorization :-**
- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lease, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

- This CCA is valid for Pharmaceutical Formulation Process only.
- Compulsory documents to be submitted by the Industry/Unit :-
 - Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes Rules, 2016 and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
- Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA
- Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
- Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Scientific Officer

OFFICE COPY

1320

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-E-1 etc. and these shall be painted or displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The unit shall comply all the conditions mentioned in Doon Valley Notification - 1989.
14. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the LEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipments and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's office. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The application shall apply before the 30 days of expiry of CCA or any change in production type/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which the return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE or constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Significance Board indicating "Danger" and "Hazardous" shall be displayed in appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used solvent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Scavengers/processors.
25. In case of any transportation of hazardous waste, the forms in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

[Signature]
Executive Officer

OFFICE COPY

[Signature]

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (320KVA)	4	Diesel	64Ltr/Hr	Acoustic Enclosure	-
2	DGSet (125KVA)	2	Diesel	25Ltr/Hr	Acoustic Enclosure	-
3	Boiler (850KGPH)	15	L.P.G	10	Natural Draft	As per Doon Valley Notification.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :

B-6
1329

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 1028 dt 04/8/2015
- (ii) The Factory Manager of M/s Nates Pharma Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 28.1	0.600	Disposable
2	Schedule I - 28.4	0.600	Disposable
3	Schedule I - 34.2	0.600	As per rules
4	Schedule I - 34.3	1.200	Recyclable
5	Schedule I - 5.1	0.800	Recyclable

- (iv) The authorization shall be in force for a period from 23.04.2015 to 31.03.2016.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Pharmaceutical Formulation Process only.
 - Compulsory documents to be submitted by the Industry/Unit :-
 - Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 - Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 - Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 - Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

OFFICE COPY

1325

FILED

Regional Officer, Hazardous and Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

S. Singh
Scientific Officer 8-15

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
4. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
5. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules-2003 and shall obtained registration (if any) under the said rules.
6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that be submitted by the applicant could be assessed.
7. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
8. The industry shall ensure interlocking of air pollution control devices and production processes.
9. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
12. The applicants shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall strictly adhere with the specific and general conditions issued with CCA under. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under.
14. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
15. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days.
17. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
18. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.
19. The unit shall comply all the conditions mentioned in Doon Valley Notification - 1989.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's officers and all other concerned officers. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sent only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. P. Singh
Scientific Officer 8.15

OFFICE COPY

S. P. Singh



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0522-2660001, Fax: 0522-2660002, E-mail: ueppcb@rediffmail.com

UEPPCB/HO/Con-N-34/2014/4/10

Date: 12-9-2014
REGD. POST

To,
M/s Natco Pharma Ltd.
Plot No.-19, Pharmacy,
Sidcul, Selaqui, Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 11012	Inward ID - 56340
CCA (Renewal)	
Consent No. 33780	Date: 25.04.2014

CCA is hereby granted to M/s Natco Pharma Ltd located at Plot No.-19, Pharmacy, Sidcul, Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 25.04.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 13.65 Crs :-

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity/Month	Product	Quantity/Month
1	Injectables	45Lacs Nos	Injectables	45Lacs Nos
2	Tablets & Capsules	660Lacs Nos	Tablets & Capsules	660Lacs Nos

- Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

	Last CCA or CTE	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	3	3

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality:

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Act, 1986 and applicable to the unit from time to time :-

1328

LEBR

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 20°C)	Not to exceed	100 mg/l
4	Total Suspended Solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.
In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 20 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (320KVA)	4	Diesel	64Ltr/Hr	Acoustic Enclosure	
2	DGSet (125KVA)	2	Diesel	25Ltr/Hr	Acoustic Enclosure	
3	Boiler (850KGPH)	15	L.P.G	10	Natural Draft	As per Doon Valley Notification.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and daytime as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

8-6
1329
128

Standards for Noise level in dBA Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules:-

- (i) Number of authorization and date of issue: 1022 dt 21/5/2014
- (ii) The Factory Manager of M/s Nateo Pharma Ltd is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Scheduled-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 23.1	0.600	Disposable
2	Schedule I - 23.4	0.600	Disposable
3	Schedule I - 34.2	0.600	As per rules
4	Schedule I - 34.3	1.200	Recyclable
5	Schedule I - 5.1	0.800	Recyclable

- (iv) The authorization shall be in force for a period from 25.04.2014 to 31.03.2015.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made thereunder.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Pharmaceutical Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit:-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

1330

UEPCC

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules

Member Secretary
9/6/14

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Scientific Officer

D/C

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under
11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste
13. Hazardous waste should not be stored beyond a period of 90 days
14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies
15. The unit shall comply all the conditions mentioned in Down Valley Notification - 1989.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not

- complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house-keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
 6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
 7. The industry shall provide "Inspection Book" in the time of inspection to the Board's officials.
 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
 14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6'x4 feet on side the main factory gate within premises.
 18. It is duty of the authorized person to take prior permission of the Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
 24. The storage area should be fenced properly and Sign/Notice Board indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.
 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
 26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. H. W. S.
 Scientific Officer

95

86
1322

RECEIVED



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
E-115 Nehru Colony, Dehra Dun (Uttarakhand)

Uttarakhand Environment Protection and Pollution Control Board

Date: 07/10/13
REGD. POST

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent to Operate and Authorisation) under Section 24 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section 21 of the "Air (Prevention & Control of Pollution) Act, 1986" and Authorisation under "Rule 3" of the "Hazardous Waste Management, Handling and Transboundary Movement Rules, 2016" notified under the Environment Protection Act, 1986 shall be referred hereinafter as Water Act, Air Act and HW Rules.

Consent ID: 34236
Date: 20.06.2013

The Board has considered the application for Consent to Operate and Authorisation for the purpose of the Water Act, Air Act and HW Rules and has granted the same on the following terms and conditions:-

The Consent shall be valid from 20.06.2013 to 31.03.2014 and valid for manufacturing and processing of products with Capital Investment / Net Assets Value

Sl. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity/Volume	Product	Quantity/Volume
1	...	...	...	...
2	...	...	...	...

2. Specific Conditions under Water Act:

(i) The daily quantity of effluent discharge (KLD) :-

Type of Effluent	Last CCA or CTE	Present CCA (Renewal)
	Nil	Nil
Range	3	3

(ii) **Effluent Treatment and Disposal:** The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to effluent quantity and quality.

On the day of closure of the plant, the ETP, provision has to be stopped immediately and the effluent shall be treated in the plant and the treated effluent shall be discharged to the river.

(iii) The treated effluent shall be used for the purpose of irrigation and the discharge of effluent shall be done in the river. The treated effluent shall be used for the purpose of irrigation and the discharge of effluent shall be done in the river. The treated effluent shall be used for the purpose of irrigation and the discharge of effluent shall be done in the river.

8-6

1333

UEP/CH

Complimentary Parameters			
1	pH	Between	6.0 to 8.5
2	ORP (mg/l)	Not to exceed	11mg/l
3	BOD (5 days 20°C)	Not to exceed	100 mg/l
4	Total Suspended Solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Cadmium	Not to exceed	0.10
4	Copper	Not to exceed	0.50
5	Chromium	Not to exceed	0.10
6	Lead	Not to exceed	1.0
7	Substrate	Not to exceed	2.0
8	Fluoride	Not to exceed	5.0

For Sewage Treatment Plant Operator: The applicant shall provide comprehensive STP Septic Tank as to maintain and reference to infection, quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and the Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be used in CETP/Reuse in gardening and the same shall be utilized continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

1	BOD	Between	3.5 to 9.0
2	Chemical Oxygen Demand	Not to exceed	100mg/l
3	Total Suspended Solids	Not to exceed	30 mg/l
4	Chlorophyll	Not to exceed	10 mg/l

3. Conditions under Air Act:-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:-

R	Plant	Plant	Drop of	Plant	Emission	Emission
No.	Capacity	Capacity	Rate	Quantity	Control	standards
	(Tons/day)	(Tons/day)			Equipment	not to
						exceed
1	Boiler	1	Diesel	500 kg/hr	Acoustic	
	(CNG/NG)				Enclosure	
2	Boiler	2	Diesel	250 kg/hr	Acoustic	
	(CNG/NG)				Enclosure	
3	Boiler	15	Coal	10	Acoustic	As per
	(CNG/NG)				Enclosure	Doon
						Valley
						Notification.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and the Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the G.S. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Storage) which are as follows:-

This has to comply with the other general conditions as annexed herewith. Non compliance with any provision of this CCA and provisions of the Water Act and HW Rules will result in prosecution under the relevant Acts and Rules.

Member Secretary

Copy to: Director, Environment Conservation, Protection and Pollution Control Board,
Government of Karnataka, Bangalore.

Scientific Officer

Specific Conditions

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended by the Water Cess Act and Rules made thereunder.
2. The applicant shall provide 150 litres water meter in each water supply source and shall regularly submit returns of water consumption to the concerned authority and pay the dues as specified under Section 3 of Cess Act.
3. The applicant shall provide a separate sheet of waste at the end of each financial year so that the waste can be properly disposed.
4. The applicant shall provide a separate sheet of waste at the end of each financial year so that the waste can be properly disposed.
5. The applicant shall provide a separate sheet of waste at the end of each financial year so that the waste can be properly disposed.
6. Solid waste generated from the industry shall be disposed in manner so that contamination of surface water bodies (ground water) can be avoided.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (29 of 1986).
8. The industry shall provide a separate sheet of waste at the end of each financial year so that the waste can be properly disposed.
9. The industry shall comply with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under.
10. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
11. The industry shall ensure that no hazardous waste is disposed in the open.
12. The industry shall ensure that no hazardous waste is disposed in the open.
13. The industry shall ensure that no hazardous waste is disposed in the open.
14. The industry shall ensure that no hazardous waste is disposed in the open.
15. The industry shall ensure that no hazardous waste is disposed in the open.

General Conditions

1. The applicant shall get analysed the samples of effluents/leakage/leakages wastes at least once in a three months from the laboratory recognised by the Government and shall report to the UPPCB.
2. The applicant shall ensure that no effluent/leakage/leakages wastes are discharged into the open.
3. Treated effluent water and sludge shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall comply with conditions of this CCA and submit compliance report at stipulated conditions within 10 days of receipt of this CCA. If, at any point of time, it is found that the industry is not

Standards for Noise Level at Boundary	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
dB(A) Leq	75	70	65	55	55	45	50	40

Day time: From 06:00 a.m. to 10:00 p.m. Night time: From 10:00 p.m. to 06:00 a.m.

4. Conditions under HW Rules

- (i) Number of authorization and date of issue: 1222 dt 30/12/2013
 (ii) The Factory Manager of M/s. Nates Pharma Ltd is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
 (iii) This authorization is granted to operate a facility for generation, collection and storage of hazardous wastes under the HW Rules for following category of wastes:

Sl. No.	Schedule I - 32.1	Quantity of waste generated (TPA)	Kind of Disposal
1	Schedule I - 32.1	0.600	Disposable
2	Schedule I - 32.1	0.600	Disposable
3	Schedule I - 32.2	0.600	As per rules
4	Schedule I - 32.3	1.200	Recyclable
5	Schedule I - 5.1	0.600	Recyclable

- (iv) This authorization shall remain valid for a period from 29.06.2013 to 31.03.2014.
 (v) The authorization shall be subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made thereunder.
 - (ii) The authorization shall be renewed shall be produced for inspection at the request of an officer of the State Government.
 - (iii) The authorization shall not be used to collect, store, transfer or otherwise transport the hazardous wastes without the prior permission of the SPCB/PCC.
 - (iv) The authorization shall be subject to the conditions as mentioned in the rules made under the Environment (Protection) Act, 1986.
 - (v) The authorization shall be subject to the conditions as mentioned in the rules made under the Environment (Protection) Act, 1986.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) The authorization shall comply with any other conditions specified in the guidelines issued by the Ministry of Environment and Forests from time to time.
5. This CCA is valid for Pharmaceutical Production Process only.
 6. Every factory/enterprise shall be registered by the Industries Deptt.
 - (i) Annual Return in Form 1 and Waste Disposal Manifest in Form 13 under HW Rules and Hazardous Waste Report
 - (ii) Environment Statement in Form 1 of Environment (Protection) Rules, 1986.
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/ADCA/Waste Storage Area.
 7. Undertake to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Undertake to comply with the right to change/modify at any time any condition of this CCA.

- compliance with relevant conditions or any further direction/condition issued by the Board. legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All salable wastes/condensates etc. must be leak-proof.
 6. The industry shall provide an emergency plan to the S.P. and air, surface and gutter points. Air Pollution Control measures shall be taken for the industry and the surrounding area. All relevant pollution control measures.
 7. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 8. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 9. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 10. In case of any damage to the environment caused by human habitation or by the operations of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
 11. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 12. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 13. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 14. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 15. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 16. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 17. The industry shall provide a "Hazardous Waste Register" as per the provisions of the Board's official.
 18. It is duty of the authorized person to take prior permission of the Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain records of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following the financial year to which that return relates.
 20. In case of any accident, emergency, spillage into the environment, the details in Form-13 of the Hazardous Rules shall be submitted to the Board at the earliest.
 21. In process any hazardous waste shall be kept off on land, in any drain, or into any water stream. All spillage must be immediately collected and treated.
 22. Before the hazardous waste is stored in the facility, applicant must submit a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 23. Used hazardous waste from the process in the plant shall be stored in double lined HDPE pH containers with I.C.C. or such material which is compatible with the waste contained in it.
 24. The storage area should be fenced properly and Sign Board Board indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.
 25. The industry shall store non-flammable waste used off-site in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sent only to Registered Recyclers/Reprocessors.
 26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

[Signature]
Scientific Officer

Specific Conditions:-

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that the submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangements in such a way so that no waste water is discharged in water stream or water bodies.
13. The Unit shall comply all the conditions mentioned in Deen Valley Notification - 1992.
14. The unit shall strictly comply with the provisions of Water, Air & E (P) Act and Rules/Modifications made thereunder.

General Conditions

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0135-265396, Fax: 271201, Web: www.uepcb.org.uk, Email: uepcb@uepcb.org.uk

UEPPCB/HO/Con/S-118/2017/ 662

Date: 23.09.2017

Registered Post

To,

M/s Sidmak Laboratories (India) Pvt Ltd,
Plot No: 20, Pharmacy, Selaqui,
Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively)

PCB ID - 10800

Inward ID - 65605

CCA (Renewal)

Consent No. 37344

Dated: 15.03.2017

CCA is hereby granted to M/s Sidmak Laboratories (India) Pvt Ltd located at Plot No: 20, Pharmacy, Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions:-

1. This CCA is granted for a period from 01.04.2017 to 31.03.2019 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 50.94 Crs.

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	187.5LacsNos	Capsules-	187.5LacsNos
2	Tablets	375LacsNos	Tablets	375LacsNos
3	Topical Preparation (Transdermal Patches)	5.5LacsNos	Topical Preparation (Transdermal Patches)	5.5LacsNos

2. Specific Conditions under Water Act:

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	35.20	35.20
Sewage	3.5	3.5

- (ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the

1738

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	1.0
8	Phosphate (as P)	Not to exceed	5.0

(iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive Septic Tank /Soak pits as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standard as not to exceed
1	Boiler (0.4TPH) x 1	12	LPG	300KG/Hr	Natural Draft	-
2	Boiler (0.4TPH) x 1	12	LPG	300KG/Hr	Natural Draft	-
3	D.G. Set (250KVA) X 2	4.0	Diesel	50Ltr/Hr	Natural Draft	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue : _____
- (ii) The Factory Manager of M/s Sidmak laboratories (India) Pvt. Ltd, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MT/A)	Mode of Disposal
1	Schedule I -28.1	2.0	As per Rules
2	Schedule I -28.4	1.50	As per Rules
3	Schedule I -28.5	0.500	As per Rules
4	Schedule I -33.3	1.0	As per Rules
5	Schedule I - 3.1	2.0	Recoverable
6	Schedule I - 33.1	1.500	As per rules

- (iv) The authorization shall be in force for a period from 01.04.2017 to 31.03.2018.
(v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- An application for the renewal of an authorization shall be made as laid down under these rules.
- The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or SPCB/PCCB from time to time.

6. Compulsory documents to be submitted by the Industry/Unit:-

- Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Chief Environment Officer

The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on the site with regard to quantity, the nature of hazardous material being used in the plant as well as air emission and waste generated within premises is displayed on Display board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of the Board to close and clean up the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which the return relates.
20. In no case any hazardous waste shall be disposed off on land, in any stream or flowing water stream. All the waste must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, ambient must be tested for detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Liquid hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign Notice Board indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil, scrap oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.
25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.

Chief Environment Officer





HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)
 Phone : 0135-463000, Fax : 2310092, E-mail : uapcb@rediffmail.com

UEPPCB/HO/Cons-118/2016/ 957

Date: 12/8/2016
Registered Post

To,
 M/s Sidmak Laboratories (India) Pvt Ltd,
 Plot No: 20, Pharmacy, Selaqui,
 Distt-Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10890	Inward ID - 62470
CCA (Renewal)	
Consent No. 36488/	Dated : 08.04.2016

CCA is hereby granted to M/s Sidmak Laboratories (India) Pvt Ltd located at Plot No: 20, Pharmacy, Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 51.04 Crs.

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	187.5LacsNos.	Capsules	187.5LacsNos.
2	Tablets	375LacsNos.	Tablets	375LacsNos.
3	Topical Preparation (Transdermal Patches)	5.5LacsNos.	Topical Preparation (Transdermal Patches)	5.5LacsNos.

- Specific Conditions under Water Act:

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	35.20	35.20
Sewage	3.5	3.5

- Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the

OFFICE COPY

following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1.	pH	Between	6.0 to 8.5
2.	Oil & grease	Not to exceed	10mg/l
3.	BOD (3 days 27°C)	Not to exceed	100 mg/l
4.	Total Suspended solids	Not to exceed	100 mg/l
5.	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1.	Mercury	Not to exceed	0.01
2.	Arsenic	Not to exceed	0.20
3.	Chromium	Not to exceed	0.10
4.	Lead	Not to exceed	0.10
5.	Cyanide	Not to exceed	0.10
6.	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7.	Sulphides (as S)	Not to exceed	2.0
8.	Phosphate (as P)	Not to exceed	5.0

- (iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

S.No.	Parameters	Standard for STPs
1.	pH	6.5 to 9.0
2.	BOD (mg/L)	10
3.	COD (mg/L)	50
4.	TSS (mg/L)	10
5.	NH ₄ -N (mg/L)	5
6.	N-Total (mg/L)	10
7.	Fecal Coliform (MPN/100ml)	<200
8.	PO ₄ -P (mg/L)	2

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standard s not to exceed
1	Boiler (0.4TPH) x 1	12	LPG	300KG/Hr	Natural Draft	.
2	D.G. Set (1250KVA) X 1	4.0	Diesel	50Ltr./Hr	Natural Draft	.
3	Baby Boiler (0.4TPH) x 1	12	LPG	300KG/Hr	Natural Draft	.
4	D.G. Set (1250KVA) X 1	4.0	Diesel	50Ltr./Hr	Natural Draft	.

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m. Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous & Other Wastes Rules-2016 :

- (i) Number of authorization and date of issue : -----
 (ii) The Factory Manager of M/s Sidmak laboratories (India) Pvt Ltd, Deliradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
 (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Wastes for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I -28.1	2.0	As per Rules
2	Schedule I -28.3	1.50	As per Rules
3	Schedule I -28.4	0.500	As per Rules
4	Schedule I -34.3	1.0	As per Rules
5	Schedule I - 5.1	2.0	Recyclable
6	Schedule I - 33.3	1.500	As per rules

- (iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.
 (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

6. Compulsory documents to be submitted by the Industry/Unit:-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous & Other Wastes Rules, 2016 and Third Party Audit Report.
 (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

OFFICE COPY

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous Rules & Other Wastes Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere to the provisions made under the Doon Valley Modification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
9. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under.
10. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
11. Unit shall ensure manifest system in Form-10 of Hazardous & Other Waste Rules while disposing hazardous waste.
12. Hazardous waste should not be stored beyond a period of 90 days.
13. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
14. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
15. Unit shall be complying all under the Doon valley condition-1989.
16. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous & Other Wastes Rules, 2016 shall be submitted to the Board.

S. Singh
Scientific Officer

5
OFFICE COPY



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone : 0522-2644034, Fax : 0522-2644031, Web : www.ueppcb.org.in, E-mail : ueppcb@ueppcb.org

UEPPCB/HO/Com/S-118/2015/ 816

Date: 01/04/2015
Registered Post

To,
M/s Sidmak Laboratories (India) Pvt Ltd,
Plot No: 20, Pharmacy, Selaqui,
Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10600	Issued ID - 59343
CCA (Renewal)	
Consent No. 35110/ 577	Dated : 27.04.2015

CCA is hereby granted to M/s Sidmak Laboratories (India) Pvt Ltd located at Plot No: 20, Pharmacy, Selaqui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period from 27.04.2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 48.73 Crs.

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	187.5LacsNos.	Capsules-	187.5LacsNos.
2	Tablets	375LacsNos.	Tablets	375LacsNos.
3	Topical Preparation (Transdermal Patches)	5.5LacsNos.	Topical Preparation (Transdermal Patches)	5.5LacsNos.

2. Specific Conditions under Water Act:

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	Nil.	35.200
Sewage	3.5	3.5

- (ii) Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary, secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

OFFICE COPY

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C.	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	Boiler (0.4TPH) x 1	12	LPG	300KG/Hr	Natural Draft	-
2	D.G. Set (1250KVA) X 1	4.0	Diesel	50Ltr./Hr	Natural Draft	-
3	Baby Boiler (0.4TPH) x 1	12	LPG	300KG/Hr	Natural Draft	-
4	D.G. Set (250KVA) X 1	4.0	Diesel	50Ltr./Hr	Natural Draft	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards for noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 577 dt 01/04/2015
- (ii) The Factory Manager of M/s Sidmak laboratories (India) Pvt Ltd, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MT/A)	Mode of Disposal
1	Schedule I -28.1	2.0	As per Rules
2	Schedule I -28.3	1.50	As per Rules
3	Schedule I -28.4	0.500	As per Rules
4	Schedule I -34.3	1.0	As per Rules
5	Schedule I - 5.1	2.0	Recyclable
6	Schedule I - 33.3	1.500	As per rules

- (iv) The authorization shall be in force for a period from 27.04.2015 to 31.03.2016.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

6. Compulsory documents to be submitted by the Industry/Unit:-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

10/4
 Member Secretary

OFFICE COPY

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

[Signature]
Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made there under.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under.
12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
14. Hazardous waste should not be stored beyond a period of 90 days.
15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
17. Unit shall be complying all under the Doon valley condition-1989.
18. The Unit shall strictly comply with the provisions of Water, Air & E(P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not

E E E E E

- un complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
 6. The industry shall provide uninterrupted entry to the STP/ETP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
 7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
 8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
 9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
 14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
 20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
 21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
 22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pH constructed with R.C.C. or such material which does not react with the waste contained in it.
 24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
 25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
 26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Scientific Officer

31.0.15

OFFICE COPY

HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0522-266661, Fax: 0522-266662, E-mail: uppcb@rediffmail.com

U/EP/PCB/HO/Con/5-118/2014/ 585

Date: 15/7/2014
Registered Post

To,
 M/s Sidmak Laboratories (India) Pvt Ltd,
 Plot No: 20, Pharmacy, Selagui,
 Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorisation) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10300	Inward ID - S6699
CCA (Renewal)	
Consent No. 33863/ 522	Dated - 25.04.2014

CCA is hereby granted to M/s Sidmak Laboratories (India) Pvt Ltd located at Plot No: 20, Pharmacy, Selagui, Distt-Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions -

- This CCA is granted for a period from 25.04.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment / Net Assets Value ₹ 42.73 Crs.

S. No	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	137.5 Lacs Nos.	Capsules	137.5 Lacs Nos.
2	Tablets	375 Lacs Nos.	Tablets	375 Lacs Nos.
3	Topical Preparation (Transdermal Patches)	5.5 Lacs Nos.	Topical Preparation (Transdermal Patches)	5.5 Lacs Nos.

2. Specific Conditions under Water Act

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	3.5	3.5

- Trade Effluent Treatment and Disposal :** The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) Sewage Treatment and Disposal: The applicant shall provide comprehensive STP/Sepic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants in the following standards :

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	Boiler (0.4TPH)	12	LPG	300KG/Hr	Natural Draft	-
2	D.G. Set (250KVA) X 1	4.0	Diesel	50Ltr./Hr	Natural Draft	-
3	Ruby Boiler (0.4TPH)	12	LPG	300KG/Hr	Natural Draft	-
4	D.G. Set (250KVA) X 1	4.0	Diesel	50Ltr./Hr	Natural Draft	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for noise level in dB(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m. Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 527 dt/15/7/2014
- (ii) The Factory Manager of M/s Sidmak Laboratories (India) Pvt Ltd, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 28.1	2.0	As per Rules
2	Schedule I - 28.3	1.50	As per Rules
3	Schedule I - 28.4	0.300	As per Rules
4	Schedule I - 34.3	1.0	Secure land fillable
5	Schedule I - 5.1	2.0	Recyclable
6	Schedule I - 33.3	1.300	As per rules

- (iv) The authorization shall be in force for a period from 25.04.2014 to 31.03.2015.
- (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for Pharmaceutical Formulation process only.
6. Compulsory documents to be submitted by the Industry/Unit:-
- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

1355

12/1/2014

- Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Scientific Officer

6/1 Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made there under.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit return of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide posts in the chimney/stack and facilities such as ladder platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 as amended.
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under.
12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
14. Hazardous waste should not be stored beyond a period of 90 days.
15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time to time), shall strictly comply with the provisions of this notification.
17. Unit shall be complying all under the Doon valley condition-1989.
18. The Unit shall strictly comply with the provisions of Water, Air & EPI Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPCCB.

2. The applicant shall, however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly in one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further directions/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/drain etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP, sSTP, venter and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be caused through designated chimney stack only.
10. In case of any damage to the agriculture production or human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production type/ production capacity/manufacturing process/technology enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-15 of the Hazardous Rules shall be submitted to the Board.

[Signature]
 Scientific Officer 16.7.14



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
E-115 Nehru Colony, Dehra Dun (Uttarakhand)
 Phone : 0135-266884, Fax : 266887, Web : www.uppcb.org, E-mail : uppcb@rediffmail.com

UPP/PCB/HO/Con/S-118/2013/ 946

Date: 14.10.2013
Registered Post

To,

M/s Sidmak Laboratories (India) Pvt Ltd,
 Plot No: 20, Pharmacy, Selaqui,
 Distt-Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh/Renewal/Reapplication/Expansion) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2003" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10800	Inward ID - 54851
CCA (Renewal)	
Consent No. 33090/577	Dated: 19.08.2013

CCA is hereby granted to M/s Sidmak Laboratories (India) Pvt Ltd located at Plot No: 20, Pharmacy, Selaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 19.08.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment / Net Assets Values ₹ 44.36 Crs.

S. No.	Last CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1.	Capsules	187.5 Lacs. Nos	Capsules	187.5 Lacs. Nos
2.	Tablets	375 Lacs. Nos	Tablets	375 Lacs. Nos
3.	Topical Preparation (Transdermal Patches)	5.5 Lacs. Nos	Topical Preparation (Transdermal Patches)	5.5 Lacs. Nos

- Specific Conditions under Water Act:

- The daily quantity of effluent discharge (KLD) :-

	Last CCA	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	3.5	3.5

- Trade Effluent Treatment and Disposal: The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening/Land disposal and

the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening/Land disposal and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:-

S. No.	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MTD	Emission Control Equipment	Emission standards not to exceed
1	Boiler (0.4 TPH) x 1	12	LPG	300Kg	Natural Draft	-
2	D.G. Set (1250KVA) x 1	4.0	Diesel	150Ltr.	Natural Draft	-
3	Boiler (0.4 TPH) x 1	12	LPG	300Kg	Natural Draft	-
4	D.G. Set (250KVA) x 1	4.0	Diesel	50Ltr.	Natural Draft	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day-time : from 6:00 a.m. to 10:00 p.m. Night-time : from 10:00 p.m. to 6:00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 572 dt 14/08/2013
 (ii) The Factory Manager of M/s Sidmak laboratories (India) Pvt Ltd, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
 (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I -28.1	2.0	As per Rules
2	Schedule I -28.3	1.50	As per Rules
3	Schedule I -28.4	0.500	As per Rules
4	Schedule I -34.3	1.0	Secure land fillable
5	Schedule I - 5.1	2.0	Recyclable
6	Schedule I - 33.3	1.500	As per rules

- (iv) The authorization shall be in force for a period from 19.08.2013 to 31.03.2014
 (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for manufacturing process of Pharmaceutical Formulation only
 6. Compulsory documents to be submitted by the Industry/Unit :-
 (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 (iii) Quarterly compliance report of the CCA, photograph of ETP/A/PCs/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

136

136

3. Competent Authority reserves the right to change/modify/add any time any condition of its CCA.
9. Unit shall comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttar Pradesh Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Scientific Officer

Specific Conditions:

Annexure

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made there under.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that for submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. A solid waste generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere to the provisions made under the Doon Valley Notification 1989, notified under the Environment (Protection) Rules, 1986 as amended.
11. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made there under.
12. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
13. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
14. Hazardous waste should not be stored beyond a period of 90 days.
15. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
16. The industry covered under Environment Impact Assessment Notification, 2006 (as amended from time-to-time), shall strictly comply with the provisions of this notification.
17. Unit shall be complying all under the Doon valley condition-1989

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.



1361
CTPPOB

3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/sLTP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production type/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated conditions issued along with CCA as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6 ft 6 in feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined 31DPE gal constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.


Scientific Officer 14.10.13


TRUE COPY

NC

Provisional Consent Order (CCA)

Consent No: AWH-37382 Valid upto: 27/07/2018

CCB Id: 1557

Besides streamlining and simplifying of regulatory regime, Uttarakhand Environment Protection & Pollution Control Board has taken initiative in form of introduction of Consolidated Consent and Authorization (CC&A) which provides for a one shot application and clearance of the consents under Water Act, Air Act and Authorization under Hazardous Wastes Rules for a period of 5 years. Board issues consolidated consent and Authorization to an industrial unit for operation of plant/carrying out industrial activity specifying following conditions.

Consolidated Consent and Authorisation

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of Air (Prevention and Control of Pollution) Act-1981 and Authorization under rule 3(c) & 5(5) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2008 framed under the E(P) Act-1986, And whereas Board has received consolidated Application No. (C/O: CCA-Renewal) 67116 and Dated 28/07/2017 for the consolidated consent and authorization (CC&A) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby granted as under.

CONSENT AND AUTHORISATION : (under the provisions / rules of the aforesaid environmental acts)

To,
M/s. Uni Medico Labs,
Plot-21-22, Pharma City, Selaqui, Dehradun,
NIL, City : Selaqui,
Dist : Dehradun, Tal : Dehradun, SIDC : UP Selaqui
Phone : 9258022611

1. Consent Order No: **AWH-37382** Valid Upto: **27/07/2018**


2. All Conditions under the AIR ACT-1981 WATER ACT-1974 HAZARDOUS ACT-2008 shall be Applicable to you as mentioned in the detailed Consent Order.

Consented CETP: **Not Linked to any CETP**

Consented TSDF: **Not Regd with any TSDF**

3. GENERAL CONDITIONS :-

- This order is provisional order and detailed order is considered as final.
- All the conditions & provisions under the Water Act 1974, the Air Act 1981 and the Environment (Protection) Act - 1986 and the rules made there under shall be complied with.
- All the conditions & provisions under the Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2008 as amended shall be complied.
- The applicant shall provide perimeters, ladder, platform etc at chimneys for monitoring the air emissions and the same shall be open for inspection and for use of Board's staff. The chimneys/stacks attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/coloured to facilitate identification.
- The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70dB(A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.
- In case of change of ownership/management the name and address of the new owners/ partners/ directors/ proprietor or equipment or working conditions as mentioned in the consents form / order should immediately be intimated to the Board.
- Industry shall have to display data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including waste water and air emissions and solid hazardous wastes generated within the factory premises.
- The CCA shall be produced for inspection at the request of an officer authorized by the Uttarakhand Environment Protection & Pollution Control Board.
- Any unauthorized change in personnel, equipment or working conditions as mentioned in the CCA order by CCA holder shall constitute a breach of this CCA.
- Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre of land and a green belt of 5 meters width is developed.
- The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess as the Board under the Water Cess Act- 1977.



For and on behalf of
Uttarakhand Environment Protection &
Pollution Control Board

(Member Secretary)

8-8
1363
UEPPCB



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)
 Phone : 052-262884, Fax : 052262885, Web : www.ueppcb.org.in, E-mail : ueppcb@ueppcb.org.in

UEPPCB/HO/Con-U-49/2016/ 310

Date: 11/07/2016
REGD. POST

To,
 M/s Uni Medico Labs,
 Plot No. 21-22,
 Phara City, Selaqui,
 Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCD ID - 15579	Inward ID - 64128
CCA (Renewal)	
Consent No.36788 / 1	Date :- 28.07.2016

CCA is hereby granted to M/s Uni Medico Labs located at Plot No. 21-22, Phara City, Selaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 35.21 Cro :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Annum)	Product	Quantity (Per Annum)
1	Capsule	200 MT	Capsule	200 MT
2	Injectable	10000 KLT	Injectable	10000 KLT
3	Ointment	30000 MT	Ointment	30000 MT
4	Syrup	1000 KLT	Syrup	1000 KLT
5	Tablets	100 MT	Tablets	100 MT

- Specific Conditions under Water Act :-

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	20	20
Sewage	15	15

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the

following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250mg/l
5	Total Suspended solids	Not to exceed	100 mg/l
6	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	3.0

(iv) **Sewage Treatment and Disposal** : The applicant shall provide suitable treatment system to treat sewage as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DG Set (380 KVA) x 2	6	HSD	65 Lit/Hr	Acoustic Enclosure	-
2	DG Set (125KVA) x 1	6	HSD	20 Lit/Hr	Acoustic Enclosure	-
3	Boiler (850Kg/Hr) x 2	6	LPG	30 Kg/Hr	Natural Draft, Acoustic Enclosure	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m.; Night time : from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes Rules, 2016 :-

(i) Number of authorization and date of issue : 1 01/11/2017

- (ii) The Factory Manager of M/s Uni Medico Labs, Setaqui, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.120	Recyclable
2	Schedule I - 33.3	0.100	Secure land fill

- (iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986

Terms and conditions of authorization :-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986; and the rules made there under
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC
 - Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time
- This CCA is valid for pharmaceutical formulation process only.
 - Compulsory documents to be submitted by the Industry/Unit :-
 - Annual return in Form-I and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes Rules, 2016 and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 - Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 - Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 - Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Signature
Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Environment Engineer

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emission and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures in control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodic assessment by the competent authority.
10. Unit shall ensure manifest system in Form-III of Hazardous and Other Wastes Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The unit shall comply with the conditions mentioned in Deen Valley Notification - 1989.
14. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.
15. This permission is only for pharmaceutical formulation process.
16. Treated effluent should be reused within the industrial premises for gardening etc. purposes and there should be no discharge outside the industrial premises.
17. Unit has to comply with the directions/orders of Hon'ble Court, Hon'ble NGT and the directions of Central Pollution Control Board as applicable.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the ARIEF and shall report to the LEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases/emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/ETP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other

concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA, in any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet put outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3, and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is moved or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-16 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

Environmental Engineer

88

1368

LEP/CB

HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)

Phone: 0522-2661100, Fax: 0522-2661101, e-mail: ukep@rediffmail.com

UEP/CB/HOC/Co-11-19/2016/ 1647

Date: 22/11/2016
REGD. POST

To,
M/s Uni Medico Labs,
Plot No. 21-22,
Phara City, Selaqui,
Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID:- 15579	Inward ID - 60717
CCA (Renewal)	
Consent No. 3547/1632	Date :- 07.09.2015

CCA is hereby granted to M/s Uni Medico Labs located at Plot No. 21-22, Phara City, Selaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 07.09.2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 22.99 Crs :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Annum)	Product	Quantity (Per Annum)
1	Capsule	200 MT	Capsule	200 MT
2	Injectable	10000 KLT	Injectable	10000 KLT
3	Ointment	30000 MT	Ointment	30000 MT
4	Syrup	1000 KLT	Syrup	1000 KLT
5	Tablets	100 MT	Tablets	100 MT

- Specific Conditions under Water Act :-

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	Nil	20
Sewage	15	15

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the

A. Previous Consent-Refect/ CCA Order/ NOC Order (PCN) Uploaded in XGF on 20/12/2016 12:19:25 on IP No: 137.214.175.156
B. 15579- Uni Medico Labs accepts the LEGAL responsibility and undertakes that the furnished information is CORRECT & ACCURATE.

following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	110 mg/l
5	Biological Test	Not to exceed	40% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Sewage Treatment and Disposal:** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by post/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETV/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DC Set (330 KVA) x 2	6	HSD	65 (lit/l)	Acoustic Enclosure	

2	DG Set (125KVA) x 1	6	HSD	20 Ltr/Hr	Acoustic Enclosure	
3	Boiler (850Kg/Hr) x 2	6	LPG	30 Kg/Hr	Natural Draft, Acoustic Enclosure	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
db(A) Leq	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m. Night time : from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 1632, dt. 20/4/2016
- (ii) The Factory Manager of M/s Uni Medico Labs, Selaqui, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.120	Recyclable
2	Schedule I - 3.3	0.100	Secure land fill

- (iv) The authorization shall be in force for a period from 07.09.2015 to 31.03.2016.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for pharmaceutical formulation process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

18. The unit shall comply all the conditions mentioned in Duan Valley Notification - 1989
19. The unit shall strictly comply with the provisions of Water, Air & L (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/toxic/hazardous wastes at least once in a three month from the laboratory recognized by the MUE&I and shall report to the UEPPOB
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further directions/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/containers etc. must be leak proof.
6. The industry shall provide uninterrupted entry to the STP/ETP's inlet and outlet points. Air Pollution Control equipment and gases, for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/suck only.
10. In case of any damage to the agriculture productivity, human habitation, etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production type/ production capacity/manufacturing process/capacity enlargement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not store, keep, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet near side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year in which this return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In an case any hazardous waste shall be disposed off on land, in any drain or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Liquid hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Signage Board indicating "Danger" and "Hazardous" shall be displayed at appropriate position both in Hindi and English.

8-8
1372
UETPCB

25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Reprocessors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. J. [Signature]
Scientific Officer



HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
19/20, Nemi Road, Dalanwala, Dehra Dun (Uttarakhand)
 Phone : 0135-265006, Fax : 0135-265002, Web : www.ueppcb.org.in, Email : ueppcb@ueppcb.org

UEPPCB/HO/Con-D-49/2014/ 1050

Date: 25/9/2014
REGD. POST

To,

M/s Uni Medico Labs,
 Plot No. 21-22,
 Phara City, Selaqui,
 Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 15579	Invant ID - 55260
CCA (Renewal)	
Consent No. J4039/1622	Date :- 13.03.2014

CCA is hereby granted to M/s Uni Medico Labs located at Plot No. 21-22, Phara City, Selaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 13.03.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 19.00 Crs :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Annum)	Product	Quantity (Per Annum)
1	Capsule	200 MT	Capsule	200 MT
2	Injectable	10000 KLT	Injectable	10000 KLT
3	Ointment	30000 MT	Ointment	30000 MT
4	Syrup	1000 KLT	Syrup	1000 KLT
5	Tablets	100 MT	Tablets	100 MT

- Specific Conditions under Water Act :

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	15	15

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the

Following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by first-hand email with a report in this regard to be dispatched immediately

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time :-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DG Set (380 KVA) x 2	6	HSD	65 Ltr/Hr	Acoustic Enclosure	

CEPFCB

2	DGSet (125KVA) x 1	6	HSD	20 Lit/Hr	Acoustic Enclosure	-
3	Boiler (850Kg/Hr) x 2	6	LPG	30 Kg/Hr	Natural Draft, Acoustic Enclosure	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under EW Rules :-

- (i) Number of authorization and date of issue : 1432 dlt 29/12/17
- (ii) The Factory Manager of M/s Uni Medico Labs, Selanqui, Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.120	Recyclable
2	Schedule I - 34.3	0.100	Secure land fill

- (iv) The authorization shall be in force for a period from 13.03.2014 to 31.03.2015.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986

Terms and conditions of authorization :-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for pharmaceutical formulation process only
 - Compulsory documents to be submitted by the Industry/Unit :-
 - Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ET/PAFCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Scientific Officer

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that for submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimneystack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimneystack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground-water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
13. Hazardous waste should not be stored beyond a period of 90 days.
14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
15. The unit shall comply all the conditions mentioned in Doon Valley Notification - 1989.
16. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the M&E&F and shall report to the UEPCCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/STP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/measuring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimneys/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in productive types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pot constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed in appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used kerosene oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. K. Singh
Scientific Officer 10.9.14



HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehradun (Uttarakhand)

Phone: 0135-2650066, Fax: 0135-2650066, Web: www.ueppcb.org.in, E-mail: ueppcb@ueppcb.org.in

UEPPCB/HO/Con-K-44/2017/ 754

Date: 24.08.2017

REGD. POST

To,

M/s Kalindi Medicare Pvt. Ltd,
Plot No. 25-26, Pharmacy Selaqui,
Selaqui, Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10030 Inward ID - 66337
CCA (Renewal)
Consent No. 37367/80 Date :- 15.07.2017

CCA is hereby granted to M/s Kalindi Medicare Pvt. Ltd located at Plot No. 25-26, Pharmacy Selaqui, Selaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period from 01.04.2017 to 31.03.2018 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 5.41 Crs :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	1.87 Crore Nos	Capsules	1.87 Crore Nos
2	Tablets	7.5 Crore Nos	Tablets	7.5 Crore Nos

2. Specific Conditions under Water Act :

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	5.5	5.5
Sewage	5	5

- (ii) Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Page-1-15



HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehradun (Uttarakhand)

Phone : 052-2658966, Fax : 05220912, Web : www.ueppcb.org.uk, E-mail : ueppcb@ueppcb.org.uk

UEPPCB/HO/Con-K-44/2016/2001

Date: 4/07/2017
REGD. POST

To,

M/s Kalindi Medicare Pvt. Ltd,
Plot No. 25-26, Pharmcity Selaqui,
Selaqui, Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10030	Inward ID - 63481
CCA (Renewal)	
Consent No. 36780	Date : 26.07.2016

CCA is hereby granted to M/s Kalindi Medicare Pvt. Ltd located at Plot No. 25-26, Pharmcity Selaqui, Selaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period from 01.04.2016 to 31.03.2017 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 3.57 Crs :-

S. No	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	1.87 Crore Nos	Capsules	1.87 Crore Nos
2	Tablets	7.5 Crore Nos	Tablets	7.5 Crore Nos

2. Specific Conditions under Water Act :

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	5.5	5.5
Sewage	5	5

- (ii) Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250mg/l
5	Total Suspended solids	Not to exceed	100 mg/l
6	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide suitable treatment system to treat sewage as is required with reference to influent quantity and quality.

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (125KVA) x 1	6	HSD	20	Natural Draft, Acoustic Enclosure	-
2	DO Set (380 KVA) x 1	6	HSD	30	Natural Draft, Acoustic Enclosure	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-

- (i) Number of authorization and date of issue : 802-01...06/11/2017

- (ii) The Factory Manager of M/s Kalindi Medicare Pvt. Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.300	Recyclable
2	Schedule I - 15.3	0.150	Secure land fill
3	Schedule I - 28.5	0.150	As per rules

- (iv) The authorization shall be in force for a period from 01.04.2016 to 31.03.2017.
- (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 - The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - An application for the renewal of an authorization shall be made as laid down under these rules.
 - The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
- This CCA is valid for Pharmaceutical Formulation Process only.
 - Compulsory documents to be submitted by the Industry/Unit :-
 - Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 - Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 - Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
 - Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

Member Secretary

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

Environment Engineer

1382

Specific Conditions:


1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the dues as specified under Section-3 of Cess Act.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
9. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
10. Unit shall ensure manifest system in Form-10 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of 90 days.
12. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
13. The unit shall comply all the conditions mentioned in Doon Valley Notification-1989.
14. Unit has to comply all the directions/orders of Hon'ble Court and Hon'ble NGT and the directions of Central Pollution Control Board as applicable.
15. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/notifications made thereunder.
16. This permission is only for pharmaceutical formulation process only.
17. Treated effluent should be reused within the industrial premises for gardening etc. purposes and there should be no discharge outside the premises of the unit.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipments and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other

- concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
 10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
 11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
 12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
 13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
 14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
 16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
 17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
 18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
 19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
 20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
 21. Before the hazardous waste is stored or dumped in the facility, applicants must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
 22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
 23. The storage area should be fenced properly and Signage/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
 24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
 25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 shall be submitted to the Board.


Environment Engineer





HEAD OFFICE
Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dalanwala, Dehradun (Uttarakhand)

Phone: 0522-252446, Fax: 0522-252447 Web: www.ueppcb.org.in E-mail: ueppcb@ueppcb.org

UEPPCB/HO/Con-K-44/2015/ 797

Date: 27/8/2015

REGD. POST

To,

M/s Kalindi Medicure Pvt. Ltd,
 Plot No. 25-26, Pharmacy Selaqui,
 Selaqui, Distt- Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively)

PCB ID - 10030	Inward ID - 59550
CCA (Renewal)	
Consent No. 35042	Date :- 20.05.2015

CCA is hereby granted to M/s Kalindi Medicure Pvt. Ltd located at Plot No. 25-26, Pharmacy Selaqui, Selaqui, Distt- Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 20.05.2015 to 31.03.2016 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 5.50 Cro :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	1.87 Crore Nos	Capsules	1.87 Crore Nos
2	Tablets	7.5 Crore Nos	Tablets	7.5 Crore Nos

- Specific Conditions under Water Act :

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	5.5	5.5
Sewage	5	5

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

OFFICE COPY

1285

STP/STP/STP

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended solids	Not to exceed	100 mg/l
5	Biassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C6H5OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0
1	pH	Between	5.5 to 9.0
2	Suspended solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

- (iv) **Sewage Treatment and Disposal.** The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

- (v) The treated sewage shall be sent to CETP/Rouse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DGSet (125KVA) x 1	6	HSD	20	Natural Draft, Acoustic Enclosure	
2	DG Set (380 KVA) x 1	6	HSD	30	Natural Draft, Acoustic Enclosure	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue one dt 22/8/2015
(ii) The Factory Manager of M/s Kalindi Medicare Pvt. Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.300	Recyclable
2	Schedule I - 34.3	0.150	Secure land fill
3	Schedule I - 28.4	0.150	As per rules

- (iv) The authorization shall be in force for a period from 30.05.2015 to 31.03.2016;
(v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act 1986, and the rules made there under.
(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
(vi) An application for the renewal of an authorization shall be made as laid down under these rules.
(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for Pharmaceutical Formulation Process only.
6. Compulsory documents to be submitted by the Industry/Unit :-
(i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

1387

1387

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the aforesaid Acts and Rules.

Copy to: Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

Member Secretary

 Scientific Officer

Specific Conditions:

Annexure

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Officers regularly.
4. The unit shall comply with the provisions of The Batteries (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
5. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules-2008 and shall obtained registration (if any) under the said rules.
6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
7. The applicant shall provide posts in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
8. The industry shall ensure interlocking of air pollution control devices and production processes.
9. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
12. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall strictly adhere with the specific and general conditions issued with CCA under Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
14. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
15. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days.
17. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
18. The unit shall comply all the conditions mentioned in Doon Valley Notification-1989.
19. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE&F and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP/STP's inlet and outlet points. Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

S. M. 26.10
Scientific Officer

HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nemi Road, Dahanwala, Dehradun (Uttarakhand)

UETP/CCO/2014/528

Date: 22/11/2014
REGD. POST

To: M/s. Kalindi Medikure Pvt. Ltd.
Plot No. 25-26, Pharmacy, Selaqui,
Selaqui, Distt. Dehradun.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & Authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10050 Inward ID - 56778
CCA (Renewal)
Consent No. 34258 / SD Date - 12.08.2014

CCA is hereby granted to M/s Kalindi Medikure Pvt. Ltd. located at Plot No. 25-26, Pharmacy, Selaqui, Selaqui, Distt. Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period from 12.08.2014 to 31.03.2015 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 5.80 Crs :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	1.87 Crore Nos	Capsules	1.87 Crore Nos
2	Tablets	7.5 Crore Nos	Tablets	7.5 Crore Nos

2. Specific Conditions under Water Act :-

- (i) The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	Nil	5.5
Sewage	5	5

- (ii) Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (iii) The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

OFFICE COPY

Compulsory Parameters			
1	pH	Between	6.0 to 8.5
2	Oil & Grease	Not to exceed	10mg/l
3	BOD (3 days 27°C)	Not to exceed	100 mg/l
4	Total Suspended Solids	Not to exceed	100 mg/l
5	Bioassay Test	Not to exceed	90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters			
1	Mercury	Not to exceed	0.01
2	Arsenic	Not to exceed	0.20
3	Chromium	Not to exceed	0.10
4	Lead	Not to exceed	0.10
5	Cyanide	Not to exceed	0.10
6	Phenolics (C ₆ H ₅ OH)	Not to exceed	1.0
7	Sulphides (as S)	Not to exceed	2.0
8	Phosphate (as P)	Not to exceed	5.0
1	pH	Between	5.5 to 9.0
2	Suspended Solids	Not to exceed	100mg/l
3	BOD (3 days 27°C)	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l

(iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by facsimile/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

(i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DG Set (125KVA) x 1	6	HSD	20	Natural Draft, Acoustic Enclosure	
2	DG Set (380 KVA) x 1	6	HSD	30	Natural Draft, Acoustic Enclosure	

EPPCB

operation of storage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the plant and other source(s) should be controlled by providing an acoustic enclosure as required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Standards (for Noise Level) in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
db(A) Leq	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules:-

- (i) Number of authorization and date of issue: 802 dt 28/11/2014
 (ii) The Factory Manager of M/s Kaimdi Medicare Pvt. Ltd., Dehradun is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
 (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes:-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.300	Recyclable
2	Schedule I - 34.3	0.150	Secure land fill
3	Schedule I - 28.4	0.150	As per rules

- (iv) The authorization shall be in force for a period from 12-08-2014 to 31-03-2015.
 (v) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 (iv) Any unauthorized changes in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for Pharmaceutical Formulation Process only.
 6. Compulsory documents to be submitted by the Industry/Unit:-
 (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

OFFICE COPY

1392

SECRET

Unit must comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and HW Rules will result in cancellation under the aforesaid Acts and Rules.

Member Secretary

Copied to Regional Officer, Uttarakhand Environment Protection and Pollution Control Board, Dehradun for information and compliance of the same.

[Signature]
Scientific Officer 25/11

9 (Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The unit shall strictly comply with the provisions of The Public Liability Insurance Act, 1991 as amended and Rules made there under and shall submit copies of Insurance Policies (if any) to the Board Offices regularly.
4. The unit shall comply with the provisions of The Barriers (Management & Handling) Rules-2001 as amended and shall submit return as per provisions of said rules.
5. The unit shall comply with the provisions of The E-Waste (Management & Handling) Rules-2008 and shall obtained registration (if any) under the said rules.
6. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
7. The applicant shall provide pots in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
8. The industry shall ensure interlocking of air pollution control devices and production processes.
9. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
10. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
11. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
12. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
13. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
14. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
15. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
16. Hazardous waste should not be stored beyond a period of 90 days.
17. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
18. The unit shall comply all the conditions mentioned in Doon Valley Notification-1989.
19. The unit shall strictly comply with the provisions of Water, Air & E (P) Acts and Rules/Notifications made thereunder.

General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoE & P and shall report to the DEPPCB.

B-9139

B-9139

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste-water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lease, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/waste oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.

Scientific Officer

25/11/14

OFFICE COPY

HEAD OFFICE

Uttarakhand Environment Protection and Pollution Control Board
29/20, Nani Road, Dalanwala, Dehradun (Uttarakhand)

Distt. ID: 10038 Inward ID: 54185 Web: www.uppcb.gov.in Email: uppcb@uppcb.com

URPPC/HO/Con-44/2014/173

Date: 20.1.2014

REGD. POST

To,

M/s Kallindi Medicare Pvt. Ltd.
Plot No. 25-26 Pharmacy Selaqui,
Selaqui, Distt. Dehradun

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & Authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-5" of the "Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

PCB ID - 10038 Inward ID - 54185
CCA (Renewal)
Consent No. 33382/2007 Date: 12.07.2013

CCA is hereby granted to M/s Kallindi Medicare Pvt. Ltd located at Plot No. 25-26, Pharmacy Selaqui, Selaqui, Distt. Dehradun subject to the provisions of the Water Act, Air Act and HW Rules and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period from 12.07.2013 to 31.03.2014 and valid for manufacturing of following products with Capital Investment/Net Assets Values ₹ 11.00 Crs :-

S. No.	Last CTE or CCA		Present CCA (Renewal)	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Capsules	1.37 Crore Nos	Capsules	1.37 Crore Nos
2	Tablets	7.5 Crore Nos	Tablets	7.5 Crore Nos

- Specific Conditions under Water Act :

- The daily quantity of effluent discharge (KLD) :-

	Last CTE or CCA	Present CCA (Renewal)
Trade Effluent	Nil	4.5
Sewage	5	5

- Trade Effluent Treatment and Disposal : The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and/or tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- The treated effluent shall be recycled to the maximum extent to achieve Zero Discharge and remaining treated effluent shall be sent to CETP/Reuse in gardening and the same has to be maintained continuously so as to achieve the quality of the treated effluent to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Compulsory Parameters		
1	pH	Between 6.0 to 8.5
2	Oil & Grease	Not to exceed 10mg/l
3	BOD (5 days 27°C)	Not to exceed 100 mg/l
4	Total Suspended Solids	Not to exceed 100 mg/l
5	Bioassay Test	Not to exceed 90% survival of fish after first 96 hours in 100% effluent.
Additional Parameters		
1	Mercury	Not to exceed 0.01
2	Arsenic	Not to exceed 0.20
3	Chromium	Not to exceed 0.10
4	Lead	Not to exceed 0.10
5	Cyanide	Not to exceed 0.10
6	Fluorides (as F ⁻)	Not to exceed 1.0
7	Sulphides (as S)	Not to exceed 2.0
8	Phosphate (as P)	Not to exceed 5.0
1	pH	Between 5.5 to 9.0
2	Suspended Solids	Not to exceed 100mg/l
3	BOD (3 days 27°C)	Not to exceed 30 mg/l
4	COD	Not to exceed 250 mg/l
5	Oil & Grease	Not to exceed 10 mg/l

- (iv) **Sewage Treatment and Disposal** : The applicant shall provide comprehensive STP/Septic Tank as is required with reference to influent quantity and quality.

In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (v) The treated sewage shall be sent to CETP/Reuse in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards as applicable under Environment (Protection) Rules, 1986 from time-to-time:-

pH	Between	5.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD 3 days 27 Degree C	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (M)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1	DG Set (125KVA) x 1	6	HSD	20	Natural Draft, Acoustic Enclosure	
2	DG Set (100 KVA) x 1	6	HSD	30	Natural Draft, Acoustic Enclosure	

1396

IMPVCA

8-9

158

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by facsimile/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time : from 10.00 p.m. to 6.00 a.m.

4. Conditions under HW Rules :-

- (i) Number of authorization and date of issue : 802 all 20.2.2014
 (ii) The Factory Manager of M/s. Kalindi Medicare Pvt. Ltd is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
 (iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	Schedule I - 5.1	0.300	Recyclable
2	Schedule I - 34.3	0.150	Secure land fill
3	Schedule I - 28.4	0.150	As per rules

- (iv) The authorization shall be in force for a period from 12.07.2013 to 31.03.2014.
 (v) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

Terms and conditions of authorization :-

- (i) The authorization shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
 (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.

5. This CCA is valid for Pharmaceutical Formulation Process only.

6. Compulsory documents to be submitted by the Industry/Unit :-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-13 under HW Rules and Third Party Audit Report.
 (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

139

11/11/89

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of the CCA and provisions of the Water Act, Air Act and HW Rules will result in legal action under the respective Acts and Rules.

Member Secretary

Copy for Regional Officer, Uttarakhand Environment Protection and Pollution Control Board,
Dehradun for information and compliance of the same.

[Signature]
Scientific Officer 15.2.89

6/C

Annexure

Specific Conditions:

1. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act, 1977 as amended (to be referred as Cess Act) and Rules made thereunder.
2. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under Section-3 of Cess Act.
3. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
4. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
5. The industry shall ensure interlocking of air pollution control devices and production processes.
6. Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
7. The industry shall comply with the Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989 notified under the Environment (Protection) Act, 1986 (as amended).
8. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
9. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the Central Pollution Control Board.
10. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of Water Act, Air Act and Environment (Protection) Act and Rules made thereunder.
11. The industry shall ensure all safety measures and shall undertake periodical assessment by the competent authority.
12. Unit shall ensure manifest system in Form-13 of HW Rules while disposing hazardous waste.
13. Hazardous waste should not be stored beyond a period of 90 days.
14. The industry situated nearby the River Ganga and its tributaries shall ensure the treatment facilities and disposal arrangement in such a way so that no waste water is discharged in water stream or water bodies.
15. The unit shall comply all the conditions mentioned in Doon Valley Modification-1989.


General Conditions:

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the M&E&F and shall report to the UPPTCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

8-9
138
157

3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In case of any accident, complete details in the light of Form-14 of the Hazardous Rules shall be submitted to this Board at the earliest.
21. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
22. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
23. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
24. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
25. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
26. In case of any transportation of hazardous waste, the details in Form-13 of the Hazardous Rules shall be submitted to the Board.


Scientific Officer 15.2.14

True copy 
-5-